

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Af: Alluvial Land-----	100	---	---	---	---	---	---	---
As: Arveson-----	100	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness soil blowing	Limitation: too sandy wetness soil blowing	Limitation: wetness
BaA: Barnes-----	100	Moderate: seepage	Severe: piping	Severe: no water	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
BbB2: Barnes-----	50	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
Langhei-----	30	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
BbC2: Barnes-----	50	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Langhei-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
BdB2: Barnes-----	30	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
Langhei-----	30	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
Renshaw-----	20	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: too sandy	Limitation: droughty
BdC: Barnes-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Langhei-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
Renshaw-----	20	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy	Limitation: slope droughty

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Be: Bearden-----	100	Slight	Severe: wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily rooting depth
Bh: Blue Earth-----	100	Moderate: seepage	Severe: excess humus piping ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
Ca: Canistee-----	100	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
CmB: Clarion-----	100	Moderate: seepage slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
CmC2: Clarion-----	100	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Cn: Clontarf-----	100	Severe: seepage	Severe: seepage piping	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: wetness soil blowing droughty	Limitation: too sandy wetness soil blowing	Limitation: droughty
Co: Colvin-----	100	Moderate: seepage	Severe: wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
Cp: Colvin-----	100	Moderate: seepage	Severe: ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily percs slowly wetness
CW: Census Water-----	100	---	---	---	---	---	---	---
DaB: Darnen-----	100	Moderate: seepage	Severe: piping	Severe: no water	Limitation: deep to water	Favorable	Favorable	Favorable
DcA: Dickinson-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: soil blowing	Limitation: too sandy soil blowing	Favorable

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
DcB: Dickinson-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing	Limitation: too sandy soil blowing	Favorable
DLA: Doland-----	100	Moderate: seepage	Severe: piping	Severe: no water	Limitation: deep to water	Favorable	Favorable	Favorable
DLB: Doland-----	100	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
Es: Estelline-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Favorable	Limitation: erodes easily too sandy	Limitation: erodes easily
Et: Estelline Variant-----	100	Severe: seepage	Severe: seepage	Severe: cutbanks cave	Limitation: deep to water	Favorable	Limitation: too sandy	Favorable
EvA: Estherville-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: droughty	Limitation: too sandy	Limitation: droughty
EvB: Estherville-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: too sandy	Limitation: droughty
EvC2: Estherville-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy	Limitation: slope droughty
EwA: Estherville-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Favorable	Limitation: too sandy	Favorable
EwB: Estherville-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: too sandy	Favorable
FLA: Flandreau-----	100	Severe: seepage	Severe: piping	Severe: no water	Limitation: deep to water	Favorable	Favorable	Favorable
FLB: Flandreau-----	100	Severe: seepage	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
FoA: Fordville-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: rooting depth	Limitation: too sandy	Limitation: rooting depth
FoB: Fordville-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: rooting depth slope	Limitation: too sandy	Limitation: rooting depth
FrB2: Forman-----	100	Moderate: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
FrC2: Forman-----	100	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Gn: Glencoe-----	100	Moderate: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
Hc: Hamar-----	100	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: wetness droughty	Limitation: too sandy wetness soil blowing	Limitation: wetness droughty
Hd: Hamerly-----	100	Moderate: seepage	Severe: piping wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily
Hv: Hecla-----	100	Severe: seepage	Severe: seepage piping	Severe: cutbanks cave	Limitation: deep to water	Limitation: fast intake droughty	Limitation: too sandy soil blowing	Limitation: droughty
La: Lake Beaches-----	100	---	---	---	---	---	---	---
Lb: Lake Beaches-----	100	---	---	---	---	---	---	---
Lc: Lamoure-----	100	Moderate: seepage	Severe: wetness	Severe: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Lh: Lamoure-----	100	Moderate: seepage	Severe: wetness	Severe: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Lk: Lamoure-----	100	Moderate: seepage	Severe: wetness	Severe: slow refill	Limitation: flooding frost action	Limitation: flooding wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
LlE: Langhei-----	100	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
LlF: Langhei-----	100	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
LmF: Langhei-----	100	Severe: slope	Severe: large stones	Severe: no water	Limitation: deep to water	Limitation: excess salt large stones slope	Limitation: large stones slope	Limitation: large stones slope
LnB2: Langhei-----	50	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
Barnes-----	30	Moderate: seepage slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
LnC2: Langhei-----	50	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
Barnes-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
LnD2: Langhei-----	50	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
Barnes-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
LoD2: Barnes-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Langhei-----	30	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
Sioux-----	20	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
MbC: Maddock-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
MbE: Maddock-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
MdA: Maddock-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
MdB: Maddock-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
Mf: Malachy-----	100	Severe: seepage	Severe: seepage piping	Severe: cutbanks cave	Limitation: deep to water	Limitation: soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
Mk: Marsh-----	100	---	---	---	---	---	---	---
Ml: Marysland-----	100	Severe: seepage	Severe: seepage wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness
Mn: Mayer-----	100	Severe: seepage	Severe: seepage wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Mo: Mayer-----	100	Severe: seepage	Severe: seepage ponding	Severe: cutbanks cave	Limitation: frost action ponding cutbanks cave	Limitation: ponding	Limitation: too sandy ponding	Limitation: wetness
Mr: Mayer Variant-----	100	Severe: seepage	Severe: seepage wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness	Limitation: too sandy wetness	Limitation: wetness
Ms: Mcintosh-----	100	Moderate: seepage	Severe: piping	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily
Mt: Muck-----	100	Severe: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
Mu: Muck-----	100	Severe: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
Mv: Muck-----	100	---	---	---	---	---	---	---
Mw: Muck-----	100	Severe: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
Mx: Muck-----	100	Severe: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
My: Muck Over Loam-----	100	Severe: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
Mz: Muck Over Sand-----	100	Severe: seepage	Severe: seepage piping ponding	Severe: slow refill cutbanks cave	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: too sandy soil blowing ponding	Limitation: wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
Nc: Nicollet-----	100	Moderate: seepage	Severe: wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
NuA: Nutley-----	100	Slight	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: slow intake droughty	Limitation: percs slowly	Limitation: percs slowly droughty
NuB: Nutley-----	100	Moderate: slope	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: slope slow intake droughty	Limitation: percs slowly	Limitation: percs slowly droughty
Om: Oldham-----	100	Slight	Severe: hard to pack wetness	Severe: slow refill	Limitation: frost action percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily percs slowly wetness	Limitation: erodes easily percs slowly wetness
Os: Osakis-----	100	Severe: seepage	Severe: seepage	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: wetness soil blowing droughty	Limitation: too sandy wetness soil blowing	Limitation: droughty
Pa: Parnell-----	100	Slight	Severe: hard to pack ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily percs slowly wetness
Pf: Flom-----	50	Slight	Severe: wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Parnell-----	50	Slight	Severe: hard to pack ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily percs slowly wetness
Pr: Perella-----	100	Moderate: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action ponding	Limitation: ponding	Limitation: ponding	Limitation: wetness
ReA: Renshaw-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: droughty	Limitation: too sandy	Limitation: droughty

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
ReB: Renshaw-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: too sandy	Limitation: droughty
ReC2: Renshaw-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy	Limitation: slope droughty
SdB: Salida-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: too sandy soil blowing	Limitation: droughty
SdC2: Salida-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
SeF: Salida-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope	Limitation: slope droughty
SlB: Sioux-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: too sandy soil blowing	Limitation: droughty
SlC2: Sioux-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
SoF: Sioux-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: slope too sandy	Limitation: slope droughty
SrE2: Storden-----	50	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
Clarion-----	30	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
SuA: Svea-----	100	Moderate: seepage	Severe: piping	Severe: slow refill	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
SuB: Svea-----	100	Moderate: seepage slope	Severe: piping	Severe: slow refill	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
SyB2: Sverdrup-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
SyC2: Sverdrup-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
SzA: Sverdrup-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: droughty	Limitation: too sandy	Limitation: droughty
Ta: Tara-----	100	Moderate: seepage	Severe: piping	Moderate: slow refill deep to water	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
To: Tonka-----	100	Moderate: seepage	Severe: ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily percs slowly ponding	Limitation: erodes easily percs slowly wetness
Va: Vallars-----	100	Slight	Severe: piping wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
Wa: Wadena-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Favorable	Limitation: too sandy	Favorable
WbA: Waukon-----	100	Moderate: seepage	Moderate: piping	Severe: no water	Limitation: deep to water	Favorable	Favorable	Favorable
WbB: Waukon-----	100	Moderate: seepage slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
WbC: Waukon-----	100	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
WbD: Waukon-----	100	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
WdB2: Waukon-----	100	Moderate: seepage slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Favorable	Favorable
WdC2: Waukon-----	100	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: slope	Limitation: slope
We: Webster-----	100	Moderate: seepage	Severe: piping wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
Wn: Winger-----	100	Moderate: seepage	Severe: piping wetness	Severe: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
ZZ900: Gravel Pits-----	100	---	---	---	---	---	---	---

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)