

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Adrian, drained-----	75	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
Af: Adrian-----	100	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Subsidence Flooding Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
An: Alganssee-----	90	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
As: Alganssee Variant----	90	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
BeA: Brems-----	90	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
ChB: Coloma-----	100	Not limited		Not limited		Not limited	
Co: Craigmile-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Cp: Craigmile Variant----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrA: Crosier-----	90	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Ed: Edwards-----	100	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00

		organic matter		organic matter		organic matter	
Gf:							
Gilford-----	75	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Ho:							
Houghton, drained--	75	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Ponding Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00
MdA:							
Markton-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Me:							
Maumee-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Mh:							
Maumee-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Mn:							
Maumee Variant-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MpB:							
Metea-----	100	Not limited		Not limited		Not limited	
Mr:							
Morocco-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Na:							
Napoleon-----	100	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00
Nf:							
Newton-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
OrB:							
Ormas-----	100	Not limited		Not limited		Not limited	
OvA:							
Ormas Variant-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Morocco-----	20	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
PlA:							
Plainfield-----	100	Not limited		Not limited		Not limited	
PlB:							
Plainfield-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
PlC:							
Plainfield-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
PtA:							

Plainfield-----	100	Not limited		Somewhat limited Depth to saturated zone	0.15	Not limited	
PvB: Plainfield-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
Ex: Prochaska-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Sh: Shoals Variant-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
So: Suman-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
To: Toto-----	100	Very limited Depth to saturated zone Content of organic matter Subsidence	1.00 1.00 1.00	Very limited Depth to saturated zone Subsidence	1.00 1.00	Very limited Depth to saturated zone Content of organic matter Subsidence	1.00 1.00 1.00
Ud: Udorthents, Gravelly	100	Not limited		Not limited		Not limited	
W: Water-----	100	Not rated		Not rated		Not rated	
Wk: Watseka-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WwB: Wawasee-----	100	Not limited		Not limited		Somewhat limited Slope	0.01