

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Ad: Adrian, drained----- | 75 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter Ponding | 1.00 1.00 1.00 | Very limited Ponding Content of organic matter Depth to saturated zone | 1.00 1.00 1.00 |
| Be: Beaches----- | 100 | Not rated | | Not rated | | Not rated | |
| BnA: Blount----- | 90 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.94 |
| BoB: Boyer----- | 50 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Not limited | |
| Ormas----- | 40 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Somewhat limited Droughty | 0.51 |
| BoC: Boyer----- | 50 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Somewhat limited Slope | 0.04 |
| Ormas----- | 40 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Somewhat limited Droughty Slope | 0.51 0.04 |
| BoD: Boyer----- | 50 | Somewhat limited Too sandy Slope | 0.88 0.01 | Somewhat limited Too sandy | 0.88 | Very limited Slope | 1.00 |
| Ormas----- | 40 | Somewhat limited Too sandy Slope | 0.88 0.01 | Somewhat limited Too sandy | 0.88 | Very limited Slope Droughty | 1.00 0.51 |
| BtA: Brems----- | 90 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty Depth to saturated zone | 0.97 0.03 |
| Bz: Brookston----- | 100 | Very limited | | Very limited | | Very limited | |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| CaC: Casco----- | 100 | Not limited | | Not limited | | Somewhat limited Droughty Gravel content Slope | 0.38 0.24 0.04 |
| CaD2: Casco----- | 100 | Somewhat limited | | Not limited | | Very limited | |

| | | | | | | | |
|---------------------|-----|--|------|--|------|--|--------------|
| | | Slope | 0.01 | | | Slope | 1.00 |
| | | | | | | Droughty | 0.38 |
| | | | | | | Gravel content | 0.24 |
| CcA: | | | | | | | |
| Carmi----- | 100 | Not limited | | Not limited | | Not limited | |
| ChB: | | | | | | | |
| Chelsea----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty | 0.97 |
| ChC: | | | | | | | |
| Chelsea----- | 100 | Somewhat limited Too sandy | 0.95 | Somewhat limited Too sandy | 0.95 | Somewhat limited Droughty Slope | 0.97 0.04 |
| Co: | | | | | | | |
| Cohoctah----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Flooding | 1.00 |
| | | Flooding | 0.40 | Flooding | 0.40 | Depth to saturated zone | 1.00 |
| CrA: | | | | | | | |
| Crosier----- | 90 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.94 |
| Dr: | | | | | | | |
| Del Rey----- | 90 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.94 |
| Ed: | | | | | | | |
| Edwards----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Content of organic matter | 1.00 |
| | | Content of organic matter | 1.00 | Content of organic matter | 1.00 | Depth to saturated zone | 1.00 |
| | | | | | | Carbonate content | 1.00 |
| GnB: | | | | | | | |
| Glynwood----- | 90 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.19 |
| Gs: | | | | | | | |
| Granby Variant----- | 100 | Very limited | | Very limited | | Very limited | |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Flooding | 1.00 |
| | | Too sandy | 0.88 | Too sandy | 0.88 | Depth to saturated zone | 1.00 |
| | | Flooding | 0.40 | Flooding | 0.40 | Droughty | 0.01 |
| HaA: | | | | | | | |
| Haskins----- | 90 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.94 |
| Hn: | | | | | | | |
| Histosols----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Droughty | 1.00 1.00 |
| Ht: | | | | | | | |
| Houghton, undrained- | 75 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Ponding | 1.00 |
| | | Content of organic matter | 1.00 | Content of organic matter | 1.00 | Content of organic matter | 1.00 |
| | | Ponding | 1.00 | Ponding | 1.00 | Depth to saturated zone | 1.00 |
| Hw: | | | | | | | |
| Houghton, drained--- | 75 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Ponding | 1.00 |
| | | Content of organic matter | 1.00 | Content of organic matter | 1.00 | Content of organic matter | 1.00 |
| | | Ponding | 1.00 | Ponding | 1.00 | Depth to saturated zone | 1.00 |

| | | | | | | | |
|-------------------|-----|-------------|--|-------------|--|------------------|------|
| KoA: | | | | | | | |
| Kosciusko----- | 90 | Not limited | | Not limited | | Not limited | |
| KoB: | | | | | | | |
| Kosciusko----- | 100 | Not limited | | Not limited | | Not limited | |
| KsC: | | | | | | | |
| Kosciusko----- | 100 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.04 |
| | | | | | | Content of large | 0.01 |
| | | | | | | stones | |
| | | | | | | Gravel content | 0.01 |
| MbA: | | | | | | | |
| Martinsville----- | 90 | Not limited | | Not limited | | Not limited | |
| MbB: | | | | | | | |
| Martinsville----- | 90 | Not limited | | Not limited | | Not limited | |
| MbC: | | | | | | | |
| Martinsville----- | 100 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.04 |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Mc: | | | | | | | |
| Martisco----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Content of | 1.00 |
| | | saturated zone | | saturated zone | | organic matter | |
| | | Content of | 1.00 | Content of | 1.00 | Depth to | 1.00 |
| | | organic matter | | organic matter | | saturated zone | |
| | | | | | | Carbonate content | 1.00 |
| MfB: | | | | | | | |
| Metea----- | 100 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Too sandy | 0.50 | Too sandy | 0.50 | Droughty | 0.19 |
| MfC: | | | | | | | |
| Metea----- | 100 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Too sandy | 0.50 | Too sandy | 0.50 | Droughty | 0.19 |
| | | | | | | Slope | 0.04 |
| MhB: | | | | | | | |
| Miami----- | 90 | Not limited | | Not limited | | Not limited | |
| MhC: | | | | | | | |
| Miami----- | 100 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.04 |
| MhD: | | | | | | | |
| Miami----- | 100 | Somewhat limited | | Not limited | | Very limited | |
| | | Slope | 0.01 | | | Slope | 1.00 |
| MhE: | | | | | | | |
| Miami----- | 100 | Somewhat limited | | Not limited | | Very limited | |
| | | Slope | 0.82 | | | Slope | 1.00 |
| MkC3: | | | | | | | |
| Miami----- | 100 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.04 |
| | | | | | | Droughty | 0.01 |
| | | | | | | Content of large | 0.01 |
| | | | | | | stones | |
| MkD3: | | | | | | | |
| Miami----- | 100 | Somewhat limited | | Not limited | | Very limited | |
| | | Slope | 0.01 | | | Slope | 1.00 |
| | | | | | | Content of large | 0.01 |
| | | | | | | stones | |
| Mm: | | | | | | | |
| Millgrove----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| Mn: | | | | | | | |
| Milford----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| MoC2: | | | | | | | |
| Morley----- | 100 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.04 |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--------------------------|------------------|--|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MoD2: Morley----- | 100 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope | 1.00 |
| MoE2: Morley----- | 100 | Somewhat limited Slope | 0.82 | Not limited | | Very limited Slope | 1.00 |
| MrC3: Morley----- | 100 | Not limited | | Not limited | | Somewhat limited Droughty Slope | 0.22 0.04 |
| MrD3: Morley----- | 100 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope Droughty | 1.00 0.22 |
| Mx: Morocco----- | 90 | Somewhat limited Depth to saturated zone Too sandy | 0.86 0.82 | Somewhat limited Depth to saturated zone Too sandy | 0.86 0.82 | Somewhat limited Depth to saturated zone Droughty | 0.94 0.76 |
| Mz: Muskego----- | 100 | Very limited Depth to saturated zone Content of organic matter | 1.00 1.00 | Very limited Depth to saturated zone Content of organic matter | 1.00 1.00 | Very limited Content of organic matter Depth to saturated zone | 1.00 1.00 |
| OhA: Oshtemo----- | 55 | Somewhat limited Too sandy | 0.32 | Somewhat limited Too sandy | 0.32 | Not limited | |
| Ormas----- | 35 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Somewhat limited Droughty | 0.51 |
| OhB: Oshtemo----- | 55 | Somewhat limited Too sandy | 0.32 | Somewhat limited Too sandy | 0.32 | Not limited | |
| Ormas----- | 35 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Somewhat limited Droughty | 0.51 |
| OhC: Oshtemo----- | 60 | Somewhat limited Too sandy | 0.32 | Somewhat limited Too sandy | 0.32 | Somewhat limited Slope | 0.04 |
| Ormas----- | 40 | Somewhat limited Too sandy | 0.88 | Somewhat limited Too sandy | 0.88 | Somewhat limited Droughty Slope | 0.51 0.04 |
| OsC: Oshtemo----- | 35 | Somewhat limited Too sandy | 0.32 | Somewhat limited Too sandy | 0.32 | Somewhat limited Slope | 0.01 |
| Kosciusko----- | 25 | Not limited | | Not limited | | Somewhat limited | |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|--------------------------|------------------|---|--------------|---|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | | | | | Slope | 0.01 |
| Riddles----- | 20 | Not limited | | Not limited | | Somewhat limited Slope | 0.01 |
| Pa: Palms----- | 100 | Very limited Depth to saturated zone Content of | 1.00 1.00 | Very limited Depth to saturated zone Content of | 1.00 1.00 | Very limited Content of organic matter Depth to | 1.00 1.00 |

| | | organic matter | | organic matter | | saturated zone | |
|-----------------|-----|--|------|--|------|--|------|
| Pe: | | | | | | | |
| Pewamo----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Pg: | | | | | | | |
| Pits----- | 100 | Not rated | | Not rated | | Not rated | |
| PnA: | | | | | | | |
| Plainfield----- | 90 | Very limited Too sandy | 1.00 | Very limited Too sandy | 1.00 | Somewhat limited Droughty | 0.98 |
| PnB: | | | | | | | |
| Plainfield----- | 100 | Very limited Too sandy | 1.00 | Very limited Too sandy | 1.00 | Somewhat limited Droughty | 0.98 |
| RaB: | | | | | | | |
| Rawson----- | 90 | Not limited | | Not limited | | Somewhat limited Depth to saturated zone | 0.03 |
| Rb: | | | | | | | |
| Rensselaer----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| RxA: | | | | | | | |
| Riddles----- | 90 | Not limited | | Not limited | | Not limited | |
| RxB: | | | | | | | |
| Riddles----- | 90 | Not limited | | Not limited | | Not limited | |
| RxC: | | | | | | | |
| Riddles----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.04 |
| RxD: | | | | | | | |
| Riddles----- | 100 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope | 1.00 |
| Ry: | | | | | | | |
| Riverdale----- | 90 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.94 |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Too sandy | 0.50 | Too sandy | 0.50 | Droughty | 0.30 |
| Sh: | | | | | | | |
| Shoals----- | 90 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.86 | Very limited Flooding | 1.00 |
| | | Flooding | 0.40 | Flooding | 0.40 | Depth to saturated zone | 0.94 |
| Ud: | | | | | | | |
| Udorthents----- | 100 | Not limited | | Not limited | | Not limited | |
| W: | | | | | | | |
| Water----- | 100 | Not rated | | Not rated | | Not rated | |
| Wa: | | | | | | | |
| Wallkill----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| Wh: | | | | | | | |
| Washtenaw----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| WsB: | | | | | | | |
| Wawasee----- | 90 | Not limited | | Not limited | | Not limited | |
| WsC: | | | | | | | |
| Wawasee----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.04 |

| | | | | | | | |
|---------------|-----|---------------------------|------|------------------|--|---|----------------------|
| WsD: | | | | | | | |
| Wawasee----- | 100 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope | 1.00 |
| WsE: | | | | | | | |
| Wawasee----- | 100 | Somewhat limited Slope | 0.50 | Not limited | | Very limited Slope | 1.00 |
| WvC3: | | | | | | | |
| Wawasee----- | 100 | Not limited | | Not limited | | Somewhat limited Droughty Slope Content of large stones | 0.11 0.04 0.01 |
| WvD3: | | | | | | | |
| Wawasee----- | 100 | Somewhat limited Slope | 0.01 | Not limited | | Very limited Slope Droughty Content of large stones | 1.00 0.11 0.01 |
| Wx: | | | | | | | |
| Whitaker----- | 90 | Somewhat limited | | Somewhat limited | | Somewhat limited | |

Table REC-2.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Paths and trails | | Off-road motorcycle trails | | Golf fairways | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 0.86 | Depth to saturated zone | 0.86 | Depth to saturated zone | 0.94 |