

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
12B: Emmert-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones too sandy	Limitation: large stones droughty
12D: Emmert-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope too sandy	Limitation: large stones slope droughty
12E: Emmert-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: large stones slope droughty	Limitation: large stones slope too sandy	Limitation: large stones slope droughty
21A: Ahmeek-----	100	Slight	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: droughty	Limitation: erodes easily percs slowly	Limitation: erodes easily droughty
21B: Ahmeek-----	100	Moderate: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: erodes easily percs slowly	Limitation: erodes easily droughty
21D: Ahmeek-----	100	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: percs slowly slope	Limitation: slope droughty
48B: Hiwood-----	100	Severe: seepage	Severe: seepage piping	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: wetness droughty	Limitation: too sandy wetness	Limitation: droughty
116: Redby-----	100	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: fast intake wetness droughty	Limitation: too sandy wetness soil blowing	Limitation: droughty
122A: Taylor-----	100	Slight	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
122B: Taylor-----	100	Moderate: slope	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
147: Spooner-----	100	Moderate: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: frost action	Limitation: erodes easily wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
167B: Baudette-----	100	Moderate: seepage slope	Severe: piping	Severe: cutbanks cave	Limitation: deep to water	Limitation: slope	Limitation: erodes easily	Limitation: erodes easily
172: Indus-----	100	Slight	Severe: hard to pack wetness	Severe: no water	Limitation: percs slowly	Limitation: percs slowly slow intake wetness	Limitation: percs slowly wetness	Limitation: percs slowly wetness
188B: Omega-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: too sandy soil blowing	Limitation: droughty
202: Meehan-----	100	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: fast intake wetness droughty	Limitation: too sandy wetness soil blowing	Limitation: wetness droughty
243: Stuntz-----	100	Slight	Moderate: wetness	Severe: no water	Limitation: frost action	Limitation: wetness	Limitation: wetness	Favorable
254A: Hibbing-----	100	Slight	Moderate: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly	Limitation: percs slowly	Limitation: percs slowly
254B: Hibbing-----	100	Moderate: slope	Moderate: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: percs slowly	Limitation: percs slowly
254D: Hibbing-----	100	Severe: slope	Moderate: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: percs slowly slope	Limitation: percs slowly slope
268B: Cromwell-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
274: Newson-----	100	Severe: seepage	Severe: seepage piping ponding	Severe: cutbanks cave	Limitation: flooding ponding cutbanks cave	Limitation: fast intake ponding droughty	Limitation: too sandy soil blowing ponding	Limitation: rooting depth wetness droughty
303A: Ontonagon-----	100	Slight	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
303B: Ontonagon-----	100	Moderate: slope	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly
328B: Sartell-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: too sandy soil blowing	Limitation: droughty
337: Warman-----	100	Severe: seepage	Severe: seepage piping ponding	Severe: cutbanks cave	Limitation: frost action ponding cutbanks cave	Limitation: rooting depth ponding	Limitation: too sandy soil blowing ponding	Limitation: rooting depth wetness
355B: Cloquet-----	100	Severe: seepage	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: erodes easily too sandy	Limitation: erodes easily droughty
355D: Cloquet-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: slope too sandy	Limitation: slope droughty
355E: Cloquet-----	100	Severe: seepage slope	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: slope too sandy	Limitation: slope droughty
420: Twig-----	100	Slight	Severe: piping ponding	Severe: slow refill	Limitation: percs slowly subsides ponding	Limitation: percs slowly soil blowing ponding	Limitation: erodes easily soil blowing ponding	Limitation: erodes easily rooting depth wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
458B: Menahga-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: too sandy soil blowing	Limitation: droughty
458D: Menahga-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
458E: Menahga-----	100	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
502: Dusler-----	100	Moderate: seepage	Severe: wetness	Severe: slow refill	Limitation: frost action percs slowly	Limitation: percs slowly wetness	Limitation: erodes easily wetness	Limitation: erodes easily rooting depth wetness
504A: Duluth-----	100	Slight	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: percs slowly	Limitation: erodes easily	Limitation: erodes easily rooting depth
504B: Duluth-----	100	Moderate: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily	Limitation: erodes easily rooting depth
504D: Duluth-----	100	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily slope	Limitation: erodes easily rooting depth slope
505E: Debs-----	100	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope	Limitation: erodes easily slope	Limitation: erodes easily slope
531: Beseman-----	100	Severe: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: rooting depth soil blowing ponding	Limitation: soil blowing ponding	Limitation: rooting depth wetness
532: Sago-----	100	Moderate: seepage	Severe: seepage piping ponding	Severe: cutbanks cave	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: too sandy soil blowing ponding	Limitation: wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
537: Lobo-----	100	Severe: seepage	Severe: excess humus wetness	Moderate: slow refill	Limitation: frost action subsides	Limitation: wetness	Limitation: wetness	Limitation: wetness
538: Waskish-----	100	Severe: seepage	Severe: excess humus wetness	Slight	Limitation: frost action too acid	Limitation: wetness too acid	Limitation: wetness	Limitation: wetness
541: Rifle-----	100	Severe: seepage	Severe: excess humus ponding	Moderate: slow refill	Limitation: frost action ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
544: Cathro-----	100	Severe: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
549: Greenwood-----	100	Severe: seepage	Severe: excess humus wetness	Moderate: slow refill	Limitation: frost action	Limitation: wetness	Limitation: wetness	Limitation: wetness
614: Blackhoof-----	100	Slight	Severe: piping ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly soil blowing ponding	Limitation: soil blowing ponding	Limitation: percs slowly rooting depth wetness
615: Cownhorn-----	100	Severe: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: fast intake wetness soil blowing	Limitation: erodes easily wetness soil blowing	Limitation: erodes easily
619: Keewatin-----	100	Slight	Severe: wetness	Severe: no water	Limitation: frost action percs slowly	Limitation: percs slowly wetness soil blowing	Limitation: erodes easily wetness soil blowing	Limitation: erodes easily rooting depth wetness
620B: Cutaway-----	100	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: erodes easily too sandy	Limitation: erodes easily droughty
622A: Nashwauk-----	100	Slight	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: soil blowing droughty	Limitation: erodes easily soil blowing	Limitation: erodes easily droughty

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
622B: Nashwauk-----	100	Moderate: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: erodes easily soil blowing	Limitation: erodes easily droughty
622D: Nashwauk-----	100	Severe: slope	Moderate: piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: erodes easily slope soil blowing	Limitation: erodes easily slope droughty
625: Sandwick-----	100	Severe: seepage	Severe: wetness	Severe: slow refill cutbanks cave	Favorable	Limitation: fast intake wetness droughty	Limitation: erodes easily wetness soil blowing	Limitation: erodes easily wetness droughty
629B: Wawina-----	100	Severe: seepage	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: fast intake slope soil blowing	Limitation: soil blowing	Favorable
630: Wildwood-----	100	Slight	Severe: hard to pack ponding	Severe: slow refill	Limitation: frost action percs slowly ponding	Limitation: percs slowly soil blowing ponding	Limitation: percs slowly soil blowing ponding	Limitation: percs slowly wetness
656B: Thistledeu-----	100	Severe: seepage	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: fast intake slope droughty	Limitation: percs slowly soil blowing	Limitation: percs slowly droughty
665: Sax-----	100	Moderate: seepage	Severe: piping ponding	Severe: slow refill	Limitation: frost action subsides ponding	Limitation: soil blowing ponding	Limitation: erodes easily soil blowing ponding	Limitation: erodes easily wetness
695A: Finland-----	100	Slight	Moderate: seepage piping	Severe: no water	Limitation: deep to water	Limitation: soil blowing droughty	Limitation: percs slowly soil blowing	Limitation: rooting depth droughty
695B: Finland-----	100	Moderate: slope	Moderate: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: percs slowly	Limitation: rooting depth droughty

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
695D: Finland-----	100	Severe: slope	Moderate: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: percs slowly slope soil blowing	Limitation: rooting depth slope droughty
695E: Finland-----	100	Severe: slope	Moderate: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: percs slowly slope soil blowing	Limitation: rooting depth slope droughty
696: Hermantown-----	100	Moderate: seepage	Severe: piping	Severe: no water	Limitation: frost action percs slowly	Limitation: wetness	Limitation: percs slowly wetness	Limitation: rooting depth wetness
697A: Toimi-----	100	Moderate: seepage	Severe: seepage	Severe: no water	Limitation: percs slowly	Limitation: wetness droughty	Limitation: large stones wetness	Limitation: large stones wetness
697B: Toimi-----	100	Moderate: seepage slope	Severe: seepage	Severe: no water	Limitation: percs slowly slope	Limitation: slope wetness droughty	Limitation: large stones wetness	Limitation: large stones wetness
697D: Toimi-----	100	Severe: slope	Severe: seepage	Severe: no water	Limitation: percs slowly slope	Limitation: slope wetness droughty	Limitation: large stones slope wetness	Limitation: large stones slope wetness
751: Oesterle-----	100	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: frost action cutbanks cave	Limitation: wetness soil blowing droughty	Limitation: too sandy wetness soil blowing	Limitation: wetness droughty
799: Seelyeville-----	50	Severe: seepage	Severe: excess humus ponding	Severe: slow refill	Limitation: flooding subsides ponding	Limitation: flooding soil blowing ponding	Limitation: soil blowing ponding	Limitation: wetness
Bowstring-----	40	Severe: seepage	Severe: excess humus wetness	Severe: slow refill cutbanks cave	Limitation: flooding frost action subsides	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
842: Udorthents-----	50	---	---	---	---	---	---	---
Urbanland-----	40	---	---	---	---	---	---	---

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
872B: Winterfield-----	60	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: flooding cutbanks cave	Limitation: wetness droughty	Limitation: too sandy wetness soil blowing	Limitation: wetness droughty
Pengilly-----	30	Moderate: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: flooding frost action cutbanks cave	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
952C: Quetico-----	70	Severe: slope depth to rock	Severe: thin layer	Severe: no water	Limitation: deep to water	Limitation: slope depth to rock	Limitation: slope depth to rock	Limitation: slope depth to rock
Rock Outcrop-----	30	---	---	---	---	---	---	---
952E: Quetico-----	70	Severe: slope depth to rock	Severe: thin layer	Severe: no water	Limitation: deep to water	Limitation: slope depth to rock	Limitation: slope depth to rock	Limitation: slope depth to rock
Rock Outcrop-----	30	---	---	---	---	---	---	---
995: Histosols-----	100	---	---	---	---	---	---	---
1005: Fluvaquents-----	50	Moderate: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: flooding frost action cutbanks cave	Limitation: flooding wetness	Limitation: too sandy wetness	Limitation: wetness
Pengilly-----	50	Moderate: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: flooding frost action cutbanks cave	Limitation: flooding wetness	Limitation: wetness	Limitation: wetness
1020E: Udorthents-----	50	---	---	---	---	---	---	---
Ontonagon-----	40	Severe: slope	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly slope
1029: Pits-----	100	---	---	---	---	---	---	---

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1030: Pits-----	50	---	---	---	---	---	---	---
Udorthents-----	50	---	---	---	---	---	---	---
1039: Urban Land-----	100	---	---	---	---	---	---	---
1041: Pits-----	100	---	---	---	---	---	---	---
1042: Dumps-----	100	---	---	---	---	---	---	---
1043C: Udorthents-----	100	---	---	---	---	---	---	---
1044: Slickens-----	100	---	---	---	---	---	---	---
1072: Udorthents-----	100	---	---	Severe: no water	Limitation: deep to water	---	---	---
1087B: Urban Land-----	75	---	---	---	---	---	---	---
Finland-----	25	Moderate: slope	Moderate: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope droughty	Limitation: percs slowly	Limitation: rooting depth droughty
1087C: Urban Land-----	70	---	---	---	---	---	---	---
Finland-----	30	Severe: slope	Moderate: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: percs slowly slope soil blowing	Limitation: rooting depth slope droughty
1088B: Urban Land-----	75	---	---	---	---	---	---	---
Hibbing-----	25	Moderate: slope	Moderate: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: percs slowly	Limitation: percs slowly
1089B: Urban Land-----	75	---	---	---	---	---	---	---
Ontonagon-----	25	Moderate: slope	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly	Limitation: erodes easily percs slowly

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1089C: Urban Land-----	70	---	---	---	---	---	---	---
Ontonagon-----	30	Severe: slope	Severe: hard to pack	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope	Limitation: erodes easily percs slowly slope	Limitation: erodes easily percs slowly slope
1972B: Ahmeek-----	55	Moderate: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: percs slowly	Limitation: droughty
Cromwell-----	45	Severe: seepage	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: too sandy soil blowing	Limitation: droughty
1972D: Ahmeek-----	55	Severe: slope	Severe: piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: percs slowly slope	Limitation: slope droughty
Cromwell-----	45	Severe: seepage slope	Severe: seepage piping	Severe: no water	Limitation: deep to water	Limitation: slope soil blowing droughty	Limitation: slope too sandy soil blowing	Limitation: slope droughty
1982: Baudette-----	50	Moderate: seepage	Severe: piping	Severe: cutbanks cave	Limitation: deep to water	Favorable	Limitation: erodes easily	Limitation: erodes easily
Spooner-----	50	Moderate: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: frost action	Limitation: erodes easily wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness
1986: Leafriver-----	100	Severe: seepage	Severe: seepage piping ponding	Severe: cutbanks cave	Limitation: subsides ponding cutbanks cave	Limitation: soil blowing ponding	Limitation: too sandy soil blowing ponding	Limitation: wetness
1987: Grygla-----	55	Severe: seepage	Severe: piping wetness	Severe: slow refill cutbanks cave	Limitation: frost action	Limitation: wetness soil blowing	Limitation: erodes easily wetness soil blowing	Limitation: erodes easily wetness
Spooner-----	45	Moderate: seepage	Severe: piping wetness	Severe: cutbanks cave	Limitation: frost action	Limitation: erodes easily wetness	Limitation: erodes easily wetness	Limitation: erodes easily wetness

See footnote at end of table.

Water Management

Map symbol and soil name	Component percent	Limitations for--			Features affecting--			
		Pond reservoir areas	Embankments, dikes, and levees	Aquifer-fed excavated ponds	Drainage	Irrigation	Terraces and diversions	Grassed waterways
1988C: Conic-----	50	Severe: slope	Severe: thin layer	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope droughty	Limitation: slope depth to rock	Limitation: slope droughty
Insula-----	50	Severe: slope depth to rock	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope depth to rock droughty	Limitation: slope depth to rock	Limitation: slope depth to rock droughty
1988E: Insula-----	50	Severe: slope depth to rock	Severe: seepage	Severe: no water	Limitation: deep to water	Limitation: slope depth to rock droughty	Limitation: slope depth to rock	Limitation: slope depth to rock droughty
Conic-----	40	Severe: slope	Severe: thin layer	Severe: no water	Limitation: deep to water	Limitation: percs slowly slope droughty	Limitation: slope depth to rock	Limitation: slope droughty
1989B: Redby-----	40	Severe: seepage	Severe: seepage piping wetness	Severe: cutbanks cave	Limitation: cutbanks cave	Limitation: fast intake wetness droughty	Limitation: too sandy wetness soil blowing	Limitation: droughty
Hiwood-----	35	Severe: seepage	Severe: seepage piping	Severe: cutbanks cave	Limitation: slope cutbanks cave	Limitation: slope wetness droughty	Limitation: too sandy wetness	Limitation: droughty
Leafriver-----	25	Severe: seepage	Severe: seepage piping ponding	Severe: cutbanks cave	Limitation: subsides ponding cutbanks cave	Limitation: soil blowing ponding	Limitation: too sandy soil blowing ponding	Limitation: wetness
CW: Census Water-----	100	---	---	---	---	---	---	---

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable.)