

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Bo: Borrow Pits-----	60	Not rated		Not rated		Not rated	
Co: Coastal Beaches-----	85	Not rated		Not rated		Not rated	
El: Elkton-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Em: Elkton-----	75	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Eo: Evesboro-----	90	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Moderately suited Sandiness	0.50
EsB: Evesboro-----	85	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
EsD: Evesboro-----	90	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
Ev: Evesboro-----	82	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
Fa: Fallsington-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fs: Fallsington-----	75	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Jo: Johnston-----	70	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Ka: Keyport-----	90	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
Ke: Keyport-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Kl: Klej-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Wetness	0.50
Md: Made Land-----	65	Not rated		Not rated		Not rated	
MeA: Matapeake-----	75	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MeB: Matapeake-----	80	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MeC2: Matapeake-----	82	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Mt: Mattapex-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Mv: Mixed Alluvial Land-	80	Not rated		Not rated		Not rated	
Ot: Othello-----	90	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Pl: Plummer-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness	1.00

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pm: Pocomoke-----	75	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Po: Pocomoke-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
RuA: Rumford-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
RuB: Rumford-----	85	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
RuC2: Rumford-----	85	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
RuC3: Rumford-----	80	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
RuD: Rumford-----	80	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope	1.00
SaA: Sassafras-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SaB: Sassafras-----	85	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SaC2: Sassafras-----	85	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SaC3: Sassafras-----	80	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
SaD2: Sassafras-----	75	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SfA: Sassafras-----	85	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
SfB: Sassafras-----	85	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SfC2: Sassafras-----	80	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
SvE: Sassafras-----	45	Moderate Slope/erodibility	0.55	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Evesboro-----	40	Moderate Slope/erodibility	0.55	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
Sw: Swamp-----	85	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	75	Not rated		Not rated		Not rated	
Wo: Woodstown-----	80	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Ws: Woodstown-----	75	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50

