

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			Acres	
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria		Meets ponding criteria
6: OKOBOJI SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	OKOBOJI	Yes	pothole	2B3,3	YES	NO	YES	6,612
	HARPS	Yes	ground moraine	2B3	YES	NO	NO	348
8B: JUDSON SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	3,725
11B: COLO-ELY SILTY CLAY LOAMS, 2 TO 5 PERCENT SLOPES	COLO	Yes	drainageway	2B3	YES	NO	NO	3,027
	OTHER	No	---	---	---	---	---	504
	ELY	No	---	---	---	---	---	1,514
27B: TERRIL LOAM, 2 TO 5 PERCENT SLOPES	TERRIL	No	---	---	---	---	---	1,400
41B: SPARTA LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	SPARTA	No	---	---	---	---	---	342
	DICKINSON	No	---	---	---	---	---	18
55: NICOLLET LOAM, 1 TO 3 PERCENT SLOPES	NICOLLET	No	---	---	---	---	---	23,612
	OTHER	Yes	pothole	2B3	YES	NO	NO	1,243
62C2: STORDEN LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	STORDEN	No	---	---	---	---	---	494
	CLARION	No	---	---	---	---	---	26
62D2: STORDEN LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	STORDEN	No	---	---	---	---	---	1,188
	CLARION	No	---	---	---	---	---	62
62E2: STORDEN LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	STORDEN	No	---	---	---	---	---	333
	CLARION	No	---	---	---	---	---	18
	SALIDA	No	---	---	---	---	---	18
73C: SALIDA GRAVELLY SANDY LOAM, 2 TO 9 PERCENT SLOPES	SALIDA	No	---	---	---	---	---	200

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	ZENOR	No	---	---	---	---	---	10
83B: KENYON LOAM, 2 TO 5 PERCENT SLOPES	KENYON	No	---	---	---	---	---	2,750
83C2: KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KENYON	No	---	---	---	---	---	3,325
83D: KENYON LOAM, 9 TO 14 PERCENT SLOPES	KENYON	No	---	---	---	---	---	335
83F: KENYON LOAM, 14 TO 24 PERCENT SLOPES	KENYON	No	---	---	---	---	---	150
84: CLYDE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CLYDE	Yes	drainageway	2B3	YES	NO	NO	2,114
	OTHER	Yes	drainageway	2B3	YES	NO	NO	111
90: OKOBOJI MUCKY SILT LOAM, 0 TO 1 PERCENT SLOPES	OKOBOJI	Yes	pothole	3,2B3	YES	NO	YES	1,074
	HARPS	Yes	ground moraine	2B3	YES	NO	NO	56
95: HARPS LOAM, 1 TO 3 PERCENT SLOPES	HARPS	Yes	ground moraine	2B3	YES	NO	NO	17,589
	OKOBOJI	Yes	pothole	2B3,3	YES	NO	YES	926
96: TURLIN LOAM, 0 TO 2 PERCENT SLOPES	TURLIN	No	---	---	---	---	---	598
	OTHER	Yes	flood plain	2B3	YES	NO	NO	32
107: WEBSTER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	WEBSTER	Yes	ground moraine	2B3	YES	NO	NO	14,473
	OKOBOJI	Yes	pothole	2B3,3	YES	NO	YES	762
118: GARWIN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	GARWIN	Yes	flat	2B3	YES	NO	NO	1,125
119: MUSCATINE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	MUSCATINE	No	---	---	---	---	---	2,802
	OTHER	Yes	flat	2B3	YES	NO	NO	148

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
120B: TAMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	TAMA	No	---	---	---	---	---	760
133: COLO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLO	Yes	flood plain	2B3	YES	NO	NO	2,042
	OTHER	No	---	---	---	---	---	108
135: COLAND CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	9,951
	OTHER	No	---	---	---	---	---	524
138B: CLARION LOAM, 2 TO 5 PERCENT SLOPES	CLARION	No	---	---	---	---	---	52,025
138C2: CLARION LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARION	No	---	---	---	---	---	14,280
138D2: CLARION LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	CLARION	No	---	---	---	---	---	689
	STORDEN	No	---	---	---	---	---	36
151: MARSHAN CLAY LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	MARSHAN	Yes	terrace	2B3	YES	NO	NO	3,938
	HARCOT	Yes	terrace	2B3	YES	NO	NO	219
	TALCOT	Yes	terrace	2B3	YES	NO	NO	219
152: MARSHAN CLAY LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	MARSHAN	Yes	terrace	2B3	YES	NO	NO	6,966
	HARCOT	Yes	terrace	2B3	YES	NO	NO	387
	TALCOT	Yes	terrace	2B3	YES	NO	NO	387
153: SHANDEP LOAM, 0 TO 1 PERCENT SLOPES	SHANDEP	Yes	depression	3,2B3	YES	NO	YES	385
	TALCOT	Yes	terrace	2B3	YES	NO	NO	20
174B: BOLAN LOAM, 2 TO 5 PERCENT SLOPES	BOLAN	No	---	---	---	---	---	2,731
	DICKINSON	No	---	---	---	---	---	144

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
174C2: BOLAN LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	BOLAN	No	---	---	---	---	---	793
	DICKINSON	No	---	---	---	---	---	42
175B: DICKINSON FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	1,550
175C: DICKINSON FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	DICKINSON	No	---	---	---	---	---	440
177: SAUDE LOAM, 0 TO 2 PERCENT SLOPES	SAUDE	No	---	---	---	---	---	4,014
	LAWLER	No	---	---	---	---	---	211
177B: SAUDE LOAM, 2 TO 5 PERCENT SLOPES	SAUDE	No	---	---	---	---	---	1,116
	FLAGLER	No	---	---	---	---	---	59
177C: SAUDE LOAM, 5 TO 9 PERCENT SLOPES	SAUDE	No	---	---	---	---	---	218
	FLAGLER	No	---	---	---	---	---	12
178: WAUKEE LOAM, 0 TO 2 PERCENT SLOPES	WAUKEE	No	---	---	---	---	---	2,025
178B: WAUKEE LOAM, 2 TO 5 PERCENT SLOPES	WAUKEE	No	---	---	---	---	---	645
184: KLINGER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	KLINGER	No	---	---	---	---	---	14,687
	OTHER	Yes	drainageway	2B3	YES	NO	NO	773
198B: FLOYD LOAM, 1 TO 4 PERCENT SLOPES	FLOYD	No	---	---	---	---	---	4,061
	OTHER	Yes	drainageway	2B3	YES	NO	NO	214
201B: COLAND-TERRIL COMPLEX, 1 TO 5 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	1,538
	TERRIL	No	---	---	---	---	---	1,076
	OTHER	No	---	---	---	---	---	461

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
213B: ROCKTON LOAM, 30 TO 40 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	195
214B: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	500
214C2: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ROCKTON	No	---	---	---	---	---	850
216C2: RIPON SILT LOAM, 20 TO 30 INCHES TO LIMESTONE, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	RIPON	No	---	---	---	---	---	500
217B: RIPON SILT LOAM, 30 TO 40 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	RIPON	No	---	---	---	---	---	475
221: PALMS MUCK, 0 TO 1 PERCENT SLOPES	PALMS	Yes	pothole	3,1	NO	NO	YES	1,525
225: LAWLER LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	5,140
	OTHER	Yes	terrace	2B3	YES	NO	NO	270
226: LAWLER LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	4,228
	OTHER	Yes	terrace	2B3	YES	NO	NO	222
236B: LESTER LOAM, 2 TO 5 PERCENT SLOPES	LESTER	No	---	---	---	---	---	440
236C: LESTER LOAM, 5 TO 9 PERCENT SLOPES	LESTER	No	---	---	---	---	---	490
236D2: LESTER LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	LESTER	No	---	---	---	---	---	318
	STORDEN	No	---	---	---	---	---	17

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
236F: LESTER LOAM, 14 TO 24 PERCENT SLOPES	LESTER	No	---	---	---	---	---	465
284B: FLAGLER SANDY LOAM, 1 TO 5 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	865
284C: FLAGLER SANDY LOAM, 5 TO 9 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	400
329: WEBSTER-NICOLLET COMPLEX, 1 TO 3 PERCENT SLOPES	WEBSTER	Yes	ground moraine	2B3	YES	NO	NO	10,042
	NICOLLET	No	---	---	---	---	---	6,026
	OTHER	Yes	ground moraine	2B3	YES	NO	NO	4,017
335: HARCOT LOAM, 0 TO 2 PERCENT SLOPES	HARCOT	Yes	terrace	2B3	YES	NO	NO	2,325
373C2: TALLULA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	TALLULA	No	---	---	---	---	---	228
	CALCAREOUS	No	---	---	---	---	---	12
373D2: TALLULA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	TALLULA	No	---	---	---	---	---	542
	CALCAREOUS	No	---	---	---	---	---	28
377: DINSDALE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	4,175
377B: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	34,520
377C: DINSDALE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	790
377C2: DINSDALE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DINSDALE	No	---	---	---	---	---	3,125
382: MAXFIELD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MAXFIELD	Yes	flat	2B3	YES	NO	NO	5,945

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
391B: CLYDE-FLOYD COMPLEX, 1 TO 4 PERCENT SLOPES	CLYDE	Yes	drainageway	2B3	YES	NO	NO	514
	FLOYD	No	---	---	---	---	---	327
	OTHER	No	---	---	---	---	---	94
398: TRIPOLI SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TRIPOLI	Yes	flat	2B3	YES	NO	NO	270
399: READLYN LOAM, 1 TO 3 PERCENT SLOPES	READLYN	No	---	---	---	---	---	1,092
	OTHER	Yes	drainageway	2B3	YES	NO	NO	58
407B: SCHLEY SILT LOAM, 1 TO 4 PERCENT SLOPES	SCHLEY	No	---	---	---	---	---	504
	OTHER	Yes	drainageway	2B3	YES	NO	NO	26
426: AREDALE LOAM, 0 TO 2 PERCENT SLOPES	AREDALE	No	---	---	---	---	---	418
	DICKINSON	No	---	---	---	---	---	22
426B: AREDALE LOAM, 2 TO 5 PERCENT SLOPES	AREDALE	No	---	---	---	---	---	3,000
426C: AREDALE LOAM, 5 TO 9 PERCENT SLOPES	AREDALE	No	---	---	---	---	---	370
426C2: AREDALE LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	AREDALE	No	---	---	---	---	---	700
428B: ELY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	ELY	No	---	---	---	---	---	1,568
	COLO	Yes	drainageway	2B3	YES	NO	NO	82
444B: JACWIN LOAM, 1 TO 5 PERCENT SLOPES	JACWIN	No	---	---	---	---	---	1,064
	OTHER	Yes	flat	2B3	YES	NO	NO	56
444C2: JACWIN LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	JACWIN	No	---	---	---	---	---	228
	OTHER	Yes	hill	2B3	YES	NO	NO	12

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
506: WACOUSTA SILT LOAM, 0 TO 1 PERCENT SLOPES	WACOUSTA	Yes	pothole	2B3,3	YES	NO	YES	318
	HARPS	Yes	ground moraine	2B3	YES	NO	NO	17
507: CANISTEO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CANISTEO	Yes	ground moraine	2B3	YES	NO	NO	15,347
	OTHER	Yes	pothole	2B3,3	YES	NO	YES	808
512C: MARLEAN LOAM, 2 TO 9 PERCENT SLOPES	MARLEAN	No	---	---	---	---	---	305
512E: MARLEAN LOAM, 9 TO 18 PERCENT SLOPES	MARLEAN	No	---	---	---	---	---	575
512G: MARLEAN LOAM, 18 TO 40 PERCENT SLOPES	MARLEAN	No	---	---	---	---	---	575
551: CALAMINE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	CALAMINE	Yes	drainageway	2B3	YES	NO	NO	480
559: TALCOT CLAY LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	TALCOT	Yes	terrace	2B3	YES	NO	NO	1,975
595: HARPSTER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	HARPSTER	Yes	depression	2B3	YES	NO	NO	465
612C2: MOTTLAND LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MOTTLAND	No	---	---	---	---	---	415
612E2: MOTTLAND LOAM, 9 TO 18 PERCENT SLOPES, MODERATELY ERODED	MOTTLAND	No	---	---	---	---	---	605
613: ROSSFIELD SILT LOAM, 0 TO 2 PERCENT SLOPES	ROSSFIELD	No	---	---	---	---	---	395
613B: ROSSFIELD SILT LOAM, 2 TO 5 PERCENT SLOPES	ROSSFIELD	No	---	---	---	---	---	1,350
613C: ROSSFIELD SILT LOAM, 5 TO 9 PERCENT SLOPES	ROSSFIELD	No	---	---	---	---	---	205

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
613C2: ROSSFIELD SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ROSSFIELD	No	---	---	---	---	---	300
613D2: ROSSFIELD SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	ROSSFIELD	No	---	---	---	---	---	200
620C: PORT BYRON SILT LOAM, 5 TO 9 PERCENT SLOPES	PORT BYRON	No	---	---	---	---	---	270
620C2: PORT BYRON SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	PORT BYRON	No	---	---	---	---	---	1,750
620D2: PORT BYRON SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	PORT BYRON	No	---	---	---	---	---	1,750
620E2: PORT BYRON SILT LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODE	PORT BYRON	No	---	---	---	---	---	380
621: HOUGHTON MUCK, 0 TO 1 PERCENT SLOPES	HOUGHTON	Yes	pothole	1,3	NO	NO	YES	545
638C2: CLARION-STORDEN LOAMS, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	CLARION	No	---	---	---	---	---	2,049
	STORDEN	No	---	---	---	---	---	1,304
	OTHER	No	---	---	---	---	---	372
638D2: CLARION-STORDEN LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODE	CLARION	No	---	---	---	---	---	250
	STORDEN	No	---	---	---	---	---	159
	OTHER	No	---	---	---	---	---	46
733: CALCO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CALCO	Yes	flood plain	2B3	YES	NO	NO	1,450
760: ANSGAR SILT LOAM, 0 TO 2 PERCENT SLOPES	ANSGAR	Yes	flat	2B3	YES	NO	NO	230

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
761: FRANKLIN SILT LOAM, 1 TO 3 PERCENT SLOPES	FRANKLIN	No	---	---	---	---	---	646
	OTHER	Yes	flat	2B3	YES	NO	NO	34
771B: WAUBEEK SILT LOAM, 2 TO 5 PERCENT SLOPES	WAUBEEK	No	---	---	---	---	---	1,265
771C: WAUBEEK SILT LOAM, 5 TO 9 PERCENT SLOPES	WAUBEEK	No	---	---	---	---	---	235
782B: DONNAN SILT LOAM, 2 TO 5 PERCENT SLOPES	DONNAN	No	---	---	---	---	---	556
	OTHER	Yes	hill	2B3	YES	NO	NO	29
782C2: DONNAN SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DONNAN	No	---	---	---	---	---	214
	OTHER	Yes	hill	2B3	YES	NO	NO	11
828B: ZENOR SANDY LOAM, 2 TO 5 PERCENT SLOPES	ZENOR	No	---	---	---	---	---	510
828C: ZENOR SANDY LOAM, 5 TO 14 PERCENT SLOPES	ZENOR	No	---	---	---	---	---	665
	STORDEN	No	---	---	---	---	---	35
933: SAWMILL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	SAWMILL	Yes	flood plain	2B3	YES	NO	NO	4,050
956: OKOBOJI-HARPS COMPLEX, 0 TO 2 PERCENT SLOPES	HARPS	Yes	ground moraine	2B3	YES	NO	NO	2,312
	OKOBOJI	Yes	pothole	3,2B3	YES	NO	YES	2,081
	OTHER	No	---	---	---	---	---	231
1135: COLAND CLAY LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	3,650
	OTHER	Yes	oxbow	2B3,3	YES	NO	YES	---
	OTHER	Yes	flood plain	4	NO	YES	NO	---
1173: HOOPESTON VARIANT SANDY LOAM, 1 TO 3 PERCENT SLOPES	HOOPESTON VARIANT	No	---	---	---	---	---	366
	OTHER	Yes	flood plain	2B3	YES	NO	NO	19

Hydric Soils List

Franklin County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
5010: PITS, GRAVEL	GRAVEL	No	---	---	---	---	---	112
	PITS, SAND AND GRAVEL	No	---	---	---	---	---	112
5030: PITS, QUARRIES	PITS, LIMESTONE QUARRY	No	---	---	---	---	---	90
	PITS, LIMESTONE QUARRY	No	---	---	---	---	---	90
5550: ORTHENTS, LOAMY	ORTHENTS	No	---	---	---	---	---	670
W: WATER	WATER	Unranked	---	---	---	---	---	275