Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
AdD3:								
ADAIR SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	ADAIR	No	---	---	---	---	---	302
AdE3:								
ADAIR SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	ADAIR	No	---	---	---	---	---	388
ChD3:								
CHUTE FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, SEVERELY ERODED	CHUTE	No	---	---	---	---	---	202
ChE3:								
CHUTE FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES, SEVERELY ERODED	CHUTE	No	---	---	---	---	---	66
Co:								
COLO SILT LOAM, OVERWASH	COLO	Yes	flood plain	2B3	YES	NO	NO	2,604
Cs:								
COLO SILTY CLAY LOAM	COLO	Yes	flood plain	2B3	YES	NO	NO	1,522
DoC2:								
DOW SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DOW	No	---	---	---	---	---	208
DoD2:								
DOW SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DOW	No	---	---	---	---	---	604
DsD3:								
DOW-IDA SILT LOAMS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	DOW	No	---	---	---	---	---	117
	IDA	No	---	---	---	---	---	63
DsE3:								
DOW-IDA SILT LOAMS, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	DOW	No	---	---	---	---	---	225
	IDA	No	---	---	---	---	---	97
DwC2:								
DOW-MONONA SILT LOAMS, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	DOW	No	---	---	---	---	---	50
	MONONA	No	---	---	---	---	---	40
	OTHER	No	---	---	---	---	---	10

Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
DwD2:								
DOW-MONONA SILT LOAMS, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	DOW	No	---	---	---	---	---	610
	MONONA	No	---	---	---	---	---	356
	OTHER	No	---	---	---	---	---	51
DwD3:								
DOW-MONONA SILT LOAMS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	DOW	No	---	---	---	---	---	326
	MONONA	No	---	---	---	---	---	190
	OTHER	No	---	---	---	---	---	27
DwE2:								
DOW-MONONA SILT LOAMS, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	DOW	No	---	---	---	---	---	290
	MONONA	No	---	---	---	---	---	124
DwE3:								
DOW-MONONA SILT LOAMS, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	DOW	No	---	---	---	---	---	785
	MONONA	No	---	---	---	---	---	337
IdC:								
IDA SILT LOAM, 5 TO 9 PERCENT SLOPES	IDA	No	---	---	---	---	---	3,264
IdC3:								
IDA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	IDA	No	---	---	---	---	---	8,735
IdD:								
IDA SILT LOAM, 9 TO 14 PERCENT SLOPES	IDA	No	---	---	---	---	---	966
IdD3:								
IDA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	IDA	No	---	---	---	---	---	8,235
IdE3:								
IDA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	IDA	No	---	---	---	---	---	8,516
IdF3:								
IDA SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED	IDA	No	---	---	---	---	---	1,632

Hydric Soils List

Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
JdA:								
JUDSON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	301
JdB:								
JUDSON SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	5,085
JnB:								
JUDSON-COLO-NODAWAY COMPLEX, 2 TO 6 PERCENT SLOPES	JUDSON	No	---	---	---	---	---	10,588
	COLO	Yes	flood plain	2B3	YES	NO	NO	9,075
	NODAWAY	No	---	---	---	---	---	6,050
	OTHER	No	---	---	---	---	---	4,538
Kb:								
KENNEBEC SILT LOAM	KENNEBEC	No	flood plain	---	---	---	---	8,901
	OTHER	Yes	---	2B3	YES	NO	NO	468
Kc:								
KENNEBEC SILT LOAM, OVERWASH	KENNEBEC	No	---	---	---	---	---	5,064
	OTHER	Yes	---	2B3,4	YES	YES	NO	267
KnD:								
KNOX SILT LOAM, 5 TO 14 PERCENT SLOPES	KNOX	No	---	---	---	---	---	289
KnE:								
KNOX SILT LOAM, 14 TO 20 PERCENT SLOPES	KNOX	No	---	---	---	---	---	802
KnF:								
KNOX SILT LOAM, 20 TO 30 PERCENT SLOPES	KNOX	No	---	---	---	---	---	616
MaA:								
MARSHALL SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	720
MaB:								
MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	16,151
MaB2:								
MARSHALL SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	8,008
MaC:								
MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	12,520

Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
MaC2:								
MARSHALL SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	20,939
MaD:								
MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES	MARSHALL	No	---	---	---	---	---	2,248
MaD2:								
MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	39,933
MaD3:								
MARSHALL SILTY CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	MARSHALL	No	---	---	---	---	---	3,418
MaE2:								
MARSHALL SILTY CLAY LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	MARSHALL	No	---	---	---	---	---	5,242
MaE3:								
MARSHALL SILTY CLAY LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	MARSHALL	No	---	---	---	---	---	2,228
MoA:								
MONONA SILT LOAM, 0 TO 2 PERCENT SLOPES	MONONA	No	---	---	---	---	---	888
MoB:								
MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES	MONONA	No	---	---	---	---	---	5,285
MoB2:								
MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES, MODERATELY ERODED	MONONA	No	---	---	---	---	---	7,543
MoC:								
MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES	MONONA	No	---	---	---	---	---	5,695
MoC2:								
MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MONONA	No	---	---	---	---	---	30,266
MoC3:								
MONONA SILT LOAM, 5 TO 9 PERCENT SLOPES, SEVERELY ERODED	MONONA	No	---	---	---	---	---	2,127
MoD:								
MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES	MONONA	No	---	---	---	---	---	1,792

Hydric Soils List

Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
MoD2: MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	MONONA	No	---	---	---	---	---	54,152
MoD3: MONONA SILT LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	MONONA	No	---	---	---	---	---	10,314
MoE2: MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	MONONA	No	---	---	---	---	---	16,935
MoE3: MONONA SILT LOAM, 14 TO 20 PERCENT SLOPES, SEVERELY ERODED	MONONA	No	---	---	---	---	---	15,782
MoF2: MONONA SILT LOAM, 20 TO 30 PERCENT SLOPES, MODERATELY ERODED	MONONA	No	---	---	---	---	---	2,592
MoF3: MONONA SILT LOAM, 20 TO 30 PERCENT SLOPES, SEVERELY ERODED	MONONA	No	---	---	---	---	---	3,761
MoG3: MONONA SILT LOAM, 30 TO 40 PERCENT SLOPES, SEVERELY ERODED	MONONA	No	---	---	---	---	---	710
NbB: NAPIER SILT LOAM, 2 TO 5 PERCENT SLOPES	NAPIER	No	---	---	---	---	---	10,211
NbC: NAPIER SILT LOAM, 5 TO 9 PERCENT SLOPES	NAPIER	No	---	---	---	---	---	5,357
NbD: NAPIER SILT LOAM, 9 TO 14 PERCENT SLOPES	NAPIER	No	---	---	---	---	---	229
NgC: NAPIER-GULLIED LAND COMPLEX, 2 TO 10 PERCENT SLOPES	NAPIER	No	---	---	---	---	---	1,174
	GULLIED LAND	Unranked	---	---	---	---	---	939
	OTHER	No	---	---	---	---	---	235
NkB: NAPIER-KENNEBEC-NODAWAY SILT LOAMS, 2 TO 5 PERCENT SLOPES	NAPIER	No	---	---	---	---	---	18,698
	KENNEBEC	No	---	---	---	---	---	16,360
	NODAWAY	No	---	---	---	---	---	9,349

Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
	OTHER	Yes	---	2B3,4	YES	YES	NO	2,337
NkC:								
NAPIER SILT LOAM, 5 TO 9 PERCENT SLOPES	NAPIER	No	---	---	---	---	---	6,346
No:								
NODAWAY SILT LOAM	NODAWAY	No	---	---	---	---	---	8,356
	OTHER	Yes	---	2B3	YES	NO	NO	440
SaD2:								
SALIDA GRAVELLY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SALIDA	No	---	---	---	---	---	407
SaF2:								
SALIDA GRAVELLY LOAM, 14 TO 25 PERCENT SLOPES, MODERATELY ERODED	SALIDA	No	---	---	---	---	---	258
ShC2:								
SHELBY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	271
ShD2:								
SHELBY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	3,080
ShE2:								
SHELBY LOAM, 14 TO 18 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	3,438
ShF2:								
SHELBY LOAM, 18 TO 25 PERCENT SLOPES, MODERATELY ERODED	SHELBY	No	---	---	---	---	---	1,194
SlF:								
SHELBY COBBLY LOAM, 14 TO 35 PERCENT SLOPES	SHELBY	No	---	---	---	---	---	331
SoD3:								
SHELBY SOILS, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	SHELBY	No	---	---	---	---	---	912
SoE3:								
SHELBY SOILS, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	SHELBY	No	---	---	---	---	---	2,069
SoF3:								
SHELBY SOILS, 18 TO 25 PERCENT SLOPES, SEVERELY ERODED	SHELBY	No	---	---	---	---	---	1,427

Hydric Soils List

Crawford County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria: Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	Acres
SoG3:								
SHELBY SOILS, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	SHELBY	No	---	---	---	---	---	831
SpC2:								
SPARTA FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	SPARTA	No	---	---	---	---	---	160
SpD2:								
SPARTA FINE SANDY LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	SPARTA	No	---	---	---	---	---	447
SpE2:								
SPARTA FINE SANDY LOAM, 14 TO 20 PERCENT SLOPES, MODERATELY ERODED	SPARTA	No	---	---	---	---	---	172
SrD3:								
STEINAUER CLAY LOAM, 9 TO 14 PERCENT SLOPES, SEVERELY ERODED	STEINAUER	No	---	---	---	---	---	164
SrE3:								
STEINAUER CLAY LOAM, 14 TO 18 PERCENT SLOPES, SEVERELY ERODED	STEINAUER	No	---	---	---	---	---	113
Zo:								
ZOOK SILT LOAM, OVERWASH	ZOOK	Yes	flood plain	2B3	YES	NO	NO	219
Zs:								
ZOOK SILTY CLAY LOAM	ZOOK	Yes	flood plain	2B3	YES	NO	NO	331