

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria			Acres	
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria		Meets ponding criteria
27: TERRIL LOAM, 0 TO 2 PERCENT SLOPES	TERRIL	No	---	---	---	---	1,406	
	SANDSTONE OR LIMESTONE	No	---	---	---	---	74	
27B: TERRIL LOAM, 2 TO 5 PERCENT SLOPES	TERRIL	No	---	---	---	---	3,240	
	SANDSTONE OR LIMESTONE	No	---	---	---	---	170	
41B: SPARTA LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	SPARTA	No	---	---	---	---	320	
63C: CHELSEA LOAMY FINE SAND, 2 TO 9 PERCENT SLOPES	CHELSEA	No	---	---	---	---	309	
	SANDY LOAM SURFACE	No	---	---	---	---	16	
83: KENYON LOAM, 0 TO 2 PERCENT SLOPES	KENYON	No	---	---	---	---	925	
83B: KENYON LOAM, 2 TO 5 PERCENT SLOPES	KENYON	No	---	---	---	---	19,100	
83C: KENYON LOAM, 5 TO 9 PERCENT SLOPES	KENYON	No	---	---	---	---	750	
83C2: KENYON LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	KENYON	No	---	---	---	---	1,065	
84: CLYDE SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	CLYDE	Yes	drainageway	2B3	YES	NO	NO	30,243
	FLOYD	No	---	---	---	---	---	1,779
	SCHLEY	No	---	---	---	---	---	1,779
	MARSHAN	Yes	drainageway	2B3	YES	NO	NO	1,067
	MAXFIELD	No	---	---	---	---	---	712
96: TURLIN LOAM, 0 TO 2 PERCENT SLOPES	TURLIN	No	---	---	---	---	---	1,349
	OTHER	Yes	flood plain	2B3	YES	NO	NO	71

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
110B: LAMONT FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	LAMONT	No	---	---	---	---	---	618
	LOAMY SAND SURFACE	No	---	---	---	---	---	32
110C: LAMONT FINE SANDY LOAM, 5 TO 9 PERCENT SLOPES	LAMONT	No	---	---	---	---	---	310
135: COLAND CLAY LOAM, 0 TO 2 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	3,672
	HANLON	No	---	---	---	---	---	193
151: MARSHAN CLAY LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	MARSHAN	Yes	terrace	2B3	YES	NO	NO	352
	LAWLER	No	---	---	---	---	---	18
152: MARSHAN CLAY LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	MARSHAN	Yes	terrace	2B3	YES	NO	NO	1,686
	LAWLER	No	---	---	---	---	---	89
171: BASSETT LOAM, 0 TO 2 PERCENT SLOPES	BASSETT	No	---	---	---	---	---	822
	DONNAN	No	---	---	---	---	---	43
171B: BASSETT LOAM, 2 TO 5 PERCENT SLOPES	BASSETT	No	---	---	---	---	---	7,942
	DONNAN	No	---	---	---	---	---	418
171C: BASSETT LOAM, 5 TO 9 PERCENT SLOPES	BASSETT	No	---	---	---	---	---	950
	CLAYEY MATERIAL	No	---	---	---	---	---	50
171C2: BASSETT LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	BASSETT	No	---	---	---	---	---	1,401
	DONNAN	No	---	---	---	---	---	74
171D2: BASSETT LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	BASSETT	No	---	---	---	---	---	370

Hydric Soils List

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	LIMESTONE BEDROCK	No	---	---	---	---	---	162
214C: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 5 TO 9 PERCENT SLOPES	ROCKTON	No	---	---	---	---	---	741
	LIMESTONE	No	---	---	---	---	---	39
214C2: ROCKTON LOAM, 20 TO 30 INCHES TO LIMESTONE, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	ROCKTON	No	---	---	---	---	---	195
	LIMESTONE	No	---	---	---	---	---	10
216B: RIPON SILT LOAM, 20 TO 30 INCHES TO LIMESTONE, 1 TO 5 PERCENT SLOPES	RIPON	No	---	---	---	---	---	285
	LIMESTONE BEDROCK	No	---	---	---	---	---	15
217B: RIPON SILT LOAM, 30 TO 40 INCHES TO LIMESTONE, 1 TO 5 PERCENT SLOPES	RIPON	No	---	---	---	---	---	437
	OTHER	No	---	---	---	---	---	23
221B: PALMS MUCK, 0 TO 5 PERCENT SLOPES	PALMS	Yes	hill	1	NO	NO	NO	318
	OTHER	No	---	---	---	---	---	17
225: LAWLER LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	1,948
	OTHER	Yes	terrace	2B3	YES	NO	NO	102
226: LAWLER LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	LAWLER	No	---	---	---	---	---	2,337
	OTHER	Yes	terrace	2B3	YES	NO	NO	123
284: FLAGLER SANDY LOAM, 0 TO 2 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	784
	LOAMY SURFACE	No	---	---	---	---	---	41

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
284B: FLAGLER SANDY LOAM, 2 TO 5 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	926
	GRAVELLY LOAMY SAND	No	---	---	---	---	---	49
284C: FLAGLER SANDY LOAM, 5 TO 9 PERCENT SLOPES	FLAGLER	No	---	---	---	---	---	266
	GRAVELLY LOAMY SAND	No	---	---	---	---	---	14
285B: BURKHARDT SANDY LOAM, 2 TO 5 PERCENT SLOPES	BURKHARDT	No	---	---	---	---	---	774
	GRAVELLY SAND OUTCROPS	No	---	---	---	---	---	41
285C: BURKHARDT SANDY LOAM, 5 TO 9 PERCENT SLOPES	BURKHARDT	No	---	---	---	---	---	830
285F: BURKHARDT SANDY LOAM, 14 TO 30 PERCENT SLOPES	BURKHARDT	No	---	---	---	---	---	215
303: PINICON SILT LOAM, 0 TO 2 PERCENT SLOPES	PINICON	No	---	---	---	---	---	423
	OTHER	Yes	flat	2B3	YES	NO	NO	22
377: DINSDALE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	3,235
377B: DINSDALE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	DINSDALE	No	---	---	---	---	---	2,695
382: MAXFIELD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	MAXFIELD	Yes	flat	2B3	YES	NO	NO	15,428
	CLYDE	Yes	drainageway	2B3	YES	NO	NO	812
391B: CLYDE-FLOYD COMPLEX, 1 TO 4 PERCENT SLOPES	CLYDE	Yes	drainageway	2B3	YES	NO	NO	4,152
	FLOYD	No	---	---	---	---	---	2,768
394: OSTRANDER LOAM, 0 TO 2 PERCENT SLOPES	OSTRANDER	No	---	---	---	---	---	4,810
	ROCKTON	No	---	---	---	---	---	267

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	SAUDE	No	---	---	---	---	---	267
394B: OSTRANDER LOAM, 2 TO 5 PERCENT SLOPES	OSTRANDER	No	---	---	---	---	---	8,793
	DINSDALE	No	---	---	---	---	---	517
	ROCKTON	No	---	---	---	---	---	517
	SAUDE	No	---	---	---	---	---	517
394C: OSTRANDER LOAM, 5 TO 9 PERCENT SLOPES	OSTRANDER	No	---	---	---	---	---	694
	SAUDE	No	---	---	---	---	---	36
394C2: OSTRANDER LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	OSTRANDER	No	---	---	---	---	---	335
398: TRIPOLI SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	TRIPOLI	Yes	flat	2B3	YES	NO	NO	17,285
	READLYN	No	---	---	---	---	---	910
399: READLYN LOAM, 0 TO 2 PERCENT SLOPES	READLYN	No	---	---	---	---	---	15,514
	OTHER	Yes	flat	2B3	YES	NO	NO	816
399B: READLYN LOAM, 2 TO 5 PERCENT SLOPES	READLYN	No	---	---	---	---	---	8,388
	OTHER	Yes	flat	2B3	YES	NO	NO	442
407B: SCHLEY SILT LOAM, 1 TO 4 PERCENT SLOPES	SCHLEY	No	---	---	---	---	---	4,403
	OTHER	Yes	drainageway	2B3	YES	NO	NO	232
408B: OLIN SANDY LOAM, 2 TO 6 PERCENT SLOPES	OLIN	No	---	---	---	---	---	560
412C: EMELINE LOAM, 2 TO 9 PERCENT SLOPES	EMELINE	No	---	---	---	---	---	926
	LIMESTONE	No	---	---	---	---	---	49
412E: EMELINE LOAM, 9 TO 18 PERCENT SLOPES	EMELINE	No	---	---	---	---	---	323
	LIMESTONE	No	---	---	---	---	---	17

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
412G: EMELINE LOAM, 18 TO 40 PERCENT SLOPES	EMELINE	No	---	---	---	---	---	694
	LIMESTONE	No	---	---	---	---	---	36
444B: JACWIN SILTY CLAY LOAM, 1 TO 5 PERCENT SLOPES	JACWIN	No	---	---	---	---	---	912
	OTHER	Yes	hill	2B3	YES	NO	NO	48
457: DU PAGE LOAM, 0 TO 2 PERCENT SLOPES	DU PAGE	No	---	---	---	---	---	1,738
	OTHER	Yes	flood plain	2B3	YES	NO	NO	92
471: ORAN LOAM, 0 TO 2 PERCENT SLOPES	ORAN	No	---	---	---	---	---	7,780
	OTHER	Yes	flat	2B3	YES	NO	NO	410
471B: ORAN LOAM, 2 TO 5 PERCENT SLOPES	ORAN	No	---	---	---	---	---	2,432
	OTHER	Yes	drainageway	2B3	YES	NO	NO	128
482: RACINE LOAM, 0 TO 2 PERCENT SLOPES	RACINE	No	---	---	---	---	---	960
	SATTRE	No	---	---	---	---	---	56
	WAPSIE	No	---	---	---	---	---	56
	WINNESHIEK	No	---	---	---	---	---	56
482B: RACINE LOAM, 2 TO 5 PERCENT SLOPES	RACINE	No	---	---	---	---	---	2,798
	WAPSIE	No	---	---	---	---	---	147
482C: RACINE LOAM, 5 TO 9 PERCENT SLOPES	RACINE	No	---	---	---	---	---	869
	sand and gravel	No	---	---	---	---	---	46
482C2: RACINE LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	RACINE	No	---	---	---	---	---	565
485: SPILLVILLE LOAM, 0 TO 2 PERCENT SLOPES	SPILLVILLE	No	---	---	---	---	---	2,209
	OTHER	Yes	flood plain	2B3	YES	NO	NO	116

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
491B: RENOVA SILT LOAM, 1 TO 5 PERCENT SLOPES	RENOVA	No	---	---	---	---	---	323
	OTHER	No	---	---	---	---	---	17
507: CANISTEO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CANISTEO	Yes	ground moraine	2B3	YES	NO	NO	770
535: SHELLWOOD SANDY LOAM, 0 TO 3 PERCENT SLOPES	SHELLWOOD	No	---	---	---	---	---	394
	OTHER	Yes	flood plain	2B3	YES	NO	NO	21
536: HANLON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	HANLON	No	---	---	---	---	---	822
	OTHER	Yes	flood plain	2B3	YES	NO	NO	43
537: DU PAGE-CALCO COMPLEX, 0 TO 2 PERCENT SLOPES	DU PAGE	No	---	---	---	---	---	200
	CALCO	Yes	flood plain	2B3	YES	NO	NO	140
	OTHER	No	---	---	---	---	---	60
551: CALAMINE SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	CALAMINE	Yes	flat	2B3	YES	NO	NO	437
	CALCAREOUS	Yes	flat	2B3	YES	NO	NO	23
559: TALCOT CLAY LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	TALCOT	Yes	terrace	2B3	YES	NO	NO	320
595: HARPSTER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	HARPSTER	Yes	flat	2B3	YES	NO	NO	300
612C2: MOTTLED LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	MOTTLED	No	---	---	---	---	---	292
	CHANNERY LOAM	No	---	---	---	---	---	16
	OTHER	No	---	---	---	---	---	16
612D2: MOTTLED LOAM, 9 TO 14 PERCENT SLOPES, MODERATELY ERODED	MOTTLED	No	---	---	---	---	---	306
	CHANNERY LOAM	No	---	---	---	---	---	17

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	OTHER	No	---	---	---	---	---	17
616: AUREOLA LOAM, 0 TO 2 PERCENT SLOPES	AUREOLA	No	---	---	---	---	---	500
616B: AUREOLA LOAM, 2 TO 5 PERCENT SLOPES	AUREOLA	No	---	---	---	---	---	893
	SANDSTONE	No	---	---	---	---	---	47
616C2: AUREOLA SANDY LOAM, 5 TO 9 PERCENT SLOPES, MODERATELY ERODED	AUREOLA	No	---	---	---	---	---	390
	CHANNERY FINE SANDY LOAM	No	---	---	---	---	---	20
616D2: AUREOLA SANDY LOAM, 9 TO 16 PERCENT SLOPES, MODERATELY ERODED	AUREOLA	No	---	---	---	---	---	119
	CHANNERY FINE SANDY LOAM	No	---	---	---	---	---	6
631: LIMECREEK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	LIMECREEK	No	---	---	---	---	---	295
631B: LIMECREEK SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	LIMECREEK	No	---	---	---	---	---	622
	SHALY LIMESTONE	No	---	---	---	---	---	33
631C: LIMECREEK SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	LIMECREEK	No	---	---	---	---	---	242
	MOTTLED	No	---	---	---	---	---	13
651: FAXON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	FAXON	Yes	flat	2B3	YES	NO	NO	195
662B: MT. CARROLL SILT LOAM, 2 TO 5 PERCENT SLOPES	MT. CARROLL	No	---	---	---	---	---	260
697: ROCKSAN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	ROCKSAN	Yes	flat	2B3	YES	NO	NO	640

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
713: WINNESHIEK SILT LOAM, 30 TO 40 INCHES TO LIMESTONE, 0 TO 2 PERCENT SLOPES	WINNESHIEK	No	---	---	---	---	---	332
	RACINE	No	---	---	---	---	---	18
713B: WINNESHIEK SILT LOAM, 30 TO 40 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	WINNESHIEK	No	---	---	---	---	---	675
	LIMESTONE	No	---	---	---	---	---	38
	RACINE	No	---	---	---	---	---	38
714B: WINNESHIEK SILT LOAM, 20 TO 30 INCHES TO LIMESTONE, 2 TO 5 PERCENT SLOPES	WINNESHIEK	No	---	---	---	---	---	831
	LIMESTONE	No	---	---	---	---	---	44
714C: WINNESHIEK SILT LOAM, 20 TO 30 INCHES TO LIMESTONE, 5 TO 9 PERCENT SLOPES	WINNESHIEK	No	---	---	---	---	---	489
	LIMESTONE	No	---	---	---	---	---	26
725: HAYFIELD LOAM, 24 TO 32 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	HAYFIELD	No	---	---	---	---	---	603
	OTHER	Yes	terrace	2B3	YES	NO	NO	32
726: HAYFIELD LOAM, 32 TO 40 INCHES TO SAND AND GRAVEL, 0 TO 2 PERCENT SLOPES	HAYFIELD	No	---	---	---	---	---	418
	OTHER	Yes	terrace	2B3	YES	NO	NO	22
733: CALCO SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	CALCO	Yes	flood plain	2B3	YES	NO	NO	675
761: FRANKLIN SILT LOAM, 0 TO 3 PERCENT SLOPES	FRANKLIN	No	---	---	---	---	---	4,147
	OTHER	Yes	flat	2B3	YES	NO	NO	218
771: WAUBEEK SILT LOAM, 0 TO 2 PERCENT SLOPES	WAUBEEK	No	---	---	---	---	---	210

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	FLOYD	No	---	---	---	---	---	56
	PROTIVIN	No	---	---	---	---	---	56
783C: CRESCO LOAM, 5 TO 9 PERCENT SLOPES	CRESCO	No	---	---	---	---	---	279
	FLOYD	No	---	---	---	---	---	16
	PROTIVIN	No	---	---	---	---	---	16
784B: RICEVILLE SILT LOAM, 1 TO 4 PERCENT SLOPES	RICEVILLE	No	---	---	---	---	---	2,432
	OTHER	Yes	hill	2B3	YES	NO	NO	128
789: OAKTON LOAM, 0 TO 2 PERCENT SLOPES	OAKTON	No	---	---	---	---	---	880
797: JAMESTON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	JAMESTON	Yes	flat	2B3	YES	NO	NO	930
798B: PROTIVIN CLAY LOAM, 1 TO 4 PERCENT SLOPES	PROTIVIN	No	---	---	---	---	---	3,263
	OTHER	Yes	hill	2B3	YES	NO	NO	172
806B: WHALAN SILT LOAM, 1 TO 5 PERCENT SLOPES	WHALAN	No	---	---	---	---	---	204
	LIMESTONE	No	---	---	---	---	---	11
936: COLAND-SPILLVILLE COMPLEX, 0 TO 2 PERCENT SLOPES	COLAND	Yes	flood plain	2B3	YES	NO	NO	535
	SPILLVILLE	No	---	---	---	---	---	428
	OTHER	No	---	---	---	---	---	107
976: RADDLE SILT LOAM, 0 TO 2 PERCENT SLOPES	RADDLE	No	---	---	---	---	---	185
1537: DU PAGE-SHELLWOOD-CALCO COMPLEX, CHANNELED, 0 TO 3 PERCENT SLOPES	DU PAGE	No	---	---	---	---	---	530
	SHELLWOOD	No	---	---	---	---	---	398
	CALCO	Yes	flood plain	2B3	YES	NO	NO	265
	OTHER	Yes	flood plain	4	NO	YES	NO	66

Hydric Soils List

FIELD OFFICE TECHNICAL GUIDE Sec. II
HYDRIC SOIL INTERPRETATIONS

Floyd County, Iowa

Map symbol and map unit name	Component	Hydric	Local landform	Hydric soils criteria				Acres
				Hydric criteria code	Meets saturation criteria	Meets flooding criteria	Meets ponding criteria	
	OTHER	Yes	oxbow	2B3,3	YES	NO	YES	66
1936: SPILLVILLE-HANLON-COLAND COMPLEX, CHANNELED, 0 TO 3 PERCENT SLOPES	SPILLVILLE	No	---	---	---	---	---	560
	HANLON	No	---	---	---	---	---	480
	COLAND	Yes	flood plain	2B3	YES	NO	NO	240
	OTHER	Yes	flood plain	4	NO	YES	NO	160
	OTHER	Yes	oxbow	2B3,3	YES	NO	YES	160
4000: URBAN LAND	URBAN LAND	No	---	---	---	---	---	410
5010: PITS, SAND AND GRAVEL	PITS, SAND AND GRAVEL	Unranked	---	---	---	---	---	335
5030: PITS, LIMESTONE QUARRY	PITS, LIMESTONE QUARRY	Unranked	---	---	---	---	---	270
5040: ORTHENTS, LOAMY	ORTHENTS	Unranked	---	---	---	---	---	855
	SAND	No	---	---	---	---	---	45
5060: PITS, CLAY	PITS, CLAY	Unranked	---	---	---	---	---	60