

Hydric Soils List

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|-----------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|--------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 1B: Abell silt loam, 2 to 7 percent slopes | Abell | No | --- | --- | --- | --- | --- | 464 |
| | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 17 |
| 2B: Albemarle fine sandy loam, 2 to 7 percent slopes | Albemarle | No | --- | --- | --- | --- | --- | 320 |
| 2C: Albemarle fine sandy loam, 7 to 15 percent slopes | Albemarle | No | --- | --- | --- | --- | --- | 784 |
| 2D: Albemarle fine sandy loam, 15 to 25 percent slopes | Albemarle | No | --- | --- | --- | --- | --- | 536 |
| 3C: Albemarle very stony fine sandy loam, 7 to 15 percent slopes | Albemarle | No | --- | --- | --- | --- | --- | 328 |
| 3D: Albemarle very stony fine sandy loam, 15 to 25 percent slopes | Albemarle | No | --- | --- | --- | --- | --- | 456 |
| 3E: Albemarle very stony fine sandy loam, 25 to 45 percent slopes | Albemarle | No | --- | --- | --- | --- | --- | 188 |
| 4B: Ashe loam, 2 to 7 percent slopes | Ashe | No | --- | --- | --- | --- | --- | 168 |
| 4C: Ashe loam, 7 to 15 percent slopes | Ashe | No | --- | --- | --- | --- | --- | 984 |
| 4D: Ashe loam, 15 to 25 percent slopes | Ashe | No | --- | --- | --- | --- | --- | 7,536 |
| 4E: Ashe loam, 25 to 45 percent slopes | Ashe | No | --- | --- | --- | --- | --- | 10,560 |
| 5B: Belvoir loam, 2 to 7 percent slopes | Belvoir | No | --- | --- | --- | --- | --- | 720 |
| | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 27 |
| 6: Bermudian silt loam | Bermudian | No | --- | --- | --- | --- | --- | 298 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|--------------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 6: Bermudian silt loam | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 11 |
| 7B: Braddock loam, 2 to 7 percent slopes | Braddock | No | --- | --- | --- | --- | --- | 4,944 |
| 7C: Braddock loam, 7 to 15 percent slopes | Braddock | No | --- | --- | --- | --- | --- | 2,992 |
| 7D: Braddock loam, 15 to 25 percent slopes | Braddock | No | --- | --- | --- | --- | --- | 312 |
| 8C3: Braddock clay loam, 7 to 15 percent slopes, severely eroded | Braddock | No | --- | --- | --- | --- | --- | 456 |
| 9B: Braddock very stony loam, 2 to 7 percent slopes | Braddock | No | --- | --- | --- | --- | --- | 216 |
| 9C: Braddock very stony loam, 7 to 15 percent slopes | Braddock | No | --- | --- | --- | --- | --- | 464 |
| 9D: Braddock very stony loam, 15 to 25 percent slopes | Braddock | No | --- | --- | --- | --- | --- | 328 |
| 10: Buncombe loamy sand | Buncombe | No | --- | --- | --- | --- | --- | 884 |
| | Frequently Flooded | Yes | Flood Plain | 4 | No | Yes | No | 31 |
| 11D: Cataska-hartleton very stony loams, 15 to 25 percent slopes | Cataska | No | --- | --- | --- | --- | --- | 366 |
| | Hartleton | No | --- | --- | --- | --- | --- | 183 |
| 11E: Cataska-hartleton very stony loams, 25 to 60 percent slopes | Cataska | No | --- | --- | --- | --- | --- | 2,100 |
| | Hartleton | No | --- | --- | --- | --- | --- | 1,050 |
| 12C: Catoctin silt loam, 7 to 15 percent slopes | Catoctin | No | --- | --- | --- | --- | --- | 576 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|----------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 12D: Catoclin silt loam, 15 to 25 percent slopes | Catoclin | No | --- | --- | --- | --- | --- | 1,096 |
| 12E: Catoclin silt loam, 25 to 45 percent slopes | Catoclin | No | --- | --- | --- | --- | --- | 990 |
| 13C: Catoclin very stony silt loam, 7 to 15 percent slopes | Catoclin | No | --- | --- | --- | --- | --- | 440 |
| 13D: Catoclin very stony silt loam, 15 to 25 percent slopes | Catoclin | No | --- | --- | --- | --- | --- | 760 |
| 13E: Catoclin very stony silt loam, 25 to 45 percent slopes | Catoclin | No | --- | --- | --- | --- | --- | 2,145 |
| 14B: Chester loam, 2 to 7 percent slopes | Chester | No | --- | --- | --- | --- | --- | 976 |
| 14C: Chester loam, 7 to 15 percent slopes | Chester | No | --- | --- | --- | --- | --- | 4,304 |
| 14D: Chester loam, 15 to 25 percent slopes | Chester | No | --- | --- | --- | --- | --- | 5,152 |
| 14E: Chester loam, 25 to 45 percent slopes | Chester | No | --- | --- | --- | --- | --- | 2,213 |
| 15C: Chester very stony loam, 7 to 15 percent slopes | Chester | No | --- | --- | --- | --- | --- | 1,223 |
| 15D: Chester very stony loam, 15 to 25 percent slopes | Chester | No | --- | --- | --- | --- | --- | 3,413 |
| 15E: Chester very stony loam, 25 to 45 percent slopes | Chester | No | --- | --- | --- | --- | --- | 8,145 |
| 16: Chewacla silt loam | Chewacla | No | --- | --- | --- | --- | --- | 4,429 |
| | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 156 |
| 17: Craigsville loam | Craigsville | No | --- | --- | --- | --- | --- | 1,477 |
| | Poorly Drained | Yes | Depression | 2B3 | Yes | No | No | 106 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|-----------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 18B: Creedmoor loam, 2 to 7 percent slopes | Creedmoor | No | --- | --- | --- | --- | --- | 536 |
| | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 20 |
| 19B: Cullen loam, 2 to 7 percent slopes | Cullen | No | --- | --- | --- | --- | --- | 3,752 |
| 19C: Cullen loam, 7 to 15 percent slopes | Cullen | No | --- | --- | --- | --- | --- | 3,224 |
| 19D: Cullen loam, 15 to 25 percent slopes | Cullen | No | --- | --- | --- | --- | --- | 1,128 |
| 20B3: Cullen clay loam, 2 to 7 percent slopes, severely eroded | Cullen | No | --- | --- | --- | --- | --- | 216 |
| 20C3: Cullen clay loam, 7 to 15 percent slopes, severely eroded | Cullen | No | --- | --- | --- | --- | --- | 1,408 |
| 20D3: Cullen clay loam, 15 to 25 percent slopes, severely eroded | Cullen | No | --- | --- | --- | --- | --- | 912 |
| 21B: Culpeper fine sandy loam, 2 to 7 percent slopes | Culpeper | No | --- | --- | --- | --- | --- | 1,408 |
| 21C: Culpeper fine sandy loam, 7 to 15 percent slopes | Culpeper | No | --- | --- | --- | --- | --- | 1,224 |
| 21D: Culpeper fine sandy loam, 15 to 25 percent slopes | Culpeper | No | --- | --- | --- | --- | --- | 216 |
| 22C3: Culpeper clay loam, 7 to 15 percent slopes, severely eroded | Culpeper | No | --- | --- | --- | --- | --- | 240 |
| 23B: Davidson clay loam, 2 to 7 percent slopes | Davidson | No | --- | --- | --- | --- | --- | 1,872 |
| 23C: Davidson clay loam, 7 to 15 percent slopes | Davidson | No | --- | --- | --- | --- | --- | 960 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|-----------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 24B: Dogue silt loam, 2 to 7 percent slopes | Dogue | No | --- | --- | --- | --- | --- | 799 |
| 25B: Dyke silt loam, 2 to 7 percent slopes | Dyke | No | --- | --- | --- | --- | --- | 3,596 |
| 25C: Dyke silt loam, 7 to 15 percent slopes | Dyke | No | --- | --- | --- | --- | --- | 1,105 |
| 26B3: Dyke clay loam, 2 to 7 percent slopes, severely eroded | Dyke | No | --- | --- | --- | --- | --- | 238 |
| 26C3: Dyke clay loam, 7 to 15 percent slopes, severely eroded | Dyke | No | --- | --- | --- | --- | --- | 1,029 |
| 26D3: Dyke clay loam, 15 to 25 percent slopes, severely eroded | Dyke | No | --- | --- | --- | --- | --- | 400 |
| 27B: Elioak loam, 2 to 7 percent slopes | Elioak | No | --- | --- | --- | --- | --- | 6,968 |
| 27C: Elioak loam, 7 to 15 percent slopes | Elioak | No | --- | --- | --- | --- | --- | 5,688 |
| 27D: Elioak loam, 15 to 25 percent slopes | Elioak | No | --- | --- | --- | --- | --- | 928 |
| 28C3: Elioak clay loam, 7 to 15 percent slopes, severely eroded | Elioak | No | --- | --- | --- | --- | --- | 648 |
| 28D3: Elioak clay loam, 15 to 25 percent slopes, severely eroded | Elioak | No | --- | --- | --- | --- | --- | 200 |
| 29B: Fauquier silt loam, 2 to 7 percent slopes | Fauquier | No | --- | --- | --- | --- | --- | 1,105 |
| 29C: Fauquier silt loam, 7 to 15 percent slopes | Fauquier | No | --- | --- | --- | --- | --- | 1,420 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|-----------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 29D: Fauquier silt loam, 15 to 25 percent slopes | Fauquier | No | --- | --- | --- | --- | --- | 952 |
| 29E: Fauquier silt loam, 25 to 45 percent slopes | Fauquier | No | --- | --- | --- | --- | --- | 400 |
| 30C3: Fauquier silty clay loam, 7 to 15 percent slopes, severely eroded | Fauquier | No | --- | --- | --- | --- | --- | 352 |
| 30D3: Fauquier silty clay loam, 15 to 25 percent slopes, severely eroded | Fauquier | No | --- | --- | --- | --- | --- | 150 |
| 31C: Fauquier very stony silt loam, 7 to 15 percent slopes | Fauquier | No | --- | --- | --- | --- | --- | 400 |
| 31D: Fauquier very stony silt loam, 15 to 25 percent slopes | Fauquier | No | --- | --- | --- | --- | --- | 480 |
| 32B: Fluvanna silt loam, 2 to 7 percent slopes | Fluvanna | No | --- | --- | --- | --- | --- | 560 |
| 32C: Fluvanna silt loam, 7 to 15 percent slopes | Fluvanna | No | --- | --- | --- | --- | --- | 464 |
| 33C: Fluvanna very stony silt loam, 7 to 15 percent slopes | Fluvanna | No | --- | --- | --- | --- | --- | 336 |
| 34B: Glenelg loam, 2 to 7 percent slopes | Glenelg | No | --- | --- | --- | --- | --- | 1,143 |
| 34C: Glenelg loam, 7 to 15 percent slopes | Glenelg | No | --- | --- | --- | --- | --- | 4,378 |
| 34D: Glenelg loam, 15 to 25 percent slopes | Glenelg | No | --- | --- | --- | --- | --- | 3,824 |
| 34E: Glenelg loam, 25 to 45 percent slopes | Glenelg | No | --- | --- | --- | --- | --- | 680 |
| 35C: Hartleton-cataska very stony loams, 7 to 15 percent slopes | Hartleton | No | --- | --- | --- | --- | --- | 300 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|--------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 35C: Hartleton-cataska very stony loams, 7 to 15 percent slopes | Cataska | No | --- | --- | --- | --- | --- | 150 |
| 36B: Hayesville loam, 2 to 7 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 12,560 |
| 36C: Hayesville loam, 7 to 15 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 12,016 |
| 36D: Hayesville loam, 15 to 25 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 4,104 |
| 36E: Hayesville loam, 25 to 45 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 376 |
| 37B3: Hayesville clay loam, 2 to 7 percent slopes, severely eroded | Hayesville | No | --- | --- | --- | --- | --- | 360 |
| 37C3: Hayesville clay loam, 7 to 15 percent slopes, severely eroded | Hayesville | No | --- | --- | --- | --- | --- | 5,120 |
| 37D3: Hayesville clay loam, 15 to 25 percent slopes, severely eroded | Hayesville | No | --- | --- | --- | --- | --- | 4,024 |
| 37E3: Hayesville clay loam, 25 to 45 percent slopes, severely eroded | Hayesville | No | --- | --- | --- | --- | --- | 232 |
| 38C: Hayesville very stony loam, 7 to 15 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 1,050 |
| 38D: Hayesville very stony loam, 15 to 25 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 1,088 |
| 38E: Hayesville very stony loam, 25 to 45 percent slopes | Hayesville | No | --- | --- | --- | --- | --- | 645 |
| 39C: Hazel loam, 7 to 15 percent slopes | Hazel | No | --- | --- | --- | --- | --- | 616 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|-------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 39D: Hazel loam, 15 to 25 percent slopes | Hazel | No | --- | --- | --- | --- | --- | 3,640 |
| 39E: Hazel loam, 25 to 45 percent slopes | Hazel | No | --- | --- | --- | --- | --- | 3,624 |
| 40D: Hazel very stony loam, 15 to 25 percent slopes | Hazel | No | --- | --- | --- | --- | --- | 728 |
| 40E: Hazel very stony loam, 25 to 45 percent slopes | Hazel | No | --- | --- | --- | --- | --- | 2,968 |
| 41B: Hiwassee loam, 2 to 7 percent slopes | Hiwassee | No | --- | --- | --- | --- | --- | 1,258 |
| 41C: Hiwassee loam, 7 to 15 percent slopes | Hiwassee | No | --- | --- | --- | --- | --- | 323 |
| 42B3: Hiwassee clay loam, 2 to 7 percent slopes, severely eroded | Hiwassee | No | --- | --- | --- | --- | --- | 238 |
| 42C3: Hiwassee clay loam, 7 to 15 percent slopes, severely eroded | Hiwassee | No | --- | --- | --- | --- | --- | 536 |
| 42D3: Hiwassee clay loam, 15 to 25 percent slopes, severely eroded | Hiwassee | No | --- | --- | --- | --- | --- | 176 |
| 43B: Klinesville channery silt loam, 2 to 7 percent slopes | Klinesville | No | --- | --- | --- | --- | --- | 187 |
| 43C: Klinesville channery silt loam, 7 to 15 percent slopes | Klinesville | No | --- | --- | --- | --- | --- | 1,088 |
| 43D: Klinesville channery silt loam, 15 to 25 percent slopes | Klinesville | No | --- | --- | --- | --- | --- | 1,350 |
| 43E: Klinesville channery silt loam, 25 to 45 percent slopes | Klinesville | No | --- | --- | --- | --- | --- | 488 |
| 44C: Lew very stony silt loam, 7 to 15 percent slopes | Lew | No | --- | --- | --- | --- | --- | 876 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|-----------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 44D: Lew very stony silt loam, 15 to 25 percent slopes | Lew | No | --- | --- | --- | --- | --- | 952 |
| 45C: Lew extremely stony silt loam, 7 to 15 percent slopes | Lew | No | --- | --- | --- | --- | --- | 561 |
| 45D: Lew extremely stony silt loam, 15 to 25 percent slopes | Lew | No | --- | --- | --- | --- | --- | 468 |
| 46B: Lignum silt loam, 2 to 7 percent slopes | Lignum | No | --- | --- | --- | --- | --- | 1,547 |
| | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 55 |
| 47C: Louisburg sandy loam, 7 to 15 percent slopes | Louisburg | No | --- | --- | --- | --- | --- | 375 |
| 47D: Louisburg sandy loam, 15 to 25 percent slopes | Louisburg | No | --- | --- | --- | --- | --- | 878 |
| 47E: Louisburg sandy loam, 25 to 45 percent slopes | Louisburg | No | --- | --- | --- | --- | --- | 353 |
| 48D: Louisburg very stony sandy loam, 15 to 25 percent slopes | Louisburg | No | --- | --- | --- | --- | --- | 255 |
| 48E: Louisburg very stony sandy loam, 25 to 45 percent slopes | Louisburg | No | --- | --- | --- | --- | --- | 998 |
| 49B: Manassas silt loam, 2 to 7 percent slopes | Manassas | No | --- | --- | --- | --- | --- | 584 |
| 50D: Manor loam, 15 to 25 percent slopes | Manor | No | --- | --- | --- | --- | --- | 247 |
| 50E: Manor loam, 25 to 45 percent slopes | Manor | No | --- | --- | --- | --- | --- | 216 |
| 51B: Manteo channery silt loam, 2 to 7 percent slopes | Manteo | No | --- | --- | --- | --- | --- | 4,792 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|-------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|--------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 51C: Manteo channery silt loam, 7 to 15 percent slopes | Manteo | No | --- | --- | --- | --- | --- | 10,424 |
| 51D: Manteo channery silt loam, 15 to 25 percent slopes | Manteo | No | --- | --- | --- | --- | --- | 8,328 |
| 51E: Manteo channery silt loam, 25 to 45 percent slopes | Manteo | No | --- | --- | --- | --- | --- | 2,160 |
| 52D: Manteo very channery silt loam, 15 to 25 percent slopes | Manteo | No | --- | --- | --- | --- | --- | 752 |
| 52E: Manteo very channery silt loam, 25 to 45 percent slopes | Manteo | No | --- | --- | --- | --- | --- | 882 |
| 53B: Masada loam, 2 to 7 percent slopes | Masada | No | --- | --- | --- | --- | --- | 672 |
| 53C: Masada loam, 7 to 15 percent slopes | Masada | No | --- | --- | --- | --- | --- | 312 |
| 54B: Mayodan loam, 2 to 7 percent slopes | Mayodan | No | --- | --- | --- | --- | --- | 392 |
| 54C: Mayodan loam, 7 to 15 percent slopes | Mayodan | No | --- | --- | --- | --- | --- | 144 |
| 55B: Mcqueen loam, 2 to 7 percent slopes | Mcqueen | No | --- | --- | --- | --- | --- | 893 |
| 56B: Meadowville loam, 2 to 7 percent slopes | Meadowville | No | --- | --- | --- | --- | --- | 2,498 |
| | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 100 |
| 56C: Meadowville loam, 7 to 15 percent slopes | Meadowville | No | --- | --- | --- | --- | --- | 800 |
| 57B: Mount lucas silt loam, 2 to 7 percent slopes | Mount Lucas | No | --- | --- | --- | --- | --- | 888 |
| | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 33 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|--------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 58B: Myersville silt loam, 2 to 7 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 968 |
| 58C: Myersville silt loam, 7 to 15 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 1,728 |
| 58D: Myersville silt loam, 15 to 25 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 1,392 |
| 58E: Myersville silt loam, 25 to 45 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 704 |
| 59C: Myersville very stony silt loam, 7 to 15 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 655 |
| 59D: Myersville very stony silt loam, 15 to 25 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 2,016 |
| 59E: Myersville very stony silt loam, 25 to 45 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 4,592 |
| 60C: Myersville-catoctin very stony silt loams, 7 to 15 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 1,295 |
| | Catoctin | No | --- | --- | --- | --- | --- | 463 |
| 60D: Myersville-catoctin very stony silt loams, 15 to 25 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 2,136 |
| | Catoctin | No | --- | --- | --- | --- | --- | 1,068 |
| 60E: Myersville-catoctin very stony silt loams, 25 to 60 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 9,636 |
| | Catoctin | No | --- | --- | --- | --- | --- | 4,818 |
| 61D: Myersville-rock outcrop complex, 15 to 25 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 144 |
| | Rock Outcrop | No | --- | --- | --- | --- | --- | 60 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|--------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|--------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 61E: Myersville-rock outcrop complex, 25 to 45 percent slopes | Myersville | No | --- | --- | --- | --- | --- | 192 |
| | Rock Outcrop | No | --- | --- | --- | --- | --- | 80 |
| 62B: Nason silt loam, 2 to 7 percent slopes | Nason | No | --- | --- | --- | --- | --- | 11,344 |
| 62C: Nason silt loam, 7 to 15 percent slopes | Nason | No | --- | --- | --- | --- | --- | 6,576 |
| 62D: Nason silt loam, 15 to 25 percent slopes | Nason | No | --- | --- | --- | --- | --- | 440 |
| 63B: Orange silt loam, 2 to 7 percent slopes | Orange | No | --- | --- | --- | --- | --- | 488 |
| 64B: Orange very stony silt loam, 2 to 7 percent slopes | Orange | No | --- | --- | --- | --- | --- | 304 |
| 65B: Pacolet sandy loam, 2 to 7 percent slopes | Pacolet | No | --- | --- | --- | --- | --- | 808 |
| 65C: Pacolet sandy loam, 7 to 15 percent slopes | Pacolet | No | --- | --- | --- | --- | --- | 648 |
| 66C: Parker very stony loam, 7 to 15 percent slopes | Parker | No | --- | --- | --- | --- | --- | 560 |
| 66D: Parker very stony loam, 15 to 25 percent slopes | Parker | No | --- | --- | --- | --- | --- | 1,856 |
| 66E: Parker very stony loam, 25 to 45 percent slopes | Parker | No | --- | --- | --- | --- | --- | 9,435 |
| 67D: Parker extremely stony loam, 15 to 25 percent slopes | Parker | No | --- | --- | --- | --- | --- | 440 |
| 67E: Parker extremely stony loam, 25 to 60 percent slopes | Parker | No | --- | --- | --- | --- | --- | 4,575 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|-----------|----------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 68B: Penn silt loam, 2 to 7 percent slopes | Penn | No | --- | --- | --- | --- | --- | 768 |
| 68C: Penn silt loam, 7 to 15 percent slopes | Penn | No | --- | --- | --- | --- | --- | 1,552 |
| 68D: Penn silt loam, 15 to 25 percent slopes | Penn | No | --- | --- | --- | --- | --- | 312 |
| 69: Pits, quarry | Pits | Unranked | --- | --- | --- | --- | --- | 213 |
| | Water | Unranked | Depression | --- | --- | --- | --- | 8 |
| 70C: Porters very stony loam, 7 to 15 percent slopes | Porters | No | --- | --- | --- | --- | --- | 168 |
| 70D: Porters very stony loam, 15 to 25 percent slopes | Porters | No | --- | --- | --- | --- | --- | 224 |
| 70E: Porters very stony loam, 25 to 45 percent slopes | Porters | No | --- | --- | --- | --- | --- | 1,350 |
| 71B: Rabun clay loam, 2 to 7 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 2,936 |
| 71C: Rabun clay loam, 7 to 15 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 4,920 |
| 71D: Rabun clay loam, 15 to 25 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 4,050 |
| 71E: Rabun clay loam, 25 to 45 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 1,005 |
| 72B3: Rabun clay, 2 to 7 percent slopes, severely eroded | Rabun | No | --- | --- | --- | --- | --- | 904 |
| 72C3: Rabun clay, 7 to 15 percent slopes, severely eroded | Rabun | No | --- | --- | --- | --- | --- | 3,632 |
| 72D3: Rabun clay, 15 to 25 percent slopes, severely eroded | Rabun | No | --- | --- | --- | --- | --- | 1,856 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|-----------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 72E3: Rabun clay, 25 to 45 percent slopes, severely eroded | Rabun | No | --- | --- | --- | --- | --- | 192 |
| 73C: Rabun very stony clay loam, 7 to 15 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 459 |
| 73D: Rabun very stony clay loam, 15 to 25 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 1,648 |
| 73E: Rabun very stony clay loam, 25 to 45 percent slopes | Rabun | No | --- | --- | --- | --- | --- | 915 |
| 74B: Rapidan silt loam, 2 to 7 percent slopes | Rapidan | No | --- | --- | --- | --- | --- | 1,190 |
| 74C: Rapidan silt loam, 7 to 15 percent slopes | Rapidan | No | --- | --- | --- | --- | --- | 740 |
| 74D: Rapidan silt loam, 15 to 25 percent slopes | Rapidan | No | --- | --- | --- | --- | --- | 210 |
| 75C3: Rapidan silty clay loam, 7 to 15 percent slopes, severely eroded | Rapidan | No | --- | --- | --- | --- | --- | 357 |
| 75D3: Rapidan silty clay loam, 15 to 25 percent slopes, severely eroded | Rapidan | No | --- | --- | --- | --- | --- | 320 |
| 76: Riverview loam | Riverview | No | --- | --- | --- | --- | --- | 3,173 |
| | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 127 |
| 77: Riverview-chewacla complex | Riverview | No | --- | --- | --- | --- | --- | 1,690 |
| | Chewacla | No | --- | --- | --- | --- | --- | 1,352 |
| | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 101 |
| 78: Rowland silt loam | Rowland | No | --- | --- | --- | --- | --- | 391 |
| | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 14 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 79B: Starr silt loam, 2 to 7 percent slopes | Starr | No | --- | --- | --- | --- | --- | 3,384 |
| 80B: Tatum silt loam, 2 to 7 percent slopes | Tatum | No | --- | --- | --- | --- | --- | 2,984 |
| 80C: Tatum silt loam, 7 to 15 percent slopes | Tatum | No | --- | --- | --- | --- | --- | 880 |
| 81B: Thurmont loam, 2 to 7 percent slopes | Thurmont | No | --- | --- | --- | --- | --- | 1,568 |
| 81C: Thurmont loam, 7 to 15 percent slopes | Thurmont | No | --- | --- | --- | --- | --- | 2,048 |
| 81D: Thurmont loam, 15 to 25 percent slopes | Thurmont | No | --- | --- | --- | --- | --- | 345 |
| 82C: Thurmont very stony loam, 7 to 15 percent slopes | Thurmont | No | --- | --- | --- | --- | --- | 795 |
| 82D: Thurmont very stony loam, 15 to 25 percent slopes | Thurmont | No | --- | --- | --- | --- | --- | 593 |
| 83: Toccoa fine sandy loam | Toccoa | No | --- | --- | --- | --- | --- | 2,593 |
| | Wet Spots | Yes | Flood Plain | 4 | No | Yes | No | 92 |
| 84B: Totier silt loam, 2 to 7 percent slopes | Totier | No | --- | --- | --- | --- | --- | 3,528 |
| 84C: Totier silt loam, 7 to 15 percent slopes | Totier | No | --- | --- | --- | --- | --- | 792 |
| 85C3: Totier silty clay loam, 7 to 15 percent slopes, severely eroded | Totier | No | --- | --- | --- | --- | --- | 304 |
| 86B: Turbeville loam, 2 to 7 percent slopes | Turbeville | No | --- | --- | --- | --- | --- | 680 |
| 86C: Turbeville loam, 7 to 15 percent slopes | Turbeville | No | --- | --- | --- | --- | --- | 280 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|--|------------|--------|----------------|-----------------------|---------------------------|-------------------------|------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 87B: Tusquitee stony loam, 2 to 7 percent slopes | Tusquitee | No | --- | --- | --- | --- | --- | 400 |
| 87C: Tusquitee stony loam, 7 to 15 percent slopes | Tusquitee | No | --- | --- | --- | --- | --- | 825 |
| 87D: Tusquitee stony loam, 15 to 25 percent slopes | Tusquitee | No | --- | --- | --- | --- | --- | 392 |
| 88: Udorthents, loamy | Udorthents | No | --- | --- | --- | --- | --- | 1,318 |
| | Wet Spots | Yes | Depression | 3 | No | No | Yes | 47 |
| 89B: Unison silt loam, 2 to 7 percent slopes | Unison | No | --- | --- | --- | --- | --- | 776 |
| 89C: Unison silt loam, 7 to 15 percent slopes | Unison | No | --- | --- | --- | --- | --- | 248 |
| 90B: Unison very stony silt loam, 2 to 7 percent slopes | Unison | No | --- | --- | --- | --- | --- | 464 |
| 90C: Unison very stony silt loam, 7 to 15 percent slopes | Unison | No | --- | --- | --- | --- | --- | 915 |
| 90D: Unison very stony silt loam, 15 to 25 percent slopes | Unison | No | --- | --- | --- | --- | --- | 188 |
| 91: Urban land | Urban Land | No | --- | --- | --- | --- | --- | 561 |
| 92: Wahee silt loam | Wahee | No | --- | --- | --- | --- | --- | 552 |
| | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 21 |
| 93C: Watt channery silt loam, 7 to 15 percent slopes | Watt | No | --- | --- | --- | --- | --- | 216 |
| 93D: Watt channery silt loam, 15 to 25 percent slopes | Watt | No | --- | --- | --- | --- | --- | 216 |
| 93E: Watt channery silt loam, 25 to 45 percent slopes | Watt | No | --- | --- | --- | --- | --- | 320 |

Hydric Soils List - Continued

Albemarle County, Virginia

| Map Symbol and Map Unit Name | Component | Hydric | Local Landform | Hydric Soils Criteria | | | | Acres |
|---|-----------|----------|----------------|----------------------------|---------------------------------|-------------------------------|------------------------------|-------|
| | | | | Hydric Criteria Code | Meets Saturation Criteria | Meets Flooding Criteria | Meets Ponding Criteria | |
| 94B: Wedowee sandy loam, 2 to 7 percent slopes | Wedowee | No | --- | --- | --- | --- | --- | 400 |
| 94C: Wedowee sandy loam, 7 to 15 percent slopes | Wedowee | No | --- | --- | --- | --- | --- | 680 |
| 95: Wehadkee silt loam | Wehadkee | Yes | Flood Plain | 2B3,4 | Yes | Yes | No | 2,840 |
| 96B: Worsham loam, 2 to 7 percent slopes | Worsham | Yes | Drainageway | 2B3 | Yes | No | No | 1,088 |
| W: Water | Water | Unranked | --- | --- | --- | --- | --- | 2,520 |