

Map Unit Acres (A)

Amherst County, Virginia

Map symbol	Soil name	Acres	Percent
1B	Buffstat silt loam, 2 to 7 percent slopes	0	*
1C	Buffstat silt loam, 7 to 15 percent slopes	0	*
1D	Buffstat silt loam, 15 to 25 percent slopes	0	*
2C	Bugley-Littlejoe complex, 7 to 15 percent slopes	0	*
2D	Bugley-Littlejoe complex, 15 to 25 percent slopes	0	*
2E	Bugley-Littlejoe complex, 25 to 60 percent slopes	0	*
3C	Catoctin-Rock outcrop complex, 7 to 15 percent slopes	49	*
3D	Catoctin-Rock outcrop complex, 15 to 25 percent slopes	206	*
3E	Catoctin-Rock outcrop complex, 25 to 75 percent slopes	358	0.1
4B	Clifford clay loam, 2 to 7 percent slopes, severely eroded	20,317	6.6
4C	Clifford clay loam, 7 to 15 percent slopes, severely eroded	1,410	0.5
4D	Clifford clay loam, 15 to 25 percent slopes, severely eroded	2,182	0.7
4E	Clifford clay loam, 25 to 50 percent slopes, severely eroded	907	0.3
5B	Clifford loam, 2 to 7 percent slopes	2,444	0.8
5C	Clifford loam, 7 to 15 percent slopes	6,635	2.2
5D	Clifford loam, 15 to 25 percent slopes	4,003	1.3
5E	Clifford loam, 25 to 50 percent slopes	917	0.3
6B	Clifford loam, 2 to 7 percent slopes, very stony	8	*
6C	Clifford loam, 7 to 15 percent slopes, very stony	198	*
6D	Clifford loam, 15 to 25 percent slopes, very stony	568	0.2
6E	Clifford loam, 25 to 50 percent slopes, very stony	479	0.2
7a	Codorus silt loam, 0 to 3 percent slopes, frequently flooded	386	0.1
8B	Colleen loam, 2 to 7 percent slopes	399	0.1
8C	Colleen loam, 7 to 15 percent slopes	456	0.1
8D	Colleen loam, 15 to 25 percent slopes	0	*
9A	Combs loam, 0 to 3 percent slopes, frequently flooded	0	*
10A	Comus fine sandy loam, 0 to 3 percent slopes, frequently flooded	741	0.2
11A	Craigsville very cobbly sandy loam, 0 to 3 percent slopes, frequently flooded	1,189	0.4
12D	Dekalb-Hazleton complex, 15 to 35 percent slopes, very stony	511	0.2
12E	Dekalb-Hazleton complex, 35 to 55 percent slopes, extremely stony	424	0.1
12F	Dekalb-Hazleton complex, 55 to 75 percent slopes, extremely stony	334	0.1
13E	Dekalb-Rock outcrop complex, 35 to 55 percent slopes	354	0.1
13F	Dekalb-Rock outcrop complex, 55 to 75 percent slopes	643	0.2
14B	Delanco loam, 2 to 7 percent slopes, rarely flooded	0	*
14C	Delanco loam, 7 to 15 percent slopes, rarely flooded	0	*
15B	Delanco-Elsinboro complex, 2 to 7 percent slopes, rarely flooded	1,657	0.5
15C	Delanco-Elsinboro complex, 7 to 15 percent slopes, rarely flooded	171	*
16C	Edneytown loam, 7 to 15 percent slopes	1,199	0.4
16D	Edneytown loam, 15 to 25 percent slopes	3,241	1.1
16E	Edneytown loam, 25 to 50 percent slopes	4,820	1.6
17B	Edneytown-Peaks complex, 2 to 7 percent slopes, very stony	493	0.2
17C	Edneytown-Peaks complex, 7 to 15 percent slopes, extremely stony	1,799	0.6
17D	Edneytown-Peaks complex, 15 to 35 percent slopes, extremely stony	7,496	2.4
17E	Edneytown-Peaks complex, 35 to 55 percent slopes, extremely stony	21,568	7.0
17F	Edneytown-Peaks complex, 55 to 75 percent slopes, extremely stony	3,152	1.0
18B	Elsinboro loam, 2 to 7 percent slopes, rarely flooded	0	*
18C	Elsinboro loam, 7 to 15 percent slopes, rarely flooded	0	*
19C	Fauquier loam, 7 to 15 percent slopes, very stony	0	*
19D	Fauquier loam, 15 to 25 percent slopes, very stony	0	*
19E	Fauquier loam, 25 to 50 percent slopes, very stony	0	*

* See footnote at end of table.

Map Unit Acres (A)

Amherst County, Virginia

Map symbol	Soil name	Acres	Percent
20B	Haymarket-Mirerock complex, 2 to 7 percent slopes	0	*
20C	Haymarket-Mirerock complex, 7 to 15 percent slopes	0	*
21B	Littlejoe silt loam, 2 to 7 percent slopes	0	*
21C	Littlejoe silt loam, 7 to 15 percent slopes	0	*
21D	Littlejoe silt loam, 15 to 25 percent slopes	0	*
22B	Minnieville clay loam, 2 to 7 percent slopes, severely eroded	7	*
22C	Minnieville clay loam, 7 to 15 percent slopes, severely eroded	132	*
22D	Minnieville clay loam, 15 to 25 percent slopes, severely eroded	122	*
23B	Minnieville loam, 2 to 7 percent slopes	346	0.1
23C	Minnieville loam, 7 to 15 percent slopes	695	0.2
23D	Minnieville loam, 15 to 25 percent slopes	247	*
24C	Myersville-Catoctin complex, 7 to 15 percent slopes	69	*
24D	Myersville-Catoctin complex, 15 to 35 percent slopes	407	0.1
24E	Myersville-Catoctin complex, 35 to 55 percent slopes	110	*
24F	Myersville-Catoctin complex, 55 to 75 percent slopes	59	*
25B	Orenda loam, 2 to 7 percent slopes	0	*
25C	Orenda loam, 7 to 15 percent slopes	0	*
25D	Orenda loam, 15 to 25 percent slopes	0	*
26C	Peaks-Rock outcrop complex, 7 to 15 percent slopes	342	0.1
26D	Peaks-Rock outcrop complex, 15 to 35 percent slopes	869	0.3
26E	Peaks-Rock outcrop complex, 35 to 55 percent slopes	2,820	0.9
26F	Peaks-Rock outcrop complex, 55 to 75 percent slopes	6,323	2.1
27A	Pineywoods silt loam, 0 to 2 percent slopes	0	*
27B	Pineywoods silt loam, 2 to 7 percent slopes	526	0.2
28	Pits, quarry	123	*
29B	Saunook loam, 2 to 7 percent slopes	205	*
29C	Saunook loam, 7 to 15 percent slopes	211	*
29D	Saunook loam, 15 to 25 percent slopes	213	*
30B	Saunook loam, 2 to 7 percent slopes, very stony	0	*
30C	Saunook loam, 7 to 15 percent slopes, very stony	897	0.3
30D	Saunook loam, 15 to 25 percent slopes, very stony	1,592	0.5
30E	Saunook loam, 25 to 50 percent slopes, very stony	274	*
31A	Sindion-Yogaville complex, 0 to 3 percent slopes, frequently flooded	0	*
32B	Sketerville silt loam, 2 to 7 percent slopes	706	0.2
33A	Speedwell loam, 0 to 3 percent slopes, frequently flooded	0	*
34C	Spriggs loam, 7 to 15 percent slopes	0	*
34D	Spriggs loam, 15 to 25 percent slopes	0	*
34E	Spriggs loam, 25 to 50 percent slopes	0	*
35B	Spriggs loam, 2 to 7 percent slopes, very stony	0	*
35C	Spriggs loam, 7 to 15 percent slopes, very stony	0	*
35D	Spriggs loam, 15 to 25 percent slopes, very stony	0	*
35E	Spriggs loam, 25 to 50 percent slopes, very stony	0	*
36D	Stott Knob-Rhodhiss complex, 15 to 25 percent slopes	609	0.2
36E	Stott Knob-Rhodhiss complex, 25 to 50 percent slopes	4,523	1.5
37D	Stott Knob-Rhodhiss complex, 15 to 25 percent slopes, very stony	156	*
37E	Stott Knob-Rhodhiss complex, 25 to 50 percent slopes, very stony	2,451	0.8
38A	Suches loam, 0 to 3 percent slopes, frequently flooded	1,158	0.4
39C	Sylco-Sylvatus complex, 7 to 15 percent slopes	44	*
39D	Sylco-Sylvatus complex, 15 to 35 percent slopes	345	0.1
39E	Sylco-Sylvatus complex, 35 to 55 percent slopes	439	0.1

* See footnote at end of table.

Map Unit Acres (A)

Amherst County, Virginia

Map symbol	Soil name	Acres	Percent
39F	Sylco-Sylvatus complex, 55 to 75 percent slopes	217	*
40C	Sylco-Sylvatus complex, 7 to 15 percent slopes, extremely stony	158	*
40D	Sylco-Sylvatus complex, 15 to 35 percent slopes, extremely stony	733	0.2
40E	Sylco-Sylvatus complex, 35 to 55 percent slopes, extremely stony	2,537	0.8
40F	Sylco-Sylvatus complex, 55 to 75 percent slopes, extremely stony	2,529	0.8
41E	Sylvatus-Rock outcrop complex, 35 to 55 percent slopes, extremely stony	216	*
41F	Sylvatus-Rock outcrop complex, 55 to 75 percent slopes, extremely stony	588	0.2
42	Udorthents, smoothed	0	*
43B	Unison loam, 2 to 7 percent slopes	120	*
43C	Unison loam, 7 to 15 percent slopes	318	0.1
44B	Unison loam, 2 to 7 percent slopes, very stony	0	*
44C	Unison loam, 7 to 15 percent slopes, very stony	131	*
45B	Wintergreen clay loam, 2 to 7 percent slopes, severely eroded	567	0.2
45C	Wintergreen clay loam, 7 to 15 percent slopes, severely eroded	603	0.2
45D	Wintergreen clay loam, 15 to 25 percent slopes, severely eroded	193	*
46B	Wintergreen loam, 2 to 7 percent slopes	635	0.2
46C	Wintergreen loam, 7 to 15 percent slopes	616	0.2
46D	Wintergreen loam, 15 to 25 percent slopes	99	*
47B	Wintergreen loam, 2 to 7 percent slopes, very stony	0	*
47C	Wintergreen loam, 7 to 15 percent slopes, very stony	8	*
47D	Wintergreen loam, 15 to 25 percent slopes, very stony	0	*
W	Water	0	*
Total		129,002	42.1

* Less than 0.1 percent.