

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

[The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. The table shows only the top five limitations for any given soil. The soil may have additional limitations]

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 1B: | | | | | | | |
| Buffstat | 85 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.13 |
| 1C: | | | | | | | |
| Buffstat | 85 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 1D: | | | | | | | |
| Buffstat | 85 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 2C: | | | | | | | |
| Bugley | 60 | Very limited Depth to hard bedrock Depth to soft bedrock Slope | 1.00 1.00 0.37 | Very limited Depth to hard bedrock Depth to soft bedrock Slope | 1.00 1.00 0.37 | Very limited Depth to hard bedrock Depth to soft bedrock Slope | 1.00 1.00 1.00 |
| Littlejoe | 35 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 2D: | | | | | | | |
| Bugley | 60 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 |
| Littlejoe | 35 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 2E: | | | | | | | |
| Bugley | 60 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 |
| Littlejoe | 30 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 3C: | | | | | | | |
| Catocin | 70 | Somewhat limited | | Very limited | | Very limited | |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Slope | 1.00 |
| | | Slope | 0.37 | Depth to soft bedrock | 0.97 | Depth to hard bedrock | 0.46 |
| | | | | Slope | 0.37 | | |
| Rock outcrop | 30 | Not rated | | Not rated | | Not rated | |
| 3D: | | | | | | | |
| Catocin | 70 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.46 |
| | | | | Depth to soft bedrock | 0.97 | | |
| Rock outcrop | 30 | Not rated | | Not rated | | Not rated | |
| 3E: | | | | | | | |
| Catocin | 70 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.46 |
| | | | | Depth to soft bedrock | 0.97 | | |
| Rock outcrop | 30 | Not rated | | Not rated | | Not rated | |
| 4B: | | | | | | | |
| Clifford | 90 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.13 |
| 4C: | | | | | | | |
| Clifford | 90 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.37 | Slope | 0.37 | Slope | 1.00 |
| 4D: | | | | | | | |
| Clifford | 90 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| 4E: | | | | | | | |
| Clifford | 90 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| 5B: | | | | | | | |
| Clifford | 90 | Not limited | | Not limited | | Somewhat limited | |
| | | | | | | Slope | 0.13 |
| 5C: | | | | | | | |
| Clifford | 90 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.37 | Slope | 0.37 | Slope | 1.00 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|--------------|---|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 5D: | | | | | | | |
| Clifford | 90 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 5E: | | | | | | | |
| Clifford | 90 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 6B: | | | | | | | |
| Clifford | 90 | Not limited | | Not limited | | Somewhat limited Slope | 0.13 |
| 6C: | | | | | | | |
| Clifford | 90 | Somewhat limited Slope | 0.37 | Somewhat limited Slope | 0.37 | Very limited Slope | 1.00 |
| 6D: | | | | | | | |
| Clifford | 90 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 6E: | | | | | | | |
| Clifford | 90 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 7a: | | | | | | | |
| Codorus | 85 | Very limited Flooding Depth to saturated zone | 1.00 0.98 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.98 |
| 8B: | | | | | | | |
| Colleen | 85 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.13 |
| 8C: | | | | | | | |
| Colleen | 85 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 8D: | | | | | | | |
| Colleen | 85 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 9A: | | | | | | | |
| Combs | 85 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| 10A: | | | | | | | |
| Comus | 85 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| 11A: | | | | | | | |
| Craigsville | 85 | Very limited Flooding Content of large stones | 1.00 0.87 | Very limited Flooding Content of large stones | 1.00 0.87 | Very limited Flooding Content of large stones | 1.00 0.87 |
| 12D: | | | | | | | |
| Dekalb | 60 | Very limited Slope Content of large stones Depth to hard bedrock | 1.00 0.99 0.46 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.99 | Very limited Slope Content of large stones Depth to hard bedrock | 1.00 0.99 0.46 |
| Hazleton | 40 | Very limited Slope Content of large stones | 1.00 0.87 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.96 0.87 | Very limited Slope Content of large stones | 1.00 0.87 |
| 12E: | | | | | | | |
| Dekalb | 60 | Very limited Slope Content of large stones Depth to hard bedrock | 1.00 0.99 0.46 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.99 | Very limited Slope Content of large stones Depth to hard bedrock | 1.00 0.99 0.46 |
| Hazleton | 40 | Very limited Slope Content of large stones | 1.00 0.87 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.96 0.87 | Very limited Slope Content of large stones | 1.00 0.87 |
| 12F: | | | | | | | |
| Dekalb | 60 | Very limited Slope Content of large stones Depth to hard bedrock | 1.00 0.99 0.46 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.99 | Very limited Slope Content of large stones Depth to hard bedrock | 1.00 0.99 0.46 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 12F: | | | | | | | |
| Hazleton | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Content of large stones | 0.87 | Depth to hard bedrock | 0.96 | Content of large stones | 0.87 |
| | | | | Content of large stones | 0.87 | | |
| 13E: | | | | | | | |
| Dekalb | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Content of large stones | 0.99 | Depth to hard bedrock | 1.00 | Content of large stones | 0.99 |
| | | Depth to hard bedrock | 0.46 | Content of large stones | 0.99 | Depth to hard bedrock | 0.46 |
| Rock outcrop | 40 | Not rated | | Not rated | | Not rated | |
| 13F: | | | | | | | |
| Dekalb | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Content of large stones | 0.99 | Depth to hard bedrock | 1.00 | Content of large stones | 0.99 |
| | | Depth to hard bedrock | 0.46 | Content of large stones | 0.99 | Depth to hard bedrock | 0.46 |
| Rock outcrop | 40 | Not rated | | Not rated | | Not rated | |
| 14B: | | | | | | | |
| Delanco | 90 | Very limited | | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 | Flooding | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| 14C: | | | | | | | |
| Delanco | 90 | Very limited | | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 | Flooding | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| 15B: | | | | | | | |
| Delanco | 60 | Very limited | | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 | Flooding | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|---|----------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 15B: | | | | | | | |
| Elsinboro | 40 | Very limited Flooding Shrink-swell | 1.00 0.50 | Very limited Flooding Shrink-swell Depth to saturated zone | 1.00 0.50 0.16 | Very limited Flooding Shrink-swell Slope | 1.00 0.50 0.13 |
| 15C: | | | | | | | |
| Delanco | 60 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Shrink-swell | 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone Slope | 1.00 1.00 1.00 |
| Elsinboro | 40 | Very limited Flooding Shrink-swell Slope | 1.00 0.50 0.37 | Very limited Flooding Shrink-swell Slope | 1.00 0.50 0.37 | Very limited Flooding Slope Shrink-swell | 1.00 1.00 0.50 |
| 16C: | | | | | | | |
| Edneytown | 85 | Somewhat limited Slope | 0.37 | Somewhat limited Slope | 0.37 | Very limited Slope | 1.00 |
| 16D: | | | | | | | |
| Edneytown | 85 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 16E: | | | | | | | |
| Edneytown | 85 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 17B: | | | | | | | |
| Edneytown | 60 | Not limited | | Not limited | | Somewhat limited Slope | 0.13 |
| Peaks | 40 | Not limited | | Somewhat limited Depth to hard bedrock | 0.42 | Somewhat limited Slope | 0.13 |
| 17C: | | | | | | | |
| Edneytown | 60 | Somewhat limited Slope | 0.37 | Somewhat limited Slope | 0.37 | Very limited Slope | 1.00 |
| Peaks | 40 | Somewhat limited Slope | 0.37 | Somewhat limited Depth to hard bedrock Slope | 0.42 0.37 | Very limited Slope | 1.00 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 17D: | | | | | | | |
| Edneytown | 60 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Peaks | 40 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| 17E: | | | | | | | |
| Edneytown | 60 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Peaks | 40 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| 17F: | | | | | | | |
| Edneytown | 60 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Peaks | 40 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| 18B: | | | | | | | |
| Elsinboro | 90 | Very limited Flooding Shrink-swell | 1.00 0.50 | Very limited Flooding Shrink-swell Depth to saturated zone | 1.00 0.50 0.16 | Very limited Flooding Shrink-swell Slope | 1.00 0.50 0.13 |
| 18C: | | | | | | | |
| Elsinboro | 90 | Very limited Flooding Shrink-swell Slope | 1.00 0.50 0.37 | Very limited Flooding Shrink-swell Slope | 1.00 0.50 0.37 | Very limited Flooding Slope Shrink-swell | 1.00 1.00 0.50 |
| 19C: | | | | | | | |
| Fauquier | 85 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 19D: | | | | | | | |
| Fauquier | 85 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 19E: | | | | | | | |
| Fauquier | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| 20B: | | | | | | | |
| Haymarket | 60 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | | | Slope | 0.13 |
| Mirerock | 40 | Somewhat limited | | Very limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Depth to hard bedrock | 1.00 | Shrink-swell | 0.50 |
| | | Depth to hard bedrock | 0.16 | Shrink-swell | 0.50 | Depth to hard bedrock | 0.16 |
| | | | | Depth to soft bedrock | 0.46 | Slope | 0.13 |
| 20C: | | | | | | | |
| Haymarket | 60 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |
| Mirerock | 40 | Somewhat limited | | Very limited | | Very limited | |
| | | Shrink-swell | 0.50 | Depth to hard bedrock | 1.00 | Slope | 1.00 |
| | | Slope | 0.37 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | Depth to hard bedrock | 0.16 | Depth to soft bedrock | 0.46 | Depth to hard bedrock | 0.16 |
| 21B: | | | | | | | |
| Littlejoe | 90 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | | | Slope | 0.13 |
| 21C: | | | | | | | |
| Littlejoe | 90 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |
| 21D: | | | | | | | |
| Littlejoe | 90 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| 22B: | | | | | | | |
| Minnieville | 85 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | | | Slope | 0.13 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 22C: | | | | | | | |
| Minnieville | 85 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |
| 22D: | | | | | | | |
| Minnieville | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| 23B: | | | | | | | |
| Minnieville | 85 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | | | Slope | 0.13 |
| 23C: | | | | | | | |
| Minnieville | 85 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |
| 23D: | | | | | | | |
| Minnieville | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| 24C: | | | | | | | |
| Myersville | 60 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.37 | Slope | 0.37 | Slope | 1.00 |
| Catoctin | 40 | Somewhat limited | | Very limited | | Very limited | |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Slope | 1.00 |
| | | Slope | 0.37 | Depth to soft bedrock | 0.97 | Depth to hard bedrock | 0.46 |
| | | | | Slope | 0.37 | | |
| 24D: | | | | | | | |
| Myersville | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| Catoctin | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.46 |
| | | | | Depth to soft bedrock | 0.97 | | |
| 24E: | | | | | | | |
| Myersville | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 24E: | | | | | | | |
| Catoctin | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.46 |
| | | | | Depth to soft bedrock | 0.97 | | |
| 24F: | | | | | | | |
| Myersville | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| Catoctin | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.46 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.46 |
| | | | | Depth to soft bedrock | 0.97 | | |
| 25B: | | | | | | | |
| Orenda | 85 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | | | Slope | 0.13 |
| 25C: | | | | | | | |
| Orenda | 85 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |
| 25D: | | | | | | | |
| Orenda | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| 26C: | | | | | | | |
| Peaks | 65 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.37 | Depth to hard bedrock | 0.42 | Slope | 1.00 |
| | | | | Slope | 0.37 | | |
| Rock outcrop | 35 | Not rated | | Not rated | | Not rated | |
| 26D: | | | | | | | |
| Peaks | 65 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | | | Depth to hard bedrock | 0.42 | | |
| Rock outcrop | 35 | Not rated | | Not rated | | Not rated | |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|--------------|---|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 26E: | | | | | | | |
| Peaks | 65 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Rock outcrop | 35 | Not rated | | Not rated | | Not rated | |
| 26F: | | | | | | | |
| Peaks | 65 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Rock outcrop | 35 | Not rated | | Not rated | | Not rated | |
| 27A: | | | | | | | |
| Pineywoods | 85 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 |
| 27B: | | | | | | | |
| 28: | | | | | | | |
| Pits, quarry | 100 | Not rated | | Not rated | | Not rated | |
| 29B: | | | | | | | |
| Saunook | 85 | Not limited | | Not limited | | Somewhat limited Slope | 0.13 |
| 29C: | | | | | | | |
| Saunook | 85 | Somewhat limited Slope | 0.37 | Somewhat limited Slope | 0.37 | Very limited Slope | 1.00 |
| 29D: | | | | | | | |
| Saunook | 85 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 30B: | | | | | | | |
| Saunook | 85 | Not limited | | Not limited | | Somewhat limited Slope | 0.13 |
| 30C: | | | | | | | |
| Saunook | 85 | Somewhat limited Slope | 0.37 | Somewhat limited Slope | 0.37 | Very limited Slope | 1.00 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|--------------|---|----------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 30D: | | | | | | | |
| Saunook | 85 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 30E: | | | | | | | |
| Saunook | 85 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 31A: | | | | | | | |
| Sindion | 55 | Very limited Flooding Depth to saturated zone | 1.00 0.07 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 0.07 |
| Yogaville | 45 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| 32B: | | | | | | | |
| Sketerville | 85 | Somewhat limited Shrink-swell Depth to saturated zone | 0.50 0.39 | Very limited Depth to saturated zone Shrink-swell | 1.00 0.50 | Somewhat limited Shrink-swell Depth to saturated zone Slope | 0.50 0.39 0.13 |
| 33A: | | | | | | | |
| Speedwell | 85 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 |
| 34C: | | | | | | | |
| Spriggs | 85 | Somewhat limited Slope | 0.37 | Somewhat limited Depth to hard bedrock Depth to soft bedrock Slope | 0.99 0.46 0.37 | Very limited Slope | 1.00 |
| 34D: | | | | | | | |
| Spriggs | 85 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 0.99 0.46 | Very limited Slope | 1.00 |
| 34E: | | | | | | | |
| Spriggs | 85 | Very limited Slope | 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 0.99 0.46 | Very limited Slope | 1.00 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 35B: | | | | | | | |
| Spriggs | 85 | Not limited | | Somewhat limited | | Somewhat limited | |
| | | | | Depth to hard bedrock | 0.99 | Slope | 0.13 |
| | | | | Depth to soft bedrock | 0.46 | | |
| 35C: | | | | | | | |
| Spriggs | 85 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.37 | Depth to hard bedrock | 0.99 | Slope | 1.00 |
| | | | | Depth to soft bedrock | 0.46 | | |
| | | | | Slope | 0.37 | | |
| 35D: | | | | | | | |
| Spriggs | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | | | Depth to hard bedrock | 0.99 | | |
| | | | | Depth to soft bedrock | 0.46 | | |
| 35E: | | | | | | | |
| Spriggs | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | | | Depth to hard bedrock | 0.99 | | |
| | | | | Depth to soft bedrock | 0.46 | | |
| 36D: | | | | | | | |
| Stott Knob | 65 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | | | Depth to soft bedrock | 0.46 | | |
| Rhodhiss | 35 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| 36E: | | | | | | | |
| Stott Knob | 65 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | | | Depth to soft bedrock | 0.46 | | |
| Rhodhiss | 35 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| 37D: | | | | | | | |
| Stott Knob | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | | | Depth to soft bedrock | 0.46 | | |
| Rhodhiss | 35 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 37E: | | | | | | | |
| Stott Knob | 65 | Very limited Slope | 1.00 | Very limited Slope Depth to soft bedrock | 1.00 0.42 | Very limited Slope | 1.00 |
| Rhodhiss | 35 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| 38A: | | | | | | | |
| Suches | 85 | Very limited Flooding | 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding | 1.00 |
| 39C: | | | | | | | |
| Sylco | 60 | Somewhat limited Slope Depth to hard bedrock Content of large stones | 0.37 0.29 0.15 | Very limited Depth to hard bedrock Slope Content of large stones | 1.00 0.37 0.15 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.29 0.15 |
| Sylvatus | 40 | Very limited Depth to hard bedrock Depth to soft bedrock Slope | 1.00 1.00 0.37 | Very limited Depth to hard bedrock Depth to soft bedrock Slope | 1.00 1.00 0.37 | Very limited Depth to hard bedrock Depth to soft bedrock Slope | 1.00 1.00 1.00 |
| 39D: | | | | | | | |
| Sylco | 60 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.29 0.15 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.15 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.29 0.15 |
| Sylvatus | 40 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 | Very limited Slope Depth to hard bedrock Depth to soft bedrock | 1.00 1.00 1.00 |
| 39E: | | | | | | | |
| Sylco | 60 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.29 0.15 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 1.00 0.15 | Very limited Slope Depth to hard bedrock Content of large stones | 1.00 0.29 0.15 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 39E: | | | | | | | |
| Sylvatus | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| 39F: | | | | | | | |
| Sylco | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.29 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.29 |
| | | Content of large stones | 0.15 | Content of large stones | 0.15 | Content of large stones | 0.15 |
| Sylvatus | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| 40C: | | | | | | | |
| Sylco | 60 | Somewhat limited | | Very limited | | Very limited | |
| | | Slope | 0.37 | Depth to hard bedrock | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.29 | Slope | 0.37 | Depth to hard bedrock | 0.29 |
| | | Content of large stones | 0.15 | Content of large stones | 0.15 | Content of large stones | 0.15 |
| Sylvatus | 40 | Very limited | | Very limited | | Very limited | |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Slope | 1.00 |
| 40D: | | | | | | | |
| Sylco | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.29 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.29 |
| | | Content of large stones | 0.15 | Content of large stones | 0.15 | Content of large stones | 0.15 |
| Sylvatus | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| 40E: | | | | | | | |
| Sylco | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.29 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.29 |
| | | Content of large stones | 0.15 | Content of large stones | 0.15 | Content of large stones | 0.15 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 40E: | | | | | | | |
| Sylvatus | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| 40F: | | | | | | | |
| Sylco | 60 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 0.29 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 0.29 |
| | | Content of large stones | 0.15 | Content of large stones | 0.15 | Content of large stones | 0.15 |
| Sylvatus | 40 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| 41E: | | | | | | | |
| Sylvatus | 65 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| Rock outcrop | 35 | Not rated | | Not rated | | Not rated | |
| 41F: | | | | | | | |
| Sylvatus | 65 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to hard bedrock | 1.00 |
| | | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 | Depth to soft bedrock | 1.00 |
| Rock outcrop | 35 | Not rated | | Not rated | | Not rated | |
| 42: | | | | | | | |
| 43B: | | | | | | | |
| Unison | 85 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |
| | | | | | | Slope | 0.13 |
| 43C: | | | | | | | |
| Unison | 85 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|---|--------------|---|--------------|---|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 44B: | | | | | | | |
| Unison | 85 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.13 |
| 44C: | | | | | | | |
| Unison | 85 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 45B: | | | | | | | |
| Wintergreen | 85 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.13 |
| 45C: | | | | | | | |
| Wintergreen | 85 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 45D: | | | | | | | |
| Wintergreen | 85 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 46B: | | | | | | | |
| Wintergreen | 85 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.13 |
| 46C: | | | | | | | |
| Wintergreen | 85 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Somewhat limited Shrink-swell Slope | 0.50 0.37 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 46D: | | | | | | | |
| Wintergreen | 85 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 | Very limited Slope Shrink-swell | 1.00 0.50 |
| 47B: | | | | | | | |
| Wintergreen | 85 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell | 0.50 | Somewhat limited Shrink-swell Slope | 0.50 0.13 |

Dwellings and Small Commercial Buildings (ENG--3)

Amherst County, Virginia

| Map symbol and soil name | Pct. of map unit | Dwellings without basements | | Dwellings with basements | | Small commercial buildings | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| 47C: | | | | | | | |
| Wintergreen | 85 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Slope | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Shrink-swell | 0.50 |
| 47D: | | | | | | | |
| Wintergreen | 85 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Shrink-swell | 0.50 | Shrink-swell | 0.50 | Shrink-swell | 0.50 |

W: