

Sewage Disposal (ENG--5)

Amherst County, Virginia

[The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the potential limitation. The table shows only the top five limitations for any given soil. The soil may have additional limitations]

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1B:					
Buffstat	85	Somewhat limited		Somewhat limited	
		Depth to bedrock	0.78	Slope	0.68
		Restricted permeability	0.50	Seepage	0.50
				Depth to soft bedrock	0.42
1C:					
Buffstat	85	Somewhat limited		Very limited	
		Depth to bedrock	0.78	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Slope	0.37	Depth to soft bedrock	0.42
1D:					
Buffstat	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.50
		Restricted permeability	0.50	Depth to soft bedrock	0.42
2C:					
Bugley	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
				Slope	1.00
Littlejoe	35	Somewhat limited		Very limited	
		Restricted permeability	0.68	Slope	1.00
		Depth to bedrock	0.48	Seepage	1.00
		Slope	0.37	Depth to soft bedrock	0.05
2D:					
Bugley	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Littlejoe	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Depth to bedrock	0.48	Depth to soft bedrock	0.05

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
2E:					
Bugley	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Littlejoe	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Depth to bedrock	0.48	Depth to soft bedrock	0.05
3C:					
Catoctin	70	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
				Slope	1.00
Rock outcrop	30	Not rated		Not rated	
3D:					
Catoctin	70	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Rock outcrop	30	Not rated		Not rated	
3E:					
Catoctin	70	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Rock outcrop	30	Not rated		Not rated	
4B:					
Clifford	90	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
4C:					
Clifford	90	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
4D:					
Clifford	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
4E:					
Clifford	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
5B:					
Clifford	90	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
5C:					
Clifford	90	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
5D:					
Clifford	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
5E:					
Clifford	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
6B:					
Clifford	90	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
6C:					
Clifford	90	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
6D:					
Clifford	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
6E:					
Clifford	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
7a:					
Codorus	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
8B:					
Colleen	85	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
8C:					
Colleen	85	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37		
8D:					
Colleen	85	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	1.00		
9A:					
Combs	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
				Seepage	1.00
10A:					
Comus	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
11A:					
Craigsville	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.87	Content of large stones	1.00
12D:					
Dekalb	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Hazleton	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	0.99	Content of large stones	0.96
12E:					
Dekalb	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Hazleton	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	0.99	Content of large stones	0.96
12F:					
Dekalb	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Hazleton	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	0.99	Content of large stones	0.96
13E:					
Dekalb	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
13E:					
Rock outcrop	40	Not rated		Not rated	
13F:					
Dekalb	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Rock outcrop	40	Not rated		Not rated	
14B:					
Delanco	90	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.68
		Flooding	0.40	Seepage	0.50
14C:					
Delanco	90	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Seepage	0.50
15B:					
Delanco	60	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Slope	0.68
		Flooding	0.40	Seepage	0.50
Elsinboro	40	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
		Depth to saturated zone	0.43	Seepage	0.50
		Flooding	0.40	Flooding	0.40
15C:					
Delanco	60	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
15C:					
Elsinboro	40	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	0.43	Seepage	0.50
		Flooding	0.40	Flooding	0.40
16C:					
Edneytown	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
16D:					
Edneytown	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
16E:					
Edneytown	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
17B:					
Edneytown	60	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.68
Peaks	40	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
				Slope	0.68
17C:					
Edneytown	60	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
Peaks	40	Very limited		Very limited	
		Filtering capacity	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00
		Slope	0.37	Depth to soft bedrock	1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
17D:					
Edneytown	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Peaks	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
17E:					
Edneytown	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Peaks	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
17F:					
Edneytown	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Peaks	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
18B:					
Elsinboro	90	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
		Depth to saturated zone	0.43	Seepage	0.50
		Flooding	0.40	Flooding	0.40
18C:					
Elsinboro	90	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	0.43	Seepage	0.50
		Flooding	0.40	Flooding	0.40

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
19C:					
Fauquier	85	Somewhat limited		Very limited	
		Depth to bedrock	0.52	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
		Slope	0.37	Depth to soft bedrock	0.08
19D:					
Fauquier	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.52	Seepage	1.00
		Restricted permeability	0.50	Depth to soft bedrock	0.08
19E:					
Fauquier	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.52	Seepage	1.00
		Restricted permeability	0.50	Depth to soft bedrock	0.08
20B:					
Haymarket	60	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
				Seepage	0.50
Mirerock	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	1.00	Depth to soft bedrock	1.00
				Slope	0.68
20C:					
Haymarket	60	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37	Seepage	0.50
Mirerock	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	1.00	Depth to soft bedrock	1.00
		Slope	0.37	Slope	1.00
21B:					
Littlejoe	90	Somewhat limited		Very limited	
		Restricted permeability	0.68	Seepage	1.00
		Depth to bedrock	0.48	Slope	0.68
				Depth to soft bedrock	0.05

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
21C:					
Littlejoe	90	Somewhat limited		Very limited	
		Restricted permeability	0.68	Slope	1.00
		Depth to bedrock	0.48	Seepage	1.00
		Slope	0.37	Depth to soft bedrock	0.05
21D:					
Littlejoe	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.68	Seepage	1.00
		Depth to bedrock	0.48	Depth to soft bedrock	0.05
22B:					
Minnieville	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
22C:					
Minnieville	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
22D:					
Minnieville	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
23B:					
Minnieville	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
23C:					
Minnieville	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
23D:					
Minnieville	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
24C:					
Myersville	60	Somewhat limited		Very limited	
		Depth to bedrock	0.78	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Slope	0.37	Depth to soft bedrock	0.42
Catoclin	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
				Slope	1.00
24D:					
Myersville	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.50
		Restricted permeability	0.50	Depth to soft bedrock	0.42
Catoclin	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
24E:					
Myersville	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.50
		Restricted permeability	0.50	Depth to soft bedrock	0.42
Catoclin	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
24F:					
Myersville	60	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Seepage	0.50
		Restricted permeability	0.50	Depth to soft bedrock	0.42
Catoclin	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
25B:					
Orenda	85	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.50
25C:					
Orenda	85	Very limited Restricted permeability Slope	1.00 0.37	Very limited Slope Seepage	1.00 0.50
25D:					
Orenda	85	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Seepage	1.00 0.50
26C:					
Peaks	65	Very limited Filtering capacity Depth to bedrock Slope	1.00 1.00 0.37	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 1.00
Rock outcrop	35	Not rated		Not rated	
26D:					
Peaks	65	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 1.00
Rock outcrop	35	Not rated		Not rated	
26E:					
Peaks	65	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 1.00
Rock outcrop	35	Not rated		Not rated	
26F:					
Peaks	65	Very limited Slope Filtering capacity Depth to bedrock	1.00 1.00 1.00	Very limited Slope Seepage Depth to soft bedrock	1.00 1.00 1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
26F:					
Rock outcrop	35	Not rated		Not rated	
27A:					
Pineywoods	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Depth to soft bedrock	0.99
		Depth to bedrock	1.00	Seepage	0.18
27B:					
28:					
Pits, quarry	100	Not rated		Not rated	
29B:					
Saunook	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
29C:					
Saunook	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
29D:					
Saunook	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
30B:					
Saunook	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
30C:					
Saunook	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
30D:					
Saunook	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
30E:					
Saunook	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
31A:					
Sindion	55	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
Yogaville	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50
32B:					
Sketerville	85	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.68
		Depth to bedrock	0.01		
33A:					
Speedwell	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	0.50
34C:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Depth to hard bedrock	0.99

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
34D:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.99
34E:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.99
35B:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.99
				Slope	0.68
35C:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
			0.37	Depth to hard bedrock	0.99
35D:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.99
35E:					
Spriggs	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.99
36D:					
Stott Knob	65	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
36D:					
Rhodhiss	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
36E:					
Stott Knob	65	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rhodhiss	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
37D:					
Stott Knob	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rhodhiss	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
37E:					
Stott Knob	65	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rhodhiss	35	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
38A:					
Suches	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
39C:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
39D:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
39E:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
39F:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Content of large stones	0.66

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
39F:					
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
40C:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
40D:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
40E:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
40F:					
Sylco	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Content of large stones	0.66
Sylvatus	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
41E:					
Sylvatus	65	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
Rock outcrop	35	Not rated		Not rated	
41F:					
Sylvatus	65	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	0.12	Slope	1.00
Rock outcrop	35	Not rated		Not rated	
42:					
43B:					
Unison	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
43C:					
Unison	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
44B:					
Unison	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
44C:					
Unison	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
45B:					
Wintergreen	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
45C:					
Wintergreen	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
45D:					
Wintergreen	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
46B:					
Wintergreen	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
46C:					
Wintergreen	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
46D:					
Wintergreen	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50

Sewage Disposal (ENG--5)

Amherst County, Virginia

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
47B:					
Wintergreen	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
47C:					
Wintergreen	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
47D:					
Wintergreen	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
W:					