

## Table A. - Acreage and Proportionate Extent of the Soils

Hanover County, Virginia

Map Symbol	Soil Name	Acres	Percent
1B	Abell fine sandy loam, 2 to 7 percent slopes	7,020	2.3
2	Altavista fine sandy loam	2,820	0.9
3B	Appling fine sandy loam, 2 to 7 percent slopes	5,300	1.7
3C2	Appling fine sandy loam, 7 to 15 percent slopes, eroded	1,290	0.4
4B	Appling gravelly sandy loam, 2 to 7 percent slopes	260	*
4C	Appling gravelly sandy loam, 7 to 15 percent slopes	320	0.1
5C	Appling-Ashlar complex, 5 to 15 percent slopes	670	0.2
6	Aquults, nearly level	1,540	0.5
7	Atlee loam, 0 to 4 percent slopes	1,400	0.5
8	Augusta fine sandy loam	520	0.2
9	Bolling variant gravelly sandy loam	610	0.2
10B	Bourne fine sandy loam, 2 to 7 percent slopes	5,510	1.8
10C	Bourne fine sandy loam, 7 to 15 percent slopes	370	0.1
11B	Bourne-Varina complex, 2 to 7 percent slopes	1,500	0.5
11C	Bourne-Varina complex, 7 to 15 percent slopes	1,100	0.4
12B	Caroline fine sandy loam, 2 to 7 percent slopes	640	0.2
12D2	Caroline fine sandy loam, 15 to 25 percent slopes, eroded	670	0.2
13B2	Caroline-Dogue complex, 2 to 7 percent slopes, eroded	890	0.3
13C2	Caroline-Dogue complex, 7 to 15 percent slopes, eroded	3,830	1.3
14B2	Cecil fine sandy loam, 2 to 7 percent slopes, eroded	7,090	2.3
14C2	Cecil fine sandy loam, 7 to 15 percent slopes, eroded	1,340	0.4
15B2	Cecil-Vance gravelly sandy loams, 2 to 7 percent slopes, eroded	3,460	1.1
15C2	Cecil-Vance gravelly sandy loams, 7 to 15 percent slopes, eroded	2,040	0.7
15D2	Cecil-Vance gravelly sandy loams, 15 to 25 percent slopes, eroded	410	0.1
16	Chewacla fine sandy loam	3,460	1.1
17B	Colfax fine sandy loam, 2 to 7 percent slopes	4,315	1.4
17C	Colfax fine sandy loam, 7 to 15 percent slopes	445	0.1
18	Coxville loam	5,520	1.8
19B	Creedmoor fine sandy loam, 2 to 7 percent slopes	600	0.2
20B	Creedmoor variant fine sandy loam, 2 to 7 percent slopes	350	0.1
21B2	Cullen loam, 2 to 7 percent slopes, eroded	2,220	0.7
21C2	Cullen loam, 7 to 15 percent slopes, eroded	1,580	0.5
21D2	Cullen loam, 15 to 25 percent slopes, eroded	450	0.1
22	Dawhoo variant fine sandy loam	210	*
23	Dogue loam	3,070	1.0
24	Dunbar fine sandy loam	3,980	1.3
25A	Duplin fine sandy loam, 0 to 2 percent slopes	2,280	0.8
25B	Duplin fine sandy loam, 2 to 7 percent slopes	3,840	1.3
26B	Edgehill variant very gravelly sandy loam, 2 to 7 percent slopes	400	0.1
27B	Fluvanna silt loam, 2 to 7 percent slopes	1,170	0.4
27C2	Fluvanna silt loam, 7 to 15 percent slopes, eroded	765	0.3
28	Fluvaquents, nearly level	18,440	6.1
29	Forestdale loam	390	0.1
30	Forestdale loam, frequently flooded	1,690	0.6
31	Fork fine sandy loam	480	0.2
32B	Georgeville loam, 2 to 7 percent slopes	280	*
32C2	Georgeville loam, 7 to 20 percent slopes, eroded	190	*
33B	Goldsboro fine sandy loam, 0 to 4 percent slopes	760	0.3
34B	Goldsboro fine sandy loam, overwash, 0 to 4 percent slopes	2,220	0.7
35B	Helena-Colfax complex, 2 to 7 percent slopes	6,740	2.2

\* See footnote at end of table.

## Table A. - Acreage and Proportionate Extent of the Soils - Continued

Hanover County, Virginia

Map Symbol	Soil Name	Acres	Percent
36C	Helena-Orange complex, 7 to 15 percent slopes	860	0.3
37	Hydraquents, nearly level	990	0.3
38C	Iredell-Orange complex, 7 to 15 percent slopes	850	0.3
39B	Kempsville gravelly fine sandy loam, 2 to 7 percent slopes	2,650	0.9
39C	Kempsville gravelly fine sandy loam, 7 to 15 percent slopes	640	0.2
40A	Kempsville-Bourne fine sandy loams, 0 to 2 percent slopes	490	0.2
40B	Kempsville-Bourne fine sandy loams, 2 to 7 percent slopes	6,270	2.1
41	Kenansville loamy sand, 2 to 7 percent slopes	2,760	0.9
42	Kenansville variant loamy sand	350	0.1
43	Lenoir loam	630	0.2
44B	Masada fine sandy loam, 2 to 7 percent slopes	730	0.2
45B	Mayodan-Creedmoor complex, 2 to 7 percent slopes	1,395	0.5
46	Myatt variant fine sandy loam	1,435	0.5
47A	Norfolk fine sandy loam, 0 to 2 percent slopes	3,560	1.2
47B	Norfolk fine sandy loam, 2 to 7 percent slopes	11,670	3.9
48B	Orange-Iredell complex, 2 to 7 percent slopes	1,840	0.6
49B	Orangeburg fine sandy loam, 2 to 7 percent slopes	2,300	0.8
50A	Orangeburg-Faceville fine sandy loams, 0 to 2 percent slopes	2,050	0.7
50B	Orangeburg-Faceville fine sandy loams, 2 to 7 percent slopes	10,930	3.6
50C	Orangeburg-Faceville fine sandy loams, 7 to 15 percent slopes	400	0.1
51B2	Pacolet fine sandy loam, 2 to 7 percent slopes, eroded	4,330	1.4
51C2	Pacolet fine sandy loam, 7 to 15 percent slopes, eroded	8,890	2.9
51D2	Pacolet fine sandy loam, 15 to 25 percent slopes, eroded	2,320	0.8
52C3	Pacolet clay loam, 7 to 15 percent slopes, severely eroded	540	0.2
53B	Pacolet-Cecil gravelly sandy loams, 2 to 7 percent slopes	410	0.1
53C2	Pacolet-Cecil gravelly sandy loams, 7 to 15 percent slopes, eroded	400	0.1
54B	Pamunkey loamy sand, 2 to 7 percent slopes	1,510	0.5
55A	Pamunkey fine sandy loam, 0 to 2 percent slopes	560	0.2
55B	Pamunkey fine sandy loam, 2 to 7 percent slopes	3,470	1.1
56	Pamunkey fine sandy loam, occasionally flooded	630	0.2
57B	Pamunkey variant gravelly sandy loam, 0 to 4 percent slopes	1,215	0.4
58C	Pinkston-Mayodan sandy loams, 7 to 15 percent slopes	2,090	0.7
58D	Pinkston-Mayodan sandy loams, 15 to 25 percent slopes	1,840	0.6
58E	Pinkston-Mayodan sandy loams, 25 to 45 percent slopes	1,750	0.6
59	Pits, borrow	375	0.1
60	Pits, quarry	830	0.3
61	Rains fine sandy loam	570	0.2
62B	Spotsylvania-Bourne fine sandy loams, 2 to 7 percent slopes	4,295	1.4
62C	Spotsylvania-Bourne fine sandy loams, 7 to 15 percent slopes	1,990	0.7
63A	Suffolk loamy fine sand, 0 to 2 percent slopes	1,295	0.4
63B	Suffolk loamy fine sand, 2 to 7 percent slopes	8,250	2.7
63C	Suffolk loamy fine sand, 7 to 15 percent slopes	370	0.1
64B	Tarboro loamy sand, 2 to 7 percent slopes	1,080	0.4
65B	Turbeville fine sandy loam, 2 to 7 percent slopes	190	*
66C	Udalfs-Ochrepts complex, sloping	1,230	0.4
66D	Udalfs-Ochrepts complex, moderately steep	2,040	0.7
66F	Udalfs-Ochrepts complex, steep	2,415	0.8
67	Udifluvents, nearly level	480	0.2
68	Udorthepts, smoothed	315	0.1
69C	Udulfs, sloping	2,430	0.8

\* See footnote at end of table.

**Table A. - Acreage and Proportionate Extent of the Soils - Continued**

Hanover County, Virginia

Map Symbol	Soil Name	Acres	Percent
69D	Udults, moderately steep	1,700	0.6
70B	Udults-Ochrepts complex, gently sloping	2,995	1.0
70C	Udults-Ochrepts complex, sloping	7,850	2.6
70D	Udults-Ochrepts complex, moderately steep	7,490	2.5
70E	Udults-Ochrepts complex, steep	7,420	2.4
70F	Udults-Ochrepts complex, very steep	3,240	1.1
71B	Vance fine sandy loam, 2 to 7 percent slopes	5,665	1.9
71C2	Vance fine sandy loam, 7 to 15 percent slopes, eroded	5,550	1.8
72B	Varina-Bourne complex, 2 to 7 percent slopes	920	0.3
73	Wahee loam	1,845	0.6
74B2	Wedowee fine sandy loam, 2 to 7 percent slopes, eroded	3,210	1.1
74C2	Wedowee fine sandy loam, 7 to 15 percent slopes, eroded	8,840	2.9
74D2	Wedowee fine sandy loam, 15 to 30 percent slopes, eroded	3,805	1.3
75C3	Wedowee clay loam, 7 to 15 percent slopes, severely eroded	320	0.1
75D3	Wedowee clay loam, 15 to 25 percent slopes eroded	300	*
76D	Wedowee-Ashlar complex, 15 to 25 percent slopes	810	0.3
77	Wehadkee loam	2,520	0.8
78	Worsham fine sandy loam	5,320	1.8
W	Water	5,945	2.0
Total		303,100	100.0

\* Less than 0.1 percent.