

Table A. - Acreage and Proportionate Extent of the Soils

Henrico County, Virginia

Map Symbol	Soil Name	Acres	Percent
AbB	Abell fine sandy loam, 2 to 6 percent slopes	823	0.5
AfA	Altavista fine sandy loam, 0 to 2 percent slopes	1,094	0.7
AfB	Altavista fine sandy loam, 2 to 6 percent slopes	585	0.4
AgA	Angie loam, 0 to 2 percent slopes	3,211	2.1
AgB	Angie loam, 2 to 6 percent slopes	813	0.5
AgB2	Angie loam, 2 to 6 percent slopes, eroded	463	0.3
AgC2	Angie loam, 6 to 10 percent slopes, eroded	405	0.3
AgE2	Angie loam, 10 to 25 percent slopes, eroded	234	0.2
Ak	Angie loam, concretionary subsoil variant	217	0.1
AmB	Appling fine sandy loam, 2 to 6 percent slopes	3,893	2.5
AmC2	Appling fine sandy loam, 6 to 15 percent slopes, eroded	2,826	1.8
AmE2	Appling fine sandy loam, 15 to 25 percent slopes, eroded	163	0.1
AoC3	Appling clay loam, 2 to 15 percent slopes, severely eroded	242	0.2
AQ	Aquents, loamy	100	*
AsD	Ashlar gravelly sandy loam, 6 to 15 percent slopes	630	0.4
AsE	Ashlar gravelly sandy loam, 15 to 45 percent slopes	571	0.4
At	Atlee very fine sandy loam	6,648	4.3
Be	Bertie fine sandy loam	1,254	0.8
BoA	Bourne fine sandy loam, 0 to 2 percent slopes	325	0.2
BoB	Bourne fine sandy loam, 2 to 6 percent slopes	3,041	2.0
BoC	Bourne fine sandy loam, 6 to 10 percent slopes	381	0.2
BP	Borrow pit	80	*
Bu	Buncombe loamy fine sandy	225	0.1
CaB2	Caroline very fine sandy loam, 2 to 6 percent slopes, eroded	4,110	2.6
CaC2	Caroline very fine sandy loam, 6 to 10 percent slopes, eroded	2,485	1.6
CaD2	Caroline very fine sandy loam, 10 to 15 percent slopes, eroded	297	0.2
CbC3	Caroline clay loam, 2 to 10 percent slopes, severely eroded	732	0.5
CeC2	Cecil fine sandy loam, 2 to 10 percent slopes, eroded	188	0.1
CeD2	Cecil fine sandy loam, 10 to 25 percent slopes, eroded	129	*
CfD3	Cecil and Turbeville clay loams, 6 to 25 percent slopes, severely eroded	195	0.1
Cg	Chastain silt loam	1,277	0.8
Ch	Chewacla silt loam	2,034	1.3
Ck	Chewacla silt loam, clayey substratum	177	0.1
Cm	Chewacla and Riverview soils	3,802	2.4
CoB	Colfax fine sandy loam, indurated substratum, 0 to 6 percent slopes	8,699	5.6
Cp	Coxville silt loam	1,057	0.7
CvB	Creedmoor sandy loam, 2 to 6 percent slopes	420	0.3
CvB2	Creedmoor sandy loam, 2 to 6 percent slopes, eroded	529	0.3
CvC2	Creedmoor sandy loam, 6 to 10 percent slopes, eroded	250	0.2
DAM	Dam	20	*
DuB2	Duplin very fine sandy loam, 2 to 6 percent slopes, eroded	2,848	1.8
DuC2	Duplin very fine sandy loam, 6 to 10 percent slopes, eroded	2,734	1.8
DuD2	Duplin very fine sandy loam, 10 to 15 percent slopes, eroded	218	0.1
DvA	Duplin silt loam, 0 to 2 percent slopes	409	0.3
DwC3	Duplin clay loam, 2 to 10 percent slopes, severely eroded	770	0.5
FaA	Faceville fine sandy loam, 0 to 2 percent slopes	117	*
FaB2	Faceville fine sandy loam, 2 to 6 percent slopes, eroded	297	0.2
FL	Fluvaquents	1,279	0.8
Fo	Forestdale silt loam	241	0.2
GP	Gravel pit	2,197	1.4

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Henrico County, Virginia

Map Symbol	Soil Name	Acres	Percent
HeB	Helena fine sandy loam, 2 to 6 percent slopes	1,089	0.7
HeB2	Helena fine sandy loam, 2 to 6 percent slopes, eroded	1,316	0.8
HeC2	Helena fine sandy loam, 6 to 15 percent slopes, eroded	420	0.3
HS	Hydraquents	287	0.2
KaA	Kalmia fine sandy loam, 0 to 2 percent slopes	204	0.1
KaC	Kalmia fine sandy loam, 2 to 10 percent slopes	136	*
KeA	Kempsville fine sandy loam, 0 to 2 percent slopes	637	0.4
KeB	Kempsville fine sandy loam, 2 to 6 percent slopes	1,064	0.7
KeC2	Kempsville fine sandy loam, 2 to 10 percent slopes, eroded	269	0.2
KeD2	Kempsville fine sandy loam, 10 to 25 percent slopes, eroded	314	0.2
KfA	Kempsville fine sandy loam, flooded, 0 to 2 percent slopes	279	0.2
KfB	Kempsville fine sandy loam, flooded, 2 to 6 percent slopes	349	0.2
KgA	Kempsville very fine sandy loam, clayey substratum, 0 to 2 percent slopes	7,794	5.0
KgB	Kempsville very fine sandy loam, clayey substratum, 2 to 6 percent slopes	2,789	1.8
KgC2	Kempsville very fine sandy loam, clayey substratum, 6 to 10 percent slopes, eroded	152	*
Km	Kinston silt loam	2,141	1.4
Kn	Kinston and Mantachie soils	3,967	2.5
Le	Lenoir silt loam	4,182	2.7
Ly	Lynchburg fine sandy loam	4,050	2.6
Mc	Mantachie-Chastain complex	888	0.6
MdB2	Mayodan fine sandy loam, 2 to 6 percent slopes eroded	339	0.2
My	Myatt fine sandy loam	888	0.6
NoA	Norfolk fine sandy loam, 0 to 2 percent slopes	1,247	0.8
NoB	Norfolk fine sandy loam, 2 to 6 percent slopes	3,106	2.0
NoC	Norfolk fine sandy loam, 6 to 10 percent slopes	1,305	0.8
ODU	Ochrepts and Udults, sloping	2,494	1.6
OUF	Ochrepts and Udults, steep	4,373	2.8
Ov	Orange loam	171	0.1
OW	Orthents-Udults-Mine pits complex	271	0.2
Pa	Pactolus loamy fine sand	185	0.1
PmA	Pamunkey fine sandy loam, 0 to 2 percent slopes	1,969	1.3
PmB	Pamunkey fine sandy loam, 2 to 6 percent slopes	1,574	1.0
PmD	Pamunkey fine sandy loam, 6 to 15 percent slopes	1,051	0.7
PnC3	Pamunkey clay loam, 6 to 15 percent slopes, severely eroded	174	0.1
PoE	Pinkston fine sandy loam, 6 to 25 percent slopes	254	0.2
Pr	Portsmouth silt loam	220	0.1
Ps	Pouncey sandy loam	3,524	2.3
PTB	Psamments, gently sloping	237	0.2
Ra	Rains very fine sandy loam	1,654	1.1
Re	Riverview silt loam	590	0.4
Ro	Roanoke silt loam	1,403	0.9
RrC	Rumford loamy sand, 0 to 10 percent slopes	499	0.3
RuA	Ruston fine sandy loam, 0 to 2 percent slopes	325	0.2
RuB	Ruston fine sandy loam, 2 to 6 percent slopes	656	0.4
RuC2	Ruston fine sandy loam, 6 to 10 percent slopes eroded	163	0.1
SsA	Sassafras fine sandy loam, 0 to 2 percent slopes	186	0.1
SsB	Sassafras fine sandy loam, 2 to 6 percent slopes	603	0.4
StA	State fine sandy loam, clayey substratum, 0 to 2 percent slopes	413	0.3
StB	State fine sandy loam, clayey substratum, 2 to 6 percent slopes	2,437	1.6
StC2	State fine sandy loam, clayey substratum, 6 to 10 percent slopes, eroded	246	0.2

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Henrico County, Virginia

Map Symbol	Soil Name	Acres	Percent
SvB	State gravelly fine sandy loam, clayey substratum, 2 to 6 percent slopes	149	*
Td	Tetotum loam, flooded	868	0.6
Te	Tetotum fine sandy loam	681	0.4
To	Toccoa fine sandy loam	405	0.3
TuA	Turbeville fine sandy loam, 0 to 2 percent slopes	211	0.1
TuB	Turbeville fine sandy loam, 2 to 6 percent slopes	1,176	0.8
TuC2	Turbeville fine sandy loam, 6 to 10 percent slopes, eroded	340	0.2
TvB	Turbeville gravelly fine sandy loam, 2 to 6 percent slopes	118	*
TvC	Turbeville gravelly fine sandy loam, 6 to 10 percent slopes	102	*
UD	Udorthents, clayey	100	*
UE	Udorthents, loamy	1,734	1.1
UR	Urban land	5,088	3.3
W	Water	10,736	6.9
WeB	Wedowee sandy loam, 2 to 6 percent slopes	2,087	1.3
WeD	Wedowee sandy loam, 6 to 15 percent slopes	1,486	1.0
Total		155,900	100.0

* Less than 0.1 percent.