

Table ENG-3. - Building Site Development

Nottoway County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Aa:							
Appling	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Ab:							
Appling	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Ac:							
Appling	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Ad:							
Appling	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Ae:							
Appling	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Af:							
Appling	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Ag:							
Appling	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Ah:							
Appling	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ak:							
Appling	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Al:							
Appling	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Am:							
Appling	45	Not limited		Not limited		Somewhat limited Slope	0.13
Herndon	45	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
An:							
Appling	45	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Herndon	45	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Ao:							
Augusta	85	Somewhat limited Depth to saturated zone	0.98	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.98
Ba:							
Bremo	85	Somewhat limited Depth to hard bedrock Slope	0.99 0.16	Very limited Depth to hard bedrock Slope	1.00 0.16	Very limited Slope Depth to hard bedrock	1.00 0.99
Bb:							
Bremo	85	Very limited Slope Depth to hard bedrock	1.00 0.99	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.99
Ca:							
Cecil	85	Not limited		Not limited		Somewhat limited Slope	0.13
Cb:							

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Cb:							
Cecil	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Cc:							
Cecil	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Cd:							
Cecil	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ce:							
Cecil	85	Not limited		Not limited		Somewhat limited Slope	0.13
Cf:							
Cecil	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Cg:							
Cecil	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Ch:							
Cecil	85	Not limited		Not limited		Somewhat limited Slope	0.13
Ck:							
Cecil	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Cl:							
Cecil	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Cm:							
Cecil	50	Not limited		Not limited		Somewhat limited Slope	0.13
Georgeville	40	Not limited		Not limited		Somewhat limited Slope	0.13
Cn:							
Cecil	50	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Georgeville	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Co:							

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Co:							
Chewacla	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Wehadkee	5	Not Rated		Not Rated		Not Rated	
Cp:							
Colfax	85	Very limited Depth to thin cemented pan	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to thin cemented pan	1.00
		Depth to saturated zone	1.00	Depth to thin cemented pan	1.00	Depth to saturated zone	1.00
				Depth to soft bedrock	0.64	Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Da:							
Durham	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Db:							
Durham	85	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Dc:							
Durham	85	Not limited		Not limited		Somewhat limited Slope	0.13
Worsham	3	Not Rated		Not Rated		Not Rated	
Dd:							
Durham	85	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Worsham	3	Not Rated		Not Rated		Not Rated	
Ea:							
Enon	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell Slope	1.00 0.13
Eb:							
Enon	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell Slope	1.00 0.13

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ec:							
Enon	85	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Slope	0.16	Slope	0.16	Slope	1.00
Ed:							
Enon	85	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Slope	0.16	Slope	0.16	Slope	1.00
Ee:							
Enon	30	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
						Slope	0.13
Vance	30	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.13
Helena	20	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
						Slope	0.13
Ef:							
Enon	30	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
						Slope	0.13
Vance	30	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.13
Helena	20	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
						Slope	0.13
Eg:							
Enon	30	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Slope	0.16	Slope	0.16	Slope	1.00
Vance	30	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Eg:							
Helena	20	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Slope	1.00
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.39
Eh:							
Enon	30	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Slope	0.16	Slope	0.16	Slope	1.00
Vance	30	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
Helena	20	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Slope	1.00
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.39
Ek:							
Enon	30	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
Vance	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Helena	20	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	0.96	Depth to saturated zone	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Slope	0.96	Depth to saturated zone	0.39
El:							
Enon	30	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Shrink-swell	1.00
Vance	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Helena	20	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Slope	1.00
		Slope	0.96	Depth to saturated zone	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Slope	0.96	Depth to saturated zone	0.39

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ga:							
Gullied land	85	Not Rated		Not Rated		Not Rated	
Ha:							
Helena	85	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
						Slope	0.13
Hb:							
Helena	85	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
						Slope	0.13
Hc:							
Helena	85	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
						Slope	0.13
Hd:							
Helena	85	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
						Slope	1.00
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.39
Ia:							
Iredell	50	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.98	Shrink-swell	1.00	Depth to saturated zone	0.98
						Slope	0.13
Mecklenburg							
	30	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.13
Ib:							
Iredell	50	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.98	Shrink-swell	1.00	Depth to saturated zone	0.98
						Slope	1.00
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.98

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
lb:							
Mecklenburg	30	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
lc:							
Iredell	50	Very limited		Very limited		Very limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Shrink-swell	1.00
		Depth to saturated zone	0.98	Shrink-swell	1.00	Slope	1.00
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.98
Mecklenburg	30	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
La:							
Lloyd	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.13
Lb:							
Lloyd	85	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
Lc:							
Lloyd	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Ld:							
Lloyd	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.13
Le:							
Lloyd	85	Somewhat limited		Somewhat limited		Very limited	
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
Lf:							
Lloyd	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Lg:							
Louisburg	85	Not limited		Somewhat limited		Somewhat limited	
				Depth to soft bedrock	0.79	Slope	0.13
Lh:							

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Lh: Louisburg	85	Somewhat limited Slope	0.16	Somewhat limited Depth to soft bedrock Slope	0.79 0.16	Very limited Slope	1.00
Lk: Louisburg	85	Somewhat limited Slope	0.16	Somewhat limited Depth to soft bedrock Slope	0.79 0.16	Very limited Slope	1.00
Lm: Louisburg	85	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.79	Very limited Slope	1.00
Ln: Louisburg	85	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.79	Very limited Slope	1.00
Ma: Madison	85	Not limited		Not limited		Somewhat limited Slope	0.13
Mb: Madison	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Mc: Madison	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Md: Madison	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Me: Madison	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Mf: Madison	85	Not limited		Not limited		Somewhat limited Slope	0.13
Mg: Madison	85	Not limited		Not limited		Somewhat limited Slope	0.13
Mh:							

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Mh:							
Madison	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Mk:							
Madison	85	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
MI:							
Madison	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Mm:							
Madison	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Mn:							
Mixed alluvial land	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Wehadkee	5	Not Rated		Not Rated		Not Rated	
Sa:							
Seneca	85	Not limited		Somewhat limited Depth to saturated zone	0.99	Somewhat limited Slope	0.13
Sb:							
Starr	85	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell Slope	1.00 0.50 0.13
Sc:							
Stony land	85	Not Rated		Not Rated		Not Rated	
Va:							
Vance	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.13
Vb:							
Vance	85	Somewhat limited Shrink-swell Slope	0.50 0.16	Somewhat limited Shrink-swell Slope	0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
Wa:							

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Wa:							
Wehadkee	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
Wb:							
Wehadkee	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Ponding	1.00	Ponding	1.00
Wc:							
Wickham	85	Not limited		Not limited		Not limited	
Wd:							
Wilkes	85	Somewhat limited		Very limited		Somewhat limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to soft bedrock	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.13
We:							
Wilkes	85	Somewhat limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to soft bedrock	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
Wf:							
Wilkes	85	Somewhat limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to soft bedrock	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Slope	1.00
		Slope	0.16	Slope	0.16	Shrink-swell	0.50
Wg:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Depth to soft bedrock	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Wh:							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Slope	1.00
		Slope	1.00	Slope	1.00	Depth to soft bedrock	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Wk:							

Table ENG-3. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Dwellings without Basements		Dwellings with Basements		Small Commercial Buildings	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Wk:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
Wl:							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50