

## Table ENG-4. - Building Site Development

Nottoway County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Aa:							
Appling	85	Not limited		Somewhat limited Cutbanks cave	0.10	Somewhat limited Content of large stones	0.92
Worsham	3	Not Rated		Not Rated		Not Rated	
Ab:							
Appling	85	Somewhat limited Slope	0.16	Somewhat limited Slope Cutbanks cave	0.16 0.10	Somewhat limited Content of large stones Slope	0.92 0.16
Worsham	3	Not Rated		Not Rated		Not Rated	
Ac:							
Appling	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
Ad:							
Appling	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
Ae:							
Appling	85	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Slope	0.37
Worsham	3	Not Rated		Not Rated		Not Rated	
Af:							
Appling	85	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Slope	0.37
Worsham	3	Not Rated		Not Rated		Not Rated	
Ag:							
Appling	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
Ah:							

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ah:							
Appling	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
Ak:							
Appling	85	Somewhat limited Slope	0.16	Somewhat limited Slope Cutbanks cave	0.16 0.10	Somewhat limited Slope	0.16
Worsham	3	Not Rated		Not Rated		Not Rated	
Al:							
Appling	85	Somewhat limited Slope	0.16	Somewhat limited Slope Cutbanks cave	0.16 0.10	Somewhat limited Slope	0.16
Worsham	3	Not Rated		Not Rated		Not Rated	
Am:							
Appling	45	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Herndon	45	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
An:							
Appling	45	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Slope	0.37
Herndon	45	Somewhat limited Slope	0.37	Somewhat limited Slope Cutbanks cave	0.37 0.10	Somewhat limited Slope	0.37
Worsham	3	Not Rated		Not Rated		Not Rated	
Ao:							
Augusta	85	Very limited Low strength Depth to saturated zone	1.00 0.75	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.75
Ba:							
Bremo	85	Very limited Depth to hard bedrock Slope	0.99 0.16	Very limited Depth to hard bedrock Cutbanks cave Slope	1.00 1.00 0.16	Very limited Depth to bedrock Droughty Slope	0.99 0.93 0.16

## Table ENG-4. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
<b>Bb:</b>							
Bremo	85	Very limited		Very limited		Very limited	
		Slope	1.00	Depth to hard bedrock	1.00	Slope	1.00
		Depth to hard bedrock	0.99	Cutbanks cave	1.00	Depth to bedrock	0.99
				Slope	1.00	Droughty	0.93
<b>Ca:</b>							
Cecil	85	Not limited		Somewhat limited		Not limited	
				Cutbanks cave	0.10		
<b>Cb:</b>							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Slope	0.16	Slope	0.16
				Cutbanks cave	0.10		
<b>Cc:</b>							
Cecil	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Slope	0.16	Slope	0.16
				Cutbanks cave	0.10		
<b>Cd:</b>							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
				Cutbanks cave	0.10		
<b>Ce:</b>							
Cecil	85	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.50		
				Cutbanks cave	0.10		
<b>Cf:</b>							
Cecil	85	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.50	Slope	0.16
		Slope	0.16	Slope	0.16		
				Cutbanks cave	0.10		
<b>Cg:</b>							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Too clayey	0.50		
				Cutbanks cave	0.10		
<b>Ch:</b>							
Cecil	85	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.50		
				Cutbanks cave	0.10		
<b>Ck:</b>							

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ck:							
Cecil	85	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.50	Slope	0.16
		Slope	0.16	Slope	0.16		
				Cutbanks cave	0.10		
Cl:							
Cecil	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Too clayey	0.50		
				Cutbanks cave	0.10		
Cm:							
Cecil	50	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.50		
				Cutbanks cave	0.10		
Georgeville	40	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.50		
				Cutbanks cave	0.10		
Cn:							
Cecil	50	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Slope	0.96	Slope	0.96
		Slope	0.96	Too clayey	0.50		
				Cutbanks cave	0.10		
Georgeville	40	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Slope	0.96	Slope	0.96
		Slope	0.96	Too clayey	0.50		
				Cutbanks cave	0.10		
Co:							
Chewacla	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Low strength	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Flooding	0.80		
				Cutbanks cave	0.10		
Wehadkee	5	Not Rated		Not Rated		Not Rated	
Cp:							
Colfax	85	Very limited		Very limited		Very limited	
		Depth to thin cemented pan	1.00	Depth to thin cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Depth to soft bedrock	0.64	Droughty	0.99
Worsham	3	Not Rated		Not Rated		Not Rated	

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Da:							
Durham	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
Db:							
Durham	85	Somewhat limited Slope	0.04	Somewhat limited Cutbanks cave Slope	0.10 0.04	Somewhat limited Slope	0.04
Worsham	3	Not Rated		Not Rated		Not Rated	
Dc:							
Durham	85	Very limited Low strength	1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
Worsham	3	Not Rated		Not Rated		Not Rated	
Dd:							
Durham	85	Very limited Low strength Slope	1.00 0.04	Somewhat limited Cutbanks cave Slope	0.10 0.04	Somewhat limited Slope	0.04
Worsham	3	Not Rated		Not Rated		Not Rated	
Ea:							
Enon	85	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Not limited	
Eb:							
Enon	85	Very limited Low strength Shrink-swell	1.00 1.00	Somewhat limited Too clayey Cutbanks cave	0.28 0.10	Not limited	
Ec:							
Enon	85	Very limited Low strength Shrink-swell Slope	1.00 1.00 0.16	Somewhat limited Too clayey Slope Cutbanks cave	0.28 0.16 0.10	Somewhat limited Slope	0.16
Ed:							
Enon	85	Very limited Low strength Shrink-swell Slope	1.00 1.00 0.16	Somewhat limited Too clayey Slope Cutbanks cave	0.28 0.16 0.10	Somewhat limited Slope	0.16
Ee:							

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ee:							
Enon	30	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	1.00	Cutbanks cave	0.10		
Vance	30	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Helena	20	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28		
		Depth to saturated zone	0.19	Cutbanks cave	0.10		
Ef:							
Enon	30	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	1.00	Cutbanks cave	0.10		
Vance	30	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Helena	20	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28		
		Depth to saturated zone	0.19	Cutbanks cave	0.10		
Eg:							
Enon	30	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Shrink-swell	1.00	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
Vance	30	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
Helena	20	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Depth to saturated zone	0.19	Slope	0.16		

Eh:

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Eh:							
Enon	30	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Shrink-swell	1.00	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
Vance	30	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
Helena	20	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Depth to saturated zone	0.19	Slope	0.16		
Ek:							
Enon	30	Very limited		Very limited		Very limited	
		Low strength	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	1.00	Too clayey	0.28		
		Slope	1.00	Cutbanks cave	0.10		
Vance	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Helena	20	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Slope	0.96
		Low strength	1.00	Slope	0.96	Depth to saturated zone	0.19
		Slope	0.96	Too clayey	0.28		
El:							
Enon	30	Very limited		Very limited		Very limited	
		Low strength	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	1.00	Too clayey	0.28		
		Slope	1.00	Cutbanks cave	0.10		
Vance	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Helena	20	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Slope	0.96
		Low strength	1.00	Slope	0.96	Depth to saturated zone	0.19
		Slope	0.96	Too clayey	0.28		

Ga:

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Ga:							
Gullied land	85	Not Rated		Not Rated		Not Rated	
Ha:							
Helena	85	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28		
		Depth to saturated zone	0.19	Cutbanks cave	0.10		
Hb:							
Helena	85	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28		
		Depth to saturated zone	0.19	Cutbanks cave	0.10		
Hc:							
Helena	85	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Depth to saturated zone	0.19	Slope	0.16		
Hd:							
Helena	85	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.19
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Depth to saturated zone	0.19	Slope	0.16		
Ia:							
Iredell	50	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.75
		Low strength	1.00	Too clayey	0.50		
		Depth to saturated zone	0.75	Cutbanks cave	0.10		
Mecklenburg	30	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.50		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Ib:							
Iredell	50	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.75
		Low strength	1.00	Too clayey	0.50	Slope	0.16
		Depth to saturated zone	0.75	Slope	0.16		

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
lb:							
Mecklenburg	30	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.50	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
lc:							
Iredell	50	Very limited		Very limited		Somewhat limited	
		Shrink-swell	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.75
		Low strength	1.00	Too clayey	0.50	Slope	0.16
		Depth to saturated zone	0.75	Slope	0.16		
Mecklenburg	30	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.50	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
La:							
Lloyd	85	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.72		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Lb:							
Lloyd	85	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.72	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
Lc:							
Lloyd	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Too clayey	0.72		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Ld:							
Lloyd	85	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.72		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Le:							
Lloyd	85	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.72	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		

Lf:

## Table ENG-4. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Lf:							
Lloyd	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Low strength	1.00	Too clayey	0.72		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Lg:							
Louisburg	85	Not limited		Somewhat limited		Somewhat limited	
				Depth to soft bedrock	0.79	Depth to bedrock	0.80
				Cutbanks cave	0.10	Droughty	0.61
Lh:							
Louisburg	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Depth to soft bedrock	0.79	Depth to bedrock	0.80
				Slope	0.16	Droughty	0.61
				Cutbanks cave	0.10	Slope	0.16
Lk:							
Louisburg	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Depth to soft bedrock	0.79	Depth to bedrock	0.80
				Slope	0.16	Droughty	0.61
				Cutbanks cave	0.10	Slope	0.16
Lm:							
Louisburg	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
				Depth to soft bedrock	0.79	Depth to bedrock	0.80
				Cutbanks cave	0.10	Droughty	0.61
Ln:							
Louisburg	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
				Depth to soft bedrock	0.79	Depth to bedrock	0.80
				Cutbanks cave	0.10	Droughty	0.61
Ma:							
Madison	85	Not limited		Somewhat limited		Not limited	
				Cutbanks cave	0.10		
Mb:							
Madison	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Slope	0.16	Slope	0.16
				Cutbanks cave	0.10		
Mc:							
Madison	85	Somewhat limited		Somewhat limited		Somewhat limited	
		Slope	0.16	Slope	0.16	Slope	0.16
				Cutbanks cave	0.10		
Md:							

## Table ENG-4. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Md:							
Madison	85	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Me:							
Madison	85	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Mf:							
Madison	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Mg:							
Madison	85	Not limited		Somewhat limited Cutbanks cave	0.10	Not limited	
Mh:							
Madison	85	Somewhat limited Slope	0.16	Somewhat limited Slope Cutbanks cave	0.16 0.10	Somewhat limited Slope	0.16
Mk:							
Madison	85	Somewhat limited Slope	0.16	Somewhat limited Slope Cutbanks cave	0.16 0.10	Somewhat limited Slope	0.16
MI:							
Madison	85	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Mm:							
Madison	85	Very limited Slope	1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Mn:							
Mixed alluvial land	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Not Rated		Not Rated	
Wehadkee	5	Not Rated		Not Rated		Not Rated	
Sa:							

**Table ENG-4. - Building Site Development - Continued**

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
Sa:							
Seneca	85	Not limited		Somewhat limited		Not limited	
				Depth to saturated zone	0.99		
				Cutbanks cave	0.10		
Sb:							
Starr	85	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				
		Flooding	0.40				
Sc:							
Stony land	85	Not Rated		Not Rated		Not Rated	
Va:							
Vance	85	Very limited		Somewhat limited		Not limited	
		Low strength	1.00	Too clayey	0.28		
		Shrink-swell	0.50	Cutbanks cave	0.10		
Vb:							
Vance	85	Very limited		Somewhat limited		Somewhat limited	
		Low strength	1.00	Too clayey	0.28	Slope	0.16
		Shrink-swell	0.50	Slope	0.16		
		Slope	0.16	Cutbanks cave	0.10		
Wa:							
Wehadkee	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding	1.00	Flooding	0.80	Depth to saturated zone	1.00
		Low strength	1.00	Cutbanks cave	0.10		
Wb:							
Wehadkee	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Flooding	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Low strength	1.00	Flooding	0.80	Ponding	1.00
Wc:							
Wickham	85	Not limited		Somewhat limited		Not limited	
				Cutbanks cave	0.10		
Wd:							
Wilkes	85	Somewhat limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to bedrock	1.00
		Shrink-swell	0.50	Cutbanks cave	0.10	Droughty	0.77
We:							

## Table ENG-4. - Building Site Development - Continued

Nottoway County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Local Roads and Streets		Shallow Excavations		Lawns and Landscaping	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
<b>We:</b>							
Wilkes	85	Somewhat limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to bedrock	1.00
		Shrink-swell	0.50	Slope	0.16	Droughty	0.77
		Slope	0.16	Cutbanks cave	0.10	Slope	0.16
<b>Wf:</b>							
Wilkes	85	Somewhat limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to bedrock	1.00
		Shrink-swell	0.50	Slope	0.16	Droughty	0.77
		Slope	0.16	Cutbanks cave	0.10	Slope	0.16
<b>Wg:</b>							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Cutbanks cave	0.10	Droughty	0.77
<b>Wh:</b>							
Wilkes	85	Very limited		Very limited		Very limited	
		Depth to soft bedrock	1.00	Depth to soft bedrock	1.00	Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Shrink-swell	0.50	Cutbanks cave	0.10	Droughty	0.77
<b>Wk:</b>							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50	Too clayey	0.03		
<b>Wl:</b>							
Worsham	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Low strength	1.00	Cutbanks cave	0.10		
		Shrink-swell	0.50				