

Table ENG-5. - Sanitary Facilities

Page County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1C:					
Berks	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	0.37	Slope	1.00
				Seepage	1.00
Weikert	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	0.37	Slope	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
2A:					
Biltmore	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	0.65	Depth to saturated zone	0.02
3B:					
Braddock	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.68
3C:					
Braddock	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
3D:					
Braddock	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
4B:					
Braddock	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.68
4C:					
Braddock	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
4D:					
Braddock	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
5C:					
Braddock	55	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
		Slope	0.04	Slope	1.00
Urban land	35	Not Rated		Not Rated	
6C:					
Carbo	55	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00
		Filtering capacity	1.00	Slope	1.00
Rock outcrop	35	Not Rated		Not Rated	
Wet spots	3	Not Rated		Not Rated	
6E:					
Carbo	55	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rock outcrop	35	Not Rated		Not Rated	
Wet spots	3	Not Rated		Not Rated	
7C:					
Catoctin	85	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Slope	1.00
				Seepage	1.00
7D:					
Catoctin	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
8F:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
8F:					
Catoctin	55	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Rock outcrop	30	Not Rated		Not Rated	
9C:					
Chilhowie	75	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Slope	0.37	Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
9D:					
Chilhowie	85	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Slope	1.00	Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
10A:					
Combs	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
11B:					
Cotaco	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
Wet spots	3	Not Rated		Not Rated	
12A:					
Craigsville	90	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Content of large stones	1.00	Seepage	1.00
		Filtering capacity	1.00	Content of large stones	1.00
Wet spots	3	Not Rated		Not Rated	

13C:

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
13C:					
Dekalb	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.04	Slope	1.00
13D:					
Dekalb	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
13E:					
Dekalb	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
14E:					
Dekalb	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
14F:					
Dekalb	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
15F:					
Dekalb	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Edgemont	30	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.17	Seepage	1.00
Rock outcrop	25	Not Rated		Not Rated	
16B:					
Dyke	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
16C:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
16C:					
Dyke	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
17C:					
Edgemont	45	Somewhat limited		Very limited	
		Depth to bedrock	0.17	Seepage	1.00
		Slope	0.04	Slope	1.00
Dekalb	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Filtering capacity	1.00	Seepage	1.00
		Slope	0.04	Slope	1.00
17D:					
Edgemont	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.17	Seepage	1.00
Dekalb	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
17E:					
Edgemont	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.17	Seepage	1.00
Dekalb	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
18C:					
Edneytown	90	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
		Slope	0.04	Slope	1.00
18D:					
Edneytown	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
18E:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
18E:					
Edneytown	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
19C:					
Edom	85	Somewhat limited		Very limited	
		Restricted permeability	0.73	Slope	1.00
		Depth to bedrock	0.52	Seepage	0.27
		Slope	0.37	Depth to soft bedrock	0.08
19D:					
Edom	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.78	Depth to soft bedrock	0.42
		Restricted permeability	0.73	Seepage	0.27
20B:					
Fauquier	85	Somewhat limited		Somewhat limited	
		Depth to bedrock	0.83	Slope	0.68
		Restricted permeability	0.50	Depth to soft bedrock	0.54
				Seepage	0.50
20C:					
Fauquier	85	Somewhat limited		Somewhat limited	
		Depth to bedrock	0.83	Slope	0.68
		Restricted permeability	0.50	Depth to soft bedrock	0.54
				Seepage	0.50
20D:					
Fauquier	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.83	Depth to soft bedrock	0.54
		Restricted permeability	0.50	Seepage	0.50
20E:					
Fauquier	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.83	Depth to soft bedrock	0.54
		Restricted permeability	0.50	Seepage	0.50
21C:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
21C:					
Fauquier	85	Somewhat limited		Very limited	
		Depth to bedrock	0.83	Slope	1.00
		Restricted permeability	0.50	Depth to soft bedrock	0.54
		Slope	0.37	Seepage	0.50
21D:					
Fauquier	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.83	Depth to soft bedrock	0.54
		Restricted permeability	0.50	Seepage	0.50
22C:					
Gilpin	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.04	Seepage	0.50
23D:					
Gilpin	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
23E:					
Gilpin	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
24A:					
Huntington	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	0.50
25C:					
Jefferson	85	Somewhat limited		Very limited	
		Slope	0.04	Seepage	1.00
				Slope	1.00
25D:					
Jefferson	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
				Seepage	1.00

25E:

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
25E:					
Jefferson	80	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
26E:					
Jefferson	90	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
27C:					
Laidig	75	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Depth to cemented pan Depth to saturated zone Seepage	1.00 1.00 1.00
28C:					
Laidig	75	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Depth to cemented pan Depth to saturated zone Seepage	1.00 1.00 1.00
28D:					
Laidig	80	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 1.00 1.00
28E:					
Laidig	80	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 1.00 1.00
29B:					
Lodi	90	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
29C:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
29C:					
Lodi	80	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
29D:					
Lodi	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
29E:					
Lodi	90	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
30C:					
Massanutten	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.04	Seepage	1.00
				Slope	1.00
Wet spots	3	Not Rated		Not Rated	
31C:					
Massanutten	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.04	Seepage	1.00
				Slope	1.00
Wet spots	3	Not Rated		Not Rated	
31D:					
Massanutten	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
31E:					
Massanutten	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
32A:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
32A:					
Maurertown	90	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
33B:					
Monongahela	75	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Slope	0.68
Wet spots	5	Not Rated		Not Rated	
33C:					
Monongahela	75	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to saturated zone	1.00
Wet spots	5	Not Rated		Not Rated	
34C:					
Myersville	45	Somewhat limited		Very limited	
		Depth to bedrock	0.86	Slope	1.00
		Restricted permeability	0.50	Depth to soft bedrock	0.61
		Slope	0.04	Seepage	0.50
Catoctin	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.04	Seepage	1.00
				Slope	1.00
34D:					
Myersville	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.86	Depth to soft bedrock	0.61
		Restricted permeability	0.50	Seepage	0.50
Catoctin	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
34E:					
Myersville	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.86	Depth to soft bedrock	0.61
		Restricted permeability	0.50	Seepage	0.50
Catoctin	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
35D:					
Myersville	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.86	Depth to soft bedrock	0.61
		Restricted permeability	0.50	Seepage	0.50
Catoctin	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
35E:					
Myersville	45	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.86	Depth to soft bedrock	0.61
		Restricted permeability	0.50	Seepage	0.50
Catoctin	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
36B:					
Oaklet	85	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
36C:					
Oaklet	85	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37		

37C:

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
37C:					
Oaklet	50	Very limited Restricted permeability Slope	1.00 0.04	Very limited Slope	1.00
Carbo	40	Very limited Depth to bedrock	1.00	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 1.00
Wet spots	3	Not Rated		Not Rated	
37E:					
Oaklet	55	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope	1.00
Carbo	40	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Wet spots	3	Not Rated		Not Rated	
38D:					
Peaks	45	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Edneytown	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00
38E:					
Peaks	45	Very limited Depth to bedrock Slope Filtering capacity	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
Edneytown	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 1.00

38F:

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
38F:					
Peaks	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Edneytown	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
39F:					
Peaks	75	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Rock outcrop	15	Not Rated		Not Rated	
40:					
Pits, bedrock	100	Not Rated		Not Rated	
41A:					
Purdy	90	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
42F:					
Rock outcrop	45	Not Rated		Not Rated	
Dekalb	20	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
Drall	20	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to bedrock	0.78	Depth to hard bedrock	0.42
43B:					
Sherando	90	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Content of large stones	0.45	Content of large stones	1.00
				Slope	0.68
43C:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
43C:					
Sherando	90	Very limited		Very limited	
		Filtering capacity	1.00	Slope	1.00
		Content of large stones	0.45	Seepage	1.00
		Slope	0.37	Content of large stones	1.00
44A:					
Sindion	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
Wet spots	5	Not Rated		Not Rated	
45D:					
Sylvatus	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	0.50
Sylco	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
45E:					
Sylvatus	45	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	0.50
Sylco	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
46B:					
Thurmont	85	Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
46C:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
46C:					
Thurmont	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to saturated zone	0.71
		Slope	0.37	Seepage	0.50
46D:					
Thurmont	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.71
		Restricted permeability	0.50	Seepage	0.50
47B:					
Timberville	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
		Flooding	0.40	Seepage	0.50
				Flooding	0.40
Wet spots	3	Not Rated		Not Rated	
48A:					
Tygart	90	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
49B:					
Unison	85	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
49C:					
Unison	85	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
49D:					
Unison	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
50D:					

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
50D:					
Weikert	55	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Berks	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
50E:					
Weikert	60	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Berks	35	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
51F:					
Weikert	90	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
Wet spots	3	Not Rated		Not Rated	
52B:					
Wheeling	90	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
Wet spots	3	Not Rated		Not Rated	
53D:					
Zepp	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
				Seepage	1.00
53E:					
Zepp	85	Very limited		Very limited	
		Slope	1.00	Slope	1.00
				Seepage	1.00

Table ENG-5. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
54E: Zepp	85	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
55A: Zoar	85	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
DAM: Dam	100	Not Rated		Not Rated	
W: Water	100	Not Rated		Not Rated	