

Table ENG-6. - Sanitary Facilities

Page County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1C:							
Berks	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	0.55
		Slope	0.37	Slope	0.37	Seepage	0.50
Weikert	45	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
		Slope	0.37	Slope	0.37	Seepage	0.50
Wet spots	3	Not Rated		Not Rated		Not Rated	
2A:							
Biltmore	90	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Seepage	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too Sandy	0.50
		Seepage	1.00	Seepage	1.00		
3B:							
Braddock	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
		Seepage	1.00				
3C:							
Braddock	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Seepage	1.00			Slope	0.37
		Slope	0.37				
3D:							
Braddock	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
		Seepage	1.00				
4B:							
Braddock	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
		Seepage	1.00				
4C:							
Braddock	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Seepage	1.00			Slope	0.37
		Slope	0.37				

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
4D:							
Braddock	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
		Seepage	1.00				
5C:							
Braddock	55	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Seepage	1.00			Slope	0.04
		Slope	0.04				
Urban land	35	Not Rated		Not Rated		Not Rated	
6C:							
Carbo	55	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Seepage	1.00	Too clayey	1.00
Rock outcrop	35	Not Rated		Not Rated		Not Rated	
Wet spots	3	Not Rated		Not Rated		Not Rated	
6E:							
Carbo	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	1.00	Seepage	1.00	Too clayey	1.00
Rock outcrop	35	Not Rated		Not Rated		Not Rated	
Wet spots	3	Not Rated		Not Rated		Not Rated	
7C:							
Catoctin	85	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.37	Slope	0.37	Gravel content	0.44
7D:							
Catoctin	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
8F:							
Catoctin	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
8F:							
Rock outcrop	30	Not Rated		Not Rated		Not Rated	
9C:							
Chilhowie	75	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Seepage	1.00	Too clayey	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
Wet spots	3	Not Rated		Not Rated		Not Rated	
9D:							
Chilhowie	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	1.00	Seepage	1.00	Too clayey	1.00
Wet spots	3	Not Rated		Not Rated		Not Rated	
10A:							
Combs	90	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Seepage	0.21
		Seepage	1.00	Seepage	1.00		
Wet spots	3	Not Rated		Not Rated		Not Rated	
11B:							
Cotaco	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.86
Wet spots	3	Not Rated		Not Rated		Not Rated	
12A:							
Craigsville	90	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Seepage	1.00
		Seepage	1.00	Seepage	1.00	Content of large stones	1.00
		Content of large stones	1.00				
Wet spots	3	Not Rated		Not Rated		Not Rated	
13C:							
Dekalb	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	0.04	Slope	0.04	Gravel content	0.26

13D:

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
13D:							
Dekalb	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
13E:							
Dekalb	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
14E:							
Dekalb	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
14F:							
Dekalb	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
15F:							
Dekalb	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Edgemont	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Gravel content	0.51
		Seepage	1.00			Seepage	0.21
Rock outcrop	25	Not Rated		Not Rated		Not Rated	
16B:							
Dyke	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
16C:							
Dyke	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
17C:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
17C:							
Edgemont	45	Very limited		Very limited		Somewhat limited	
		Depth to bedrock	1.00	Seepage	1.00	Gravel content	0.51
		Seepage	1.00	Slope	0.04	Seepage	0.21
		Slope	0.04			Slope	0.04
Dekalb	40	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	0.04	Slope	0.04	Gravel content	0.27
17D:							
Edgemont	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Gravel content	0.51
		Seepage	1.00			Seepage	0.21
Dekalb	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
17E:							
Edgemont	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Gravel content	0.51
		Seepage	1.00			Seepage	0.21
Dekalb	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
18C:							
Edneytown	90	Very limited		Somewhat limited		Somewhat limited	
		Seepage	1.00	Slope	0.04	Slope	0.04
		Slope	0.04				
18D:							
Edneytown	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00				
18E:							
Edneytown	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00				
19C:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
19C:							
Edom	85	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Slope	0.37	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.08	Slope	0.37
		Slope	0.37			Depth to bedrock	0.08
19D:							
Edom	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.42
20B:							
Fauquier	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.54	Depth to bedrock	0.54
		Too clayey	0.50			Too clayey	0.50
20C:							
Fauquier	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.54	Depth to bedrock	0.54
		Too clayey	0.50			Too clayey	0.50
20D:							
Fauquier	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.54	Depth to bedrock	0.54
		Too clayey	0.50			Too clayey	0.50
20E:							
Fauquier	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.54	Depth to bedrock	0.54
		Too clayey	0.50			Too clayey	0.50
21C:							
Fauquier	85	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.54	Depth to bedrock	0.54
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Slope	0.37
21D:							
Fauquier	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.54	Depth to bedrock	0.54
		Too clayey	0.50			Too clayey	0.50
22C:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
22C:							
Gilpin	80	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	0.50	Slope	0.04	Too clayey	0.50
		Slope	0.04			Slope	0.04
23D:							
Gilpin	80	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
23E:							
Gilpin	80	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
24A:							
Huntington	85	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
25C:							
Jefferson	85	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.04	Slope	0.04	Gravel content	0.26
						Slope	0.04
25D:							
Jefferson	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.26
25E:							
Jefferson	80	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.26
26E:							
Jefferson	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.26
27C:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
27C:							
Laidig	75	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Seepage	0.21
		Slope	0.04	Seepage	1.00	Slope	0.04
28C:							
Laidig	75	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Seepage	0.21
		Slope	0.04	Seepage	1.00	Slope	0.04
28D:							
Laidig	80	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Seepage	0.21
28E:							
Laidig	80	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Seepage	0.21
29B:							
Lodi	90	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
29C:							
Lodi	80	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
29D:							
Lodi	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
29E:							
Lodi	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
30C:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
30C:							
Massanutten	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.04	Slope	0.04	Gravel content	0.08
Wet spots	3	Not Rated		Not Rated		Not Rated	
31C:							
Massanutten	90	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.04	Slope	0.04	Gravel content	0.08
Wet spots	3	Not Rated		Not Rated		Not Rated	
31D:							
Massanutten	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
Wet spots	3	Not Rated		Not Rated		Not Rated	
31E:							
Massanutten	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
Wet spots	3	Not Rated		Not Rated		Not Rated	
32A:							
Maurertown	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
33B:							
Monongahela	75	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Too clayey	0.50			Too clayey	0.50
Wet spots	5	Not Rated		Not Rated		Not Rated	
33C:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
33C:							
Monongahela	75	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to thick cemented pan	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
Wet spots	5	Not Rated		Not Rated		Not Rated	
34C:							
Myersville	45	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50	Slope	0.04	Too clayey	0.50
		Slope	0.04	Slope		Slope	0.04
Catoctin	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.04	Slope	0.04	Gravel content	0.44
34D:							
Myersville	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50			Too clayey	0.50
Catoctin	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
34E:							
Myersville	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50			Too clayey	0.50
Catoctin	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
35D:							
Myersville	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50			Too clayey	0.50

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
35D:							
Catoctin	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
35E:							
Myersville	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.61	Depth to bedrock	0.61
		Too clayey	0.50			Too clayey	0.50
Catoctin	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
36B:							
Oaklet	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
36C:							
Oaklet	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
37C:							
Oaklet	50	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Slope	0.04
Carbo	40	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Seepage	1.00	Too clayey	1.00
Wet spots	3	Not Rated		Not Rated		Not Rated	
37E:							
Oaklet	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
Carbo	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	1.00	Seepage	1.00	Too clayey	1.00
Wet spots	3	Not Rated		Not Rated		Not Rated	
38D:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
38D:							
Peaks	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Edneytown	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00				
38E:							
Peaks	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Edneytown	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00				
38F:							
Peaks	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Edneytown	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00				
39F:							
Peaks	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Rock outcrop	15	Not Rated		Not Rated		Not Rated	
40:							
Pits, bedrock	100	Not Rated		Not Rated		Not Rated	
41A:							
Purdy	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	1.00			Too clayey	1.00
42F:							
Rock outcrop	45	Not Rated		Not Rated		Not Rated	

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
42F:							
Dekalb	20	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
Drall	20	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Seepage	1.00	Seepage	1.00
		Seepage	1.00	Depth to bedrock	0.42	Gravel content	0.69
43B:							
Sherando	90	Very limited		Very limited		Very limited	
		Seepage	1.00	Seepage	1.00	Seepage	1.00
		Content of large stones	0.40			Content of large stones	0.40
						Gravel content	0.01
43C:							
Sherando	90	Very limited		Very limited		Very limited	
		Seepage	1.00	Seepage	1.00	Seepage	1.00
		Content of large stones	0.40	Slope	0.37	Content of large stones	0.40
		Slope	0.37			Slope	0.37
44A:							
Sindion	85	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
		Seepage	1.00				
Wet spots	5	Not Rated		Not Rated		Not Rated	
45D:							
Sylvatus	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.77
Sylco	40	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.73
45E:							
Sylvatus	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.77

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
45E:							
Sylco	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.73
46B:							
Thurmont	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
46C:							
Thurmont	85	Very limited		Very limited		Somewhat limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50	Slope	0.37	Slope	0.37
		Slope	0.37				
46D:							
Thurmont	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Slope	1.00	Slope	1.00
		Slope	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
47B:							
Timberville	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Flooding	0.40	Too clayey	1.00
		Flooding	0.40				
Wet spots	3	Not Rated		Not Rated		Not Rated	
48A:							
Tygart	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	1.00
49B:							
Unison	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
49C:							
Unison	85	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
49D:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
49D:							
Unison	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
50D:							
Weikert	55	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
Berks	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	0.55
Wet spots	3	Not Rated		Not Rated		Not Rated	
50E:							
Weikert	60	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
Berks	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	0.55
Wet spots	3	Not Rated		Not Rated		Not Rated	
51F:							
Weikert	90	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
Wet spots	3	Not Rated		Not Rated		Not Rated	
52B:							
Wheeling	90	Not limited		Not limited		Not limited	
Wet spots	3	Not Rated		Not Rated		Not Rated	
53D:							
Zepp	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.18
53E:							

Table ENG-6. - Sanitary Facilities - Continued

Page County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
53E:							
Zepp	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.18
54E:							
Zepp	85	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
						Gravel content	0.18
55A:							
Zoar	85	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00			Depth to saturated zone	0.86
DAM:							
Dam	100	Not Rated		Not Rated		Not Rated	
W:							
Water	100	Not Rated		Not Rated		Not Rated	