

Table ENG-5. - Sanitary Facilities

Prince William County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1A:					
Aden	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	1.00	Seepage	0.50
		Depth to saturated zone	1.00		
Ponded soils	3	Not Rated		Not Rated	
2B:					
Airmont	40	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Content of large stones	1.00
		Content of large stones	1.00	Depth to saturated zone	1.00
Weverton	40	Very limited		Very limited	
		Content of large stones	1.00	Content of large stones	1.00
		Depth to bedrock	0.70	Slope	0.68
		Restricted permeability	0.50	Seepage	0.50
2C:					
Airmont	40	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Content of large stones	1.00	Content of large stones	1.00
Weverton	40	Very limited		Very limited	
		Content of large stones	1.00	Slope	1.00
		Depth to bedrock	0.70	Content of large stones	1.00
		Restricted permeability	0.50	Seepage	0.50
2D:					
Airmont	40	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Content of large stones	1.00

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
2D:					
Weverton	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Content of large stones	1.00	Content of large stones	1.00
		Depth to bedrock	0.70	Seepage	0.50
2E:					
Airmont	40	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	1.00	Content of large stones	1.00
Weverton	40	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Content of large stones	1.00	Content of large stones	1.00
		Depth to bedrock	0.70	Seepage	0.50
3A:					
Albano	80	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to hard bedrock	0.93
		Depth to bedrock	0.98		
4B:					
Arcola	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	0.68
				Depth to hard bedrock	0.61
Albano	5	Not Rated		Not Rated	
5C:					
Arcola	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Depth to hard bedrock	0.61
Nestoria	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
				Slope	1.00
Albano	5	Not Rated		Not Rated	

5D:

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
5D:					
Arcola	50	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.61
Nestoria	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Albano	5	Not Rated		Not Rated	
6A:					
Baile	75	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00		
7A:					
Bermudian	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Filtering capacity	1.00	Seepage	1.00
		Depth to saturated zone	0.84	Depth to saturated zone	0.17
8C:					
Braddock	80	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
9B:					
Brentsville	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Depth to soft bedrock	1.00
				Slope	0.68
Albano	3	Not Rated		Not Rated	
9C:					
Brentsville	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Depth to soft bedrock	1.00
		Slope	0.37	Slope	1.00
Albano	3	Not Rated		Not Rated	

10B:

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
10B:					
Buckhall	80	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
10C:					
Buckhall	80	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
11B:					
Calverton	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	0.52	Slope	0.32
12D:					
Catlett	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Albano	3	Not Rated		Not Rated	
13B:					
Catlett	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
				Depth to soft bedrock	1.00
				Slope	0.68
Sycoline	40	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.68
Albano	3	Not Rated		Not Rated	
13C:					
Catlett	40	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	0.37	Depth to soft bedrock	1.00
				Slope	1.00

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
13C:					
Sycoline	40	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
Albano	3	Not Rated		Not Rated	
14A:					
Codorus	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
Hatboro	5	Not Rated		Not Rated	
15A:					
Comus	85	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Restricted permeability	0.50	Seepage	1.00
Hatboro	5	Not Rated		Not Rated	
16A:					
Delanco	80	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	1.00	Seepage	0.50
		Flooding	0.40	Flooding	0.40
Hatboro	5	Not Rated		Not Rated	
17A:					
Dulles	80	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to soft bedrock	0.93
		Depth to bedrock	0.98		
Albano	5	Not Rated		Not Rated	
18C:					
Dumfries	75	Somewhat limited		Very limited	
		Slope	0.37	Slope	1.00
				Seepage	1.00

18D:

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
18D:					
Dumfries	75	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
18E:					
Dumfries	75	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
19B:					
Elioak	80	Somewhat limited Restricted permeability	0.73	Somewhat limited Slope Seepage	0.68 0.50
Baile	3	Not Rated		Not Rated	
19C:					
Elioak	80	Somewhat limited Restricted permeability Slope	0.73 0.37	Very limited Slope Seepage	1.00 0.50
Baile	3	Not Rated		Not Rated	
20B:					
Elsinboro	80	Somewhat limited Restricted permeability Flooding	0.50 0.40	Very limited Seepage Slope Flooding	1.00 0.68 0.40
Hatboro	3	Not Rated		Not Rated	
21B:					
Fairfax	80	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
21C:					
Fairfax	80	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
22A:					
Featherstone	80	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
22A: Ponded soils	5	Not Rated		Not Rated	
23C: Gaila	80	Somewhat limited Slope	0.37	Very limited Slope Seepage	1.00 1.00
23D: Gaila	80	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
23E: Gaila	80	Very limited Slope	1.00	Very limited Slope Seepage	1.00 1.00
24B: Glenelg	45	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
Buckhall	35	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
24C: Glenelg	45	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
Buckhall	35	Somewhat limited Restricted permeability Slope	0.50 0.37	Very limited Slope Seepage	1.00 0.50
24D: Glenelg	45	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Buckhall	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
25A:					

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
25A:					
Glenville	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	0.50
Baile	3	Not Rated		Not Rated	
26A:					
Hatboro	70	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
27A:					
Hatboro	45	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
Codorus	35	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Filtering capacity	1.00	Seepage	1.00
28B:					
Haymarket	80	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
				Seepage	0.50
28C:					
Haymarket	80	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37	Seepage	0.50
29B:					
Hoadly	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.50	Slope	0.68

30B:

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
30B:					
Jackland	80	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.68
				Seepage	0.50
31B:					
Jackland	50	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.68
				Seepage	0.50
Haymarket	30	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
				Seepage	0.50
31C:					
Jackland	50	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	0.50
		Slope	0.37		
Haymarket	30	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37	Seepage	0.50
32A:					
Kelly	80	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to soft bedrock	0.99
		Depth to bedrock	1.00	Depth to hard bedrock	0.84
33B:					
Legore	50	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.68
Oakhill	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.84
				Slope	0.68
33C:					

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
33C:					
Legore	50	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
Oakhill	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Depth to hard bedrock	0.84
33D:					
Legore	50	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
Oakhill	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.84
34B:					
Lunt	80	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50	Slope	0.68
34C:					
Lunt	80	Very limited		Very limited	
		Filtering capacity	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
		Slope	0.37		
34D:					
Lunt	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Filtering capacity	1.00	Seepage	1.00
		Restricted permeability	0.50		
35B:					
Manassas	85	Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to bedrock	0.83	Seepage	1.00
		Flooding	0.40	Slope	0.68

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
35B: Albano	3	Not Rated		Not Rated	
36D: Marr	80	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
36E: Marr	80	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
37A: Marumsco	85	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00		
38B: Meadowville	80	Very limited Depth to saturated zone	1.00	Very limited Seepage	1.00
				Depth to saturated zone	0.71
				Slope	0.08
Baile	3	Not Rated		Not Rated	
39B3: Minnieville	80	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope	0.68
				Seepage	0.50
39C3: Minnieville	80	Somewhat limited Restricted permeability	0.50	Very limited Slope	1.00
		Slope	0.37	Seepage	0.50
40B: Montalto	80	Very limited Restricted permeability	1.00	Somewhat limited Slope	0.68
		Depth to bedrock	0.17	Seepage	0.50
40C:					

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
40C:					
Montalto	80	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37	Seepage	0.50
		Depth to bedrock	0.17		
41B:					
Neabsco	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	1.00
41C:					
Neabsco	80	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Slope	1.00
		Slope	0.37	Depth to saturated zone	1.00
42B:					
Neabsco	45	Very limited		Very limited	
		Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	1.00
Quantico	35	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.68
43D:					
Nestoria	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
Albano	3	Not Rated		Not Rated	
43E:					
Nestoria	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
				Slope	1.00
44D:					

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
44D:					
Occoquan	80	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.64	Seepage	1.00
				Depth to soft bedrock	0.18
44E:					
Occoquan	80	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Depth to bedrock	0.64	Seepage	1.00
				Depth to soft bedrock	0.18
45C:					
Orenda	75	Very limited		Very limited	
		Restricted permeability	1.00	Slope	1.00
		Slope	0.37	Seepage	0.50
		Depth to bedrock	0.06		
46B:					
Panorama	75	Somewhat limited		Somewhat limited	
		Depth to bedrock	0.52	Slope	0.68
		Restricted permeability	0.50	Seepage	0.50
				Depth to soft bedrock	0.08
Albano	5	Not Rated		Not Rated	
46C:					
Panorama	75	Somewhat limited		Very limited	
		Depth to bedrock	0.52	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50
		Slope	0.37	Depth to soft bedrock	0.08
Albano	5	Not Rated		Not Rated	
47B:					
Quantico	75	Somewhat limited		Very limited	
		Restricted permeability	0.50	Seepage	1.00
				Slope	0.68
47C:					
Quantico	75	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	1.00
47D:					

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
47D:					
Quantico	75	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	1.00
48A:					
Reaville	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Seepage	0.21
Albano	3	Not Rated		Not Rated	
49A:					
Rowland	80	Very limited		Very limited	
		Flooding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.73	Seepage	1.00
50D:					
Spriggs	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.61
50E:					
Spriggs	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Depth to hard bedrock	0.61
51D:					
Stumptown	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Content of large stones	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
51E:					
Stumptown	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Slope	1.00	Depth to soft bedrock	1.00
		Content of large stones	1.00	Slope	1.00

52B:

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
52B:					
Sudley	50	Somewhat limited		Somewhat limited	
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
Oatlands	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Slope	0.68
				Seepage	0.50
Albano	3	Not Rated		Not Rated	
52C:					
Sudley	50	Somewhat limited		Very limited	
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
Oatlands	30	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to hard bedrock	1.00
		Restricted permeability	0.50	Slope	1.00
		Slope	0.37	Seepage	0.50
Albano	3	Not Rated		Not Rated	
53B:					
Sycoline	50	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.68
Kelly	30	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to soft bedrock	0.99
		Depth to bedrock	1.00	Depth to hard bedrock	0.84
53C:					
Sycoline	50	Very limited		Very limited	
		Restricted permeability	1.00	Depth to hard bedrock	1.00
		Depth to bedrock	1.00	Slope	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00

Table ENG-5. - Sanitary Facilities - Continued

Prince William County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Septic Tank Absorption Fields		Sewage Lagoons	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
53C:					
Kelly	30	Very limited		Very limited	
		Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to soft bedrock	0.99
		Depth to bedrock	1.00	Depth to hard bedrock	0.84
54B:					
Urban land	50	Not Rated		Not Rated	
Udorthents	40	Not Rated		Not Rated	
55D:					
Watt	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
55E:					
Watt	80	Very limited		Very limited	
		Depth to bedrock	1.00	Depth to soft bedrock	1.00
		Slope	1.00	Slope	1.00
				Seepage	1.00
56A:					
Waxpool	80	Very limited		Very limited	
		Restricted permeability	1.00	Seepage	1.00
		Depth to saturated zone	1.00		
NS:					
Not surveyed	100	Not Rated		Not Rated	
W:					
Water	100	Not Rated		Not Rated	