

Table A. - Acreage and Proportionate Extent of the Soils

Tazewell County, Virginia

Map Symbol	Soil Name	Acres	Percent
1A	Allegheny loam, 0 to 2 percent slopes	129	*
1B	Allegheny loam, 2 to 7 percent slopes	349	0.1
2C	Alticrest fine sandy loam, 7 to 15 percent slopes	209	*
2D	Alticrest fine sandy loam, 15 to 25 percent slopes	1,624	0.5
2E	Alticrest fine sandy loam, 25 to 40 percent slopes	8,618	2.7
3C	Berks-Weikert complex, 7 to 15 percent slopes	373	0.1
3D	Berks-Weikert complex, 15 to 35 percent slopes	3,616	1.1
3E	Berks-Weikert complex, 35 to 55 percent slopes	18,661	5.7
4E	Berks-Gilpin complex, 25 to 35 percent slopes	4,359	1.3
4F	Berks-Gilpin complex, 35 to 70 percent slopes	9,663	3.0
5D	Bland-Rock outcrop complex, 15 to 25 percent slopes	419	0.1
5E	Bland-Rock outcrop complex, 25 to 50 percent slopes	4,673	1.4
6B	Bland silty clay loam, 2 to 7 percent slopes	112	*
6C	Bland silty clay loam, 7 to 15 percent slopes	340	0.1
6D	Bland silty clay loam, 15 to 25 percent slopes	475	0.1
7C	Botetourt loam, 7 to 15 percent slopes	4	*
8D	Brushy gravelly loam, 15 to 25 percent slopes	310	*
8E	Brushy gravelly loam, 25 to 60 percent slopes	1,722	0.5
9D	Calvin channery silt loam, 15 to 35 percent slopes	951	0.3
9E	Calvin channery silt loam, 35 to 55 percent slopes	5,235	1.6
10D	Calvin channery silt loam, 15 to 35 percent slopes, very stony	654	0.2
10E	Calvin channery silt loam, 35 to 55 percent slopes, very stony	4,197	1.3
11C	Carbo silt loam, 7 to 15 percent slopes	236	*
11D	Carbo silt loam, 15 to 25 percent slopes	188	*
11E	Carbo silt loam, 25 to 35 percent slopes	132	*
11F	Carbo silt loam, 35 to 65 percent slopes	650	0.2
12D	Carbo-Rock outcrop complex, 7 to 25 percent slopes	3,883	1.2
12E	Carbo-Rock outcrop complex, 25 to 65 percent slopes	18,454	5.7
13E	Carbo-Rock outcrop complex, karst, 7 to 65 percent slopes	7,852	2.4
14C	Cedarcreek-Alticrest-Rock outcrop complex, 5 to 15 percent slopes, very stony	98	*
14E	Cedarcreek-Alticrest-Rock outcrop complex, 15 to 40 percent slopes, very stony	1,508	0.5
15C	Cedarcreek-Rock outcrop complex, 0 to 15 percent slopes, very stony	715	0.2
15D	Cedarcreek-Rock outcrop complex, 15 to 35 percent slopes, very stony	124	*
15E	Cedarcreek-Rock outcrop complex, 35 to 80 percent slopes, very stony	885	0.3
16D	Chiswell-Litz complex, 15 to 25 percent slopes	340	0.1
16E	Chiswell-Litz complex, 25 to 35 percent slopes	1,007	0.3
16F	Chiswell-Litz complex, 35 to 60 percent slopes	1,184	0.4
17B	Coursey loam, 2 to 7 percent slopes	333	0.1
18B	Craigsville very gravelly sandy loam, 0 to 5 percent slopes, frequently flooded	2,515	0.8
19D	Drypond-Rock outcrop complex, 15 to 35 percent slopes, extremely stony	188	*
19E	Drypond-Rock outcrop complex, 35 to 80 percent slopes, extremely stony	37	*
20B	Frederick silt loam, 2 to 7 percent slopes	691	0.2
20C	Frederick silt loam, 7 to 15 percent slopes	2,389	0.7
20D	Frederick silt loam, 15 to 25 percent slopes	2,868	0.9
20E	Frederick silt loam, 25 to 35 percent slopes	1,362	0.4
20F	Frederick silt loam, 35 to 60 percent slopes	594	0.2
21B	Frederick gravelly silt loam, 2 to 7 percent slopes	665	0.2
21C	Frederick gravelly silt loam, 7 to 15 percent slopes	4,044	1.2
21D	Frederick gravelly silt loam, 15 to 25 percent slopes	10,786	3.3
21E	Frederick gravelly silt loam, 25 to 35 percent slopes	9,894	3.0

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Tazewell County, Virginia

Map Symbol	Soil Name	Acres	Percent
21F	Frederick gravelly silt loam, 35 to 60 percent slopes	3,325	1.0
22B	Frederick silt loam, karst, 2 to 7 percent slopes	592	0.2
22C	Frederick silt loam, karst, 7 to 15 percent slopes	4,460	1.4
22D	Frederick silt loam, karst, 15 to 25 percent slopes	4,534	1.4
22E	Frederick silt loam, karst, 25 to 35 percent slopes	407	0.1
23C	Gilpin-Berks complex, 7 to 15 percent slopes	675	0.2
23D	Gilpin-Berks complex, 15 to 25 percent slopes	1,749	0.5
24C	Grimsley fine sandy loam, 8 to 15 percent slopes, very stony	30	*
24D	Grimsley fine sandy loam, 15 to 35 percent slopes, very stony	2,157	0.7
24E	Grimsley fine sandy loam, 35 to 70 percent slopes, very stony	13,559	4.2
25D	Grimsley-Cedarcreek-Berks complex, 8 to 35 percent slopes	120	*
25E	Grimsley-Cedarcreek-Berks complex, 35 to 70 percent slopes	3,870	1.2
26B	Groseclose silt loam, 2 to 7 percent slopes	67	*
26C	Groseclose silt loam, 7 to 15 percent slopes	80	*
26D	Groseclose silt loam, 15 to 25 percent slopes	223	*
26E	Groseclose silt loam, 25 to 35 percent slopes	127	*
27B	Guernsey silt loam, 2 to 7 percent slopes	2,545	0.8
27C	Guernsey silt loam, 7 to 15 percent slopes	398	0.1
28C	Lily fine sandy loam, 7 to 15 percent slopes	1,299	0.4
28D	Lily fine sandy loam, 15 to 25 percent slopes	2,502	0.8
28E	Lily fine sandy loam, 25 to 35 percent slopes	4,100	1.3
28F	Lily fine sandy loam, 35 to 65 percent slopes	10,375	3.2
29D	Lily sandy loam, 15 to 35 percent slopes, very stony	2,156	0.7
29E	Lily sandy loam, 35 to 65 percent slopes, very stony	4,844	1.5
30C	Madsheep channery silt loam, 7 to 15 percent slopes	11	*
30D	Madsheep channery silt loam, 15 to 35 percent slopes	70	*
31E	Madsheep channery silt loam, 35 to 55 percent slopes, very stony	763	0.2
32A	Melvin silt loam, 0 to 2 percent slopes, frequently flooded	1,980	0.6
33	Mine tipples, Dumps, and Tailings	222	*
34B	Murrill silt loam, 2 to 7 percent slopes	703	0.2
34C	Murrill silt loam, 7 to 15 percent slopes	1,516	0.5
34D	Murrill silt loam, 15 to 25 percent slopes	619	0.2
35A	Newark-Lindside complex, 0 to 3 percent slopes, occasionally flooded	3,454	1.1
36F	Newbern-Rock outcrop complex, 25 to 70 percent slopes	909	0.3
37C	Oriskany gravelly sandy loam, 7 to 15 percent slopes	2,863	0.9
37D	Oriskany gravelly sandy loam, 15 to 25 percent slopes	1,664	0.5
38C	Oriskany gravelly sandy loam, 7 to 15 percent slopes, very stony	3,301	1.0
38D	Oriskany gravelly sandy loam, 15 to 35 percent slopes, very stony	29,213	9.0
38E	Oriskany gravelly sandy loam, 35 to 60 percent slopes, very stony	20,434	6.3
39D	Paddyknob-Rock outcrop complex, 15 to 35 percent slopes, extremely stony	158	*
39E	Paddyknob-Rock outcrop complex, 35 to 80 percent slopes, extremely stony	269	*
40D	Paddyknob gravelly loam, 15 to 35 percent slopes, very stony	464	0.1
40E	Paddyknob gravelly loam, 35 to 55 percent slopes, very stony	180	*
41A	Philo fine sandy loam, 0 to 3 percent slopes, frequently flooded	1,316	0.4
42B	Pisgah silt loam, 2 to 7 percent slopes	819	0.3
42C	Pisgah silt loam, 7 to 15 percent slopes	150	*
43B	Pisgah silt loam, karst, 2 to 7 percent slopes	968	0.3
43C	Pisgah silt loam, karst, 7 to 15 percent slopes	118	*
44	Pits, quarry	212	*
45A	Pope fine sandy loam, 0 to 2 percent slopes, rarely flooded	1,231	0.4

* See footnote at end of table.

Table A. - Acreage and Proportionate Extent of the Soils - Continued

Tazewell County, Virginia

Map Symbol	Soil Name	Acres	Percent
46C	Poplimento-Westmoreland complex, 7 to 15 percent slopes	1,241	0.4
46D	Poplimento-Westmoreland complex, 15 to 25 percent slopes	2,812	0.9
47A	Purdy silt loam, 0 to 2 percent slopes	362	0.1
48B	Timberville silt loam, 2 to 7 percent slopes, frequently flooded	938	0.3
49C	Tumbling loam, 7 to 15 percent slopes, very stony	9	*
49D	Tumbling loam, 15 to 25 percent slopes, very stony	4	*
50	Udorthents-Urban land complex, 0 to 25 percent slopes	3,444	1.1
51D	Wallen-Rock outcrop complex, 15 to 35 percent slopes, extremely stony	869	0.3
51E	Wallen-Rock outcrop complex, 35 to 80 percent slopes, extremely stony	5,148	1.6
52C	Wallen channery sandy loam, 7 to 15 percent slopes, very stony	326	0.1
52D	Wallen channery sandy loam, 15 to 35 percent slopes, very stony	2,170	0.7
52E	Wallen channery sandy loam, 35 to 65 percent slopes, very stony	1,945	0.6
53E	Westmoreland-Poplimento-Berks complex, 25 to 35 percent	7,091	2.2
53F	Westmoreland-Poplimento-Berks complex, 35 to 65 percent slopes	19,731	6.1
54A	Wolfgap clay loam, 0 to 2 percent slopes, occasionally flooded	2	*
W	Water	893	0.3
Total		325,101	100.0

* Less than 0.1 percent.