

Table N.--Highly Erodible Land (HEL) List

Map symbol	Soil name	HEL
BbA	Birkbeck silt loam, 0 to 2 percent slopes	Not highly erodible land
Bn	Bonpas silt loam	Not highly erodible land
Bo	Bonpas silty clay loam	Not highly erodible land
BrA	Brookston silt loam, 0 to 2 percent slopes	Not highly erodible land
BsA	Brookston silty clay loam, 0 to 2 percent slopes	Not highly erodible land
CaE2	Casco, Rodman, and Fox soils, 18 to 25 percent slopes, moderately eroded	Highly erodible land
CaF2	Casco, Rodman, and Fox soils, 25 to 50 percent slopes, moderately eroded	Highly erodible land
CaF3	Casco, Rodman, and Fox soils, 25 to 50 percent slopes, severely eroded	Highly erodible land
CbB	Celina bouldery silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CeA	Celina silt loam, 0 to 2 percent slopes	Not highly erodible land
CeB	Celina silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CeB2	Celina silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
CmC2	Celina-Miami silt loams, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
CnE2	Channahon and Fairmount soils, 18 to 25 percent slopes, moderately eroded	Highly erodible land
CoA	Corwin silt loam, 0 to 2 percent slopes	Not highly erodible land
CoB	Corwin silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Cr	Crane silt loam	Not highly erodible land
CsA	Crosby bouldery silt loam, 0 to 2 percent slopes	Not highly erodible land
CsB	Crosby bouldery silt loam, 2 to 6 percent slopes	Potentially highly erodible land
CtA	Crosby silt loam, 0 to 2 percent slopes	Not highly erodible land
CyB	Crosby-Celina silt loams, 2 to 6 percent slopes	Potentially highly erodible land
DaA	Dana silt loam, 0 to 2 percent slopes	Not highly erodible land
DaB	Dana silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FaF2	Fairmount soils, 25 to 50 percent slopes, moderately eroded	Highly erodible land
FcA	Fincastle silt loam, 0 to 2 percent slopes	Not highly erodible land
FcB	Fincastle silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FgA	Fox gravelly loam, 0 to 2 percent slopes	Not highly erodible land
FgB	Fox gravelly loam, 2 to 6 percent slopes	Potentially highly erodible land
FgB2	Fox gravelly loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
FgC2	Fox gravelly loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
FlA	Fox loam, 0 to 2 percent slopes	Not highly erodible land
FlB	Fox loam, 2 to 6 percent slopes	Potentially highly erodible land
FlB2	Fox loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
FlC2	Fox loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
FmA	Fox silt loam, 0 to 2 percent slopes	Not highly erodible land

FmB	Fox silt loam, 2 to 6 percent slopes	Potentially highly erodible land
FmB2	Fox silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
FmC2	Fox silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
FmD2	Fox silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
FsC3	Fox soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
FsD3	Fox soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
La	Landes gravelly sandy loam	Not highly erodible land
Ld	Landes sandy loam	Not highly erodible land
Lg	Landes sandy loam, gravelly subsoil variant	Not highly erodible land
LsB	Lewisburg silt loam, 2 to 6 percent slopes	Potentially highly erodible land
LsB2	Lewisburg silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
LtC3	Lewisburg soils, 6 to 12 percent slopes, severely eroded	Highly erodible land
Md	Medway silt loam	Not highly erodible land
MeC2	Miami bouldery silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MlC	Miami silt loam, 6 to 12 percent slopes	Potentially highly erodible land
MlC2	Miami silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
MlD	Miami silt loam, 12 to 18 percent slopes	Highly erodible land
MlD2	Miami silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
MmC3	Miami soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
MmD3	Miami soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
MnB	Miami-Celina bouldery silt loams, 2 to 6 percent slopes	Potentially highly erodible land
MnB2	Miami-Celina bouldery silt loams, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MoB	Miami-Celina silt loams, 2 to 6 percent slopes	Potentially highly erodible land
MoB2	Miami-Celina silt loams, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
MpB3	Miami-Celina soils, 2 to 6 percent slopes, severely eroded	Potentially highly erodible land
MrE2	Miami, Fox, and Hennepin soils, 18 to 25 percent slopes, moderately eroded	Highly erodible land
MrE3	Miami, Fox, and Hennepin soils, 18 to 25 percent slopes, severely eroded	Highly erodible land
MrF2	Miami, Fox, and Hennepin soils, 25 to 50 percent slopes, moderately eroded	Highly erodible land
MrF3	Miami, Fox, and Hennepin soils, 25 to 50 percent slopes, severely eroded	Highly erodible land
MsA	Millsdale silt loam, 0 to 3 percent slopes	Potentially highly erodible land
MtA	Millsdale silty clay loam, 0 to 3 percent slopes	Potentially highly erodible land
MuA	Milton silt loam, 0 to 2 percent slopes	Potentially highly erodible land
MuB	Milton silt loam, 2 to 6 percent slopes	Potentially highly erodible land
MuB2	Milton silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land

MuC2	Milton silt loam, 6 to 12 percent slopes, moderately eroded	Highly erodible land
MuC3	Milton soils, 6 to 12 percent slopes, severely eroded	Highly erodible land
OcA	Ockley silt loam, 0 to 2 percent slopes	Not highly erodible land
OcB	Ockley silt loam, 2 to 6 percent slopes	Potentially highly erodible land
OkA	Ockley and Kendallville silt loams, 0 to 2 percent slopes	Not highly erodible land
OkB	Ockley and Kendallville silt loams, 2 to 6 percent slopes	Potentially highly erodible land
OkB2	Ockley and Kendallville silt loams, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
OkC2	Ockley and Kendallville silt loams, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
OkD2	Ockley and Kendallville silt loams, 12 to 18 percent slopes, moderately eroded	Highly erodible land
OlC3	Ockley and Kendallville soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
Old3	Ockley and Kendallville soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
OsB	Odell silt loam, 2 to 6 percent slopes	Potentially highly erodible land
PlB	Plattville silt loam, 2 to 6 percent slopes	Potentially highly erodible land
PyA	Pyrmont silt loam, 0 to 2 percent slopes	Potentially highly erodible land
PyB	Pyrmont silt loam, 2 to 6 percent slopes	Potentially highly erodible land
Ra	Ragsdale silt loam	Not highly erodible land
RcA	Randolph silt loam, 0 to 2 percent slopes	Potentially highly erodible land
RcB	Randolph silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RdA	Raub and Dana silt loams, 0 to 2 percent slopes	Not highly erodible land
ReA	Reesville silt loam, 0 to 2 percent slopes	Not highly erodible land
RhB2	Ritchey and Channahon silt loams, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RhC2	Ritchey and Channahon silt loams, 6 to 12 percent slopes, moderately eroded	Highly erodible land
RhD2	Ritchey and Channahon silt loams, 12 to 18 percent slopes, moderately eroded	Highly erodible land
RnC3	Ritchey and Channahon soils, 6 to 12 percent slopes, severely eroded	Highly erodible land
RnD3	Ritchey and Channahon soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
Rs	Ross loam	Not highly erodible land
RuA	Russell silt loam, 0 to 2 percent slopes	Not highly erodible land
RuB	Russell silt loam, 2 to 6 percent slopes	Potentially highly erodible land
RuB2	Russell silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
RuC2	Russell silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
RuD2	Russell silt loam, 12 to 18 percent slopes, moderately eroded	Highly erodible land
RvC3	Russell soils, 6 to 12 percent slopes, severely eroded	Potentially highly erodible land
RvD3	Russell soils, 12 to 18 percent slopes, severely eroded	Highly erodible land
Sh	Shoals silt loam	Not highly erodible land
SlA	Sleeth silt loam, 0 to 2 percent slopes	Not highly erodible land
So	Sloan silt loam	Not highly erodible land
ThA	Thackery silt loam, 0 to 2 percent slopes	Not highly erodible land
ThB	Thackery silt loam, 2 to 6 percent slopes	Potentially highly erodible land

TpA	Tippecanoe silt loam, 0 to 2 percent slopes	erodible land
TpB	Tippecanoe silt loam, 2 to 6 percent slopes	Not highly erodible land
		Potentially highly erodible land
WaA	Warsaw silt loam, 0 to 2 percent slopes	erodible land
WeA	Wea silt loam, 0 to 2 percent slopes	Not highly erodible land
Wn	Westland silt loam	Not highly erodible land
Ws	Westland silty clay loam	Not highly erodible land
WyB	Wynn silt loam, 2 to 6 percent slopes	Potentially highly erodible land
WyB2	Wynn silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land
WyC2	Wynn silt loam, 6 to 12 percent slopes, moderately eroded	Potentially highly erodible land
XeA	Xenia silt loam, 0 to 2 percent slopes	Not highly erodible land
XeB	Xenia silt loam, 2 to 6 percent slopes	Potentially highly erodible land
XeB2	Xenia silt loam, 2 to 6 percent slopes, moderately eroded	Potentially highly erodible land