

SOIL SURVEY LEGEND FOR FRANKLIN COUNTY AREA AND PART OF SOMERSET COUNTY,  
MAINE

This legend is a listing of all soil map units mapped in the county. In the left hand column are the soil symbols as they appear in the soil survey report. The first two letters of the symbol identify the kind of soil in a delineation. The last letter in the symbol indicates the slope of the map unit. The soil map unit name is given for each map symbol. A detailed description for each soil map unit is given in the county Soil Survey Report. (**\*Indicates that these map units were added to the digital soil data set (SSURGO) for joining purposes. For a description of these map units see the Oxford County Soil Survey Report.**)

<u>Publication Symbol</u>	<u>Map Unit Name</u>
AdB	Adams loamy sand, 0 to 8 percent slopes
AdC	Adams loamy sand, 8 to 15 percent slopes
AdD	Adams loamy sand, 15 to 25 percent slopes
AED	Adams-colton association, steep
AFC	Adams-croghan association, strongly sloping
AgA	Allagash fine sandy loam, 0 to 3 percent slopes
AgB	Allagash fine sandy loam, 3 to 8 percent slopes
AgC	Allagash fine sandy loam, 8 to 15 percent slopes
BeB	Berkshire fine sandy loam, 3 to 8 percent slopes
BeC	Berkshire fine sandy loam, 8 to 15 percent slopes
BkC	Berkshire fine sandy loam, 8 to 15 percent slopes, very stony
BkD	Berkshire fine sandy loam, 15 to 25 percent slopes, very stony
BoB	Boothbay silt loam, 3 to 8 percent slopes
BoC	Boothbay silt loam, 8 to 15 percent slopes
BpB	Brayton fine sandy loam, 0 to 8 percent slopes
BrB	Brayton fine sandy loam, 0 to 8 percent slopes, very stony
BrC	Brayton fine sandy loam, 8 to 15 percent slopes, very stony
BSB	Brayton-colonel association, gently sloping, very stony
BTB	Brayton-peacham-markey association, gently sloping, very stony
BW	Bucksport and markey soils
Ca	Charles silt loam
CG	Charles-medomak-cornish association
ChB	Chesuncook silt loam, 3 to 8 percent slopes
ChC	Chesuncook silt loam, 8 to 15 percent slopes
ChD	Chesuncook silt loam, 15 to 25 percent slopes
CkB	Chesuncook silt loam, 3 to 8 percent slopes, very stony
CkC	Chesuncook silt loam, 8 to 15 percent slopes, very stony
CkD	Chesuncook silt loam, 15 to 25 percent slopes, very stony
CLD	Chesuncook-telos association, moderately steep, very stony
CnB	Colonel fine sandy loam, 3 to 8 percent slopes
CnC	Colonel fine sandy loam, 8 to 15 percent slopes
CoB	Colonel fine sandy loam, 3 to 8 percent slopes, very stony
CoC	Colonel fine sandy loam, 8 to 15 percent slopes, very stony
CPC	Colonel-dixfield association, strongly sloping, very stony
CsB	Colton gravelly fine sandy loam, 0 to 8 percent slopes
CsC	Colton gravelly fine sandy loam, 8 to 15 percent slopes
CsD	Colton gravelly fine sandy loam, 15 to 45 percent slopes
CTC	Colton-sheepscot association, rolling
CuB	Croghan loamy sand, 0 to 8 percent slopes
DfB	Dixfield fine sandy loam, 3 to 8 percent slopes

<u>Publication Symbol</u>	<u>Map Unit Name</u>
DfC	Dixfield fine sandy loam, 8 to 15 percent slopes
DfD	Dixfield fine sandy loam, 15 to 25 percent slopes
DgB	Dixfield fine sandy loam, 3 to 8 percent slopes, very stony
DgC	Dixfield fine sandy loam, 8 to 15 percent slopes, very stony
DgD	Dixfield fine sandy loam, 15 to 25 percent slopes, very stony
DMC	Dixfield-marlow association, strongly sloping, very stony
DTC *	Dixfield-colonel association, strongly sloping
DUD *	Dixfield-colonel association, moderately steep, very stony
ECC	Elliottsville-chesuncook-telos association, strongly sloping, very stony
EMC	Elliottsville-monson complex, rolling, very stony
EME	Elliottsville-monson complex, steep, very stony
EtB	Elliottsville-thorndike complex, 3 to 8 percent slopes
EtC	Elliottsville-thorndike complex, 8 to 15 percent slopes
EtD	Elliottsville-thorndike complex, 15 to 25 percent slopes
Fr	Fryeburg silt loam
HeC	Hermon fine sandy loam, 3 to 15 percent slopes, very stony
HeD	Hermon fine sandy loam, 15 to 25 percent slopes, very stony
HMC	Hermon-monadnock association, rolling, very stony
HME	Hermon-monadnock association, steep, very stony
Lc	Lovewell-cornish complex, occasionally flooded
Ld	Lovewell-cornish complex, frequently flooded
LmE	Lyman-rock outcrop-tunbridge complex, 15 to 45 percent slopes, very stony
LNC	Lyman-tunbridge-abram complex, rolling, very stony
LNE	Lyman-tunbridge-abram complex, steep, very stony
LyC	Lyman-tunbridge-rock outcrop complex, 3 to 15 percent slopes, very stony
MaB	Madawaska fine sandy loam, 0 to 8 percent slopes
MDB	Madawaska-allagash association, gently sloping
MeB	Marlow fine sandy loam, 3 to 8 percent slopes
MeC	Marlow fine sandy loam, 8 to 15 percent slopes
MeD	Marlow fine sandy loam, 15 to 25 percent slopes
MfB	Marlow fine sandy loam, 3 to 8 percent slopes, very stony
MfC	Marlow fine sandy loam, 8 to 15 percent slopes, very stony
MfD	Marlow fine sandy loam, 15 to 25 percent slopes, very stony
MGD	Marlow-dixfield association, moderately steep, very stony
MhB	Masardis fine sandy loam, 0 to 8 percent slopes
MhC	Masardis fine sandy loam, 8 to 15 percent slopes
MhD	Masardis fine sandy loam, 15 to 45 percent slopes
MKE	Masardis-adams association, steep
MLC	Masardis-sheepscot association, strongly sloping
Mm	Medomak silt loam
MNC	Monadnock-berkshire complex, rolling, very stony
MNE	Monadnock-berkshire complex, steep, very stony
MrB	Monarda silt loam, 0 to 8 percent slopes
MsB	Monarda extremely flaggy silt loam, 0 to 8 percent slopes, very stony
MTB	Monarda-burnham-bucksport association, gently sloping, very stony
MUB	Monarda-telos association, gently sloping, very stony
MVC	Monson-elliottsville-telos complex, rolling, very stony
Nb	Naumburg loamy sand
NS	Naumburg-searsport association
NvB	Nicholville silt loam, 3 to 8 percent slopes
NvC	Nicholville silt loam, 8 to 15 percent slopes
PeB	Peacham-brayton complex, 0 to 8 percent slopes, very stony

<u>Publication Symbol</u>	<u>Map Unit Name</u>
Pr	Pits, quarry
Ps	Pits, sand and gravel
RRE	Ricker-rock outcrop complex, very steep
RSE	Ricker-saddleback association, very steep
RYE	Rock outcrop-abram-lyman complex, very steep, very stony
SAE	Saddleback-mahoosuc-sisk association, very steep, very stony
SKD	Sisk-surplus association, moderately steep, very stony
Sn	Sunday loamy fine sand
SRC	Surplus-bemis association, strongly sloping, very stony
SSC	Surplus-saddleback-ricker association, strongly sloping, very stony
SVC	Surplus-sisk association, strongly sloping, very stony
Sw	Swanville silt loam
SYB	Swanville-boothbay association, gently sloping
TeB	Telos silt loam, 3 to 8 percent slopes
TeC	Telos silt loam, 8 to 15 percent slopes
TfB	Telos silt loam, 3 to 8 percent slopes, very stony
TfC	Telos silt loam, 8 to 15 percent slopes, very stony
THC	Telos-chesuncook association, strongly sloping, very stony
TLB	Telos-monarda association, gently sloping, rubbly
TMB	Telos-monarda-monson association, undulating, very stony
TOC	Thorndike-elliottsville complex, rolling, very stony
TOE	Thorndike-elliottsville complex, steep, very stony
TRC	Tunbridge-berkshire-dixfield association, rolling, very stony
TuB	Tunbridge-lyman complex, 3 to 8 percent slopes
TuC	Tunbridge-lyman complex, 8 to 15 percent slopes
Ud	Udorthents-urban land complex
W	Water