

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
AddB2: Avonburg-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BbhA: Bartle-----	83	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BcrAQ: Beanblossom-----	90	Not limited		Not limited		Not limited	
BcrAW: Beanblossom-----	89	Not limited		Not limited		Somewhat limited Flooding	0.60
BdoA: Bedford-----	90	Not limited		Not limited		Somewhat limited Depth to cemented pan Depth to saturated zone	0.46 0.19
BdoB: Bedford-----	90	Not limited		Not limited		Somewhat limited Depth to cemented pan Depth to saturated zone	0.90 0.19
BfbC2: Blocher, Soft Bedrock Substratum	46	Not limited		Not limited		Somewhat limited Slope	0.04
Weddel-----	30	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Slope	0.75 0.04
BfcC3: Blocher, Soft Bedrock Substratum	49	Not limited		Not limited		Somewhat limited Slope	0.04
Weddel-----	32	Very limited		Very limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone Slope	1.00 0.04
BnyD3: Bonnell-----	74	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
BobE5: Bonnell, gullied----	45	Somewhat limited		Not limited		Very limited	

		Slope	0.92			Slope	1.00
Hickory, gullied----	30	Somewhat limited Slope	0.92	Not limited		Very limited Slope	1.00
BodAW: Bonnie-----	73	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
BvoG: Brownstown-----	39	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock Droughty	1.00 0.06 0.01
Gilwood-----	38	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope Depth to bedrock	1.00 0.29
CcaG: Caneyville-----	53	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock	1.00 0.20
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
CkkB2: Cincinnati-----	80	Not limited		Not limited		Somewhat limited Depth to cemented pan Depth to saturated zone	0.35 0.19
CldC2: Cincinnati-----	42	Not limited		Not limited		Somewhat limited Depth to cemented pan Depth to saturated zone Slope	0.90 0.19 0.04
Blocher-----	34	Not limited		Not limited		Somewhat limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to saturated zone Slope	0.19 0.04
CldC3: Cincinnati-----	42	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Depth to cemented pan Depth to saturated zone Droughty Slope	1.00 0.75 0.69 0.04
Blocher-----	34	Not limited		Not limited		Somewhat limited Slope	0.04
ClfA: Cobbsfork-----	75	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
ComC: Coolville-----	71	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.04
ConC3: Coolville-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.04

Rarden-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Depth to bedrock	1.00 0.04 0.03
ConD: Coolville-----	51	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 1.00
Rarden-----	30	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone Depth to bedrock	1.00 1.00 0.06
CspA: Crider-----	85	Not limited		Not limited		Not limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CspB2: Crider, eroded-----	85	Not limited		Not limited		Not limited	
CtrB2: Crider, karst-----	78	Not limited		Not limited		Not limited	
CtwB: Crider-----	39	Not limited		Not limited		Not limited	
Bedford-----	29	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to cemented pan Depth to saturated zone	0.90 0.75
Navilleton-----	28	Not limited		Not limited		Not limited	
CwaAQ: Cuba-----	92	Not limited		Not limited		Not limited	
CxgC3: Crider, severely eroded-----	46	Not limited		Not limited		Somewhat limited Slope	0.04
Haggatt, severely eroded-----	46	Not limited		Not limited		Somewhat limited Slope	0.04
CxhC2: Crider-----	56	Not limited		Not limited		Somewhat limited Slope	0.04
Haggatt-----	37	Not limited		Not limited		Somewhat limited Slope	0.04
CxmC2: Crider, karst-----	52	Not limited		Not limited		Somewhat limited Slope	0.04
Haggatt, karst-----	35	Not limited		Not limited		Somewhat limited Slope	0.04
CxnC3: Crider, karst, severely eroded----	44	Not limited		Not limited		Somewhat limited Slope	0.04
Haggatt, severely eroded-----	44	Not limited		Not limited		Somewhat limited Slope	0.04
DbrG: Deam-----	94	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope Depth to bedrock	1.00 0.06
DdsAW:							

Dearborn-----| 80 |Not limited | |Not limited | |Somewhat limited |
 Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Flooding	0.60
						Content of large stones	0.08
DfnA: Dubois-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
						Depth to cemented pan	0.01
DtvC2: Deputy-----	50	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
						Slope	0.04
Trappist-----	27	Not limited		Not limited		Somewhat limited Depth to bedrock	0.35
						Slope	0.04
EbpD2: Eden-----	82	Somewhat limited Slope	0.18	Not limited		Very limited Slope	1.00
						Droughty	0.76
						Depth to bedrock	0.42
						Content of large stones	0.16
EesA: Elkinsville-----	52	Not limited		Not limited		Not limited	
Millstone-----	43	Not limited		Not limited		Not limited	
EesB: Elkinsville-----	52	Not limited		Not limited		Not limited	
Millstone-----	43	Not limited		Not limited		Not limited	
EesC2: Elkinsville-----	44	Not limited		Not limited		Somewhat limited Slope	0.04
Millstone-----	43	Not limited		Not limited		Somewhat limited Slope	0.04
EesD2: Elkinsville-----	44	Not limited		Not limited		Very limited Slope	1.00
Millstone-----	44	Not limited		Not limited		Very limited Slope	1.00
EesFQ: Elkinsville-----	48	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
Millstone-----	47	Very limited		Somewhat limited		Very limited	

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
			1.00	Slope	0.14	Slope	1.00
EsaG: Eden-----	74	Very limited Slope	1.00	Somewhat limited Slope	0.92	Very limited Slope	1.00
						Depth to bedrock	0.42
						Content of large stones	0.16
GgbG:							

Gilwood-----	45	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope Depth to bedrock	1.00 0.29
Brownstown-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Depth to bedrock Droughty	1.00 0.06 0.01
GgfD: Gilwood-----	39	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.84 0.29
Wrays-----	38	Not limited		Not limited		Somewhat limited Slope	0.84
GgfE2: Gilwood-----	42	Somewhat limited Slope	0.50	Not limited		Very limited Slope Depth to bedrock	1.00 0.29
Wrays-----	36	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
GmaG: Gnawbone-----	48	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope Depth to bedrock	1.00 0.01
Kurtz-----	32	Very limited Slope	1.00	Somewhat limited Slope	0.78	Very limited Slope	1.00
GyaD2: Grayford-----	73	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
GyaD3: Grayford-----	78	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
GyaD5: Grayford, gullied---	65	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
GykD2: Grayford, karst-----	74	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GykD3: Grayford, karst-----	74	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
HcaA: Hatfield-----	85	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.94
HccB2: Haubstadt-----	84	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.29
HcdC2: Haubstadt-----	55	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.75 0.54 0.04
Shircliff-----	23	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Slope	0.75 0.37
HceC3: Haubstadt-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to cemented pan	1.00

						Depth to saturated zone	1.00
						Droughty Slope	0.11 0.04
Shircliff-----	23	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Slope	0.75 0.37
HcgAH: Haymond-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HcgAV: Haymond-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
HcgAW: Haymond-----	82	Not limited		Not limited		Somewhat limited Flooding	0.60
HerE: Hickory-----	45	Somewhat limited Slope	0.68	Not limited		Very limited Slope	1.00

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Bonnell-----	38	Somewhat limited Slope	0.01	Not limited		Very limited Slope	1.00
HtwD2: Haggatt-----	51	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
Caneyville-----	31	Somewhat limited Slope	0.32	Not limited		Very limited Slope Depth to bedrock	1.00 0.46
HtzD3: Haggatt, severely eroded-----	51	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
Caneyville, severely eroded-----	41	Somewhat limited Slope	0.32	Not limited		Very limited Slope Depth to bedrock Droughty	1.00 0.90 0.38
HufAK: Huntington-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
HuhD2: Haggatt, karst-----	46	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
Caneyville, karst---	31	Somewhat limited Slope	0.32	Not limited		Very limited Slope Depth to bedrock	1.00 0.46
HujD3: Haggatt, karst-----	46	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
Caneyville, karst---	39	Somewhat limited Slope	0.32	Not limited		Very limited Slope Depth to bedrock Droughty	1.00 0.46 0.38
JaeB2: Jennings-----	80	Not limited		Not limited		Somewhat limited Depth to cemented pan	0.71
JafC2: Jennings-----	45	Not limited		Not limited		Somewhat limited Depth to cemented pan Slope	0.71 0.04
Blocher, Hard Bedrock Substratum-	30	Not limited		Not limited		Somewhat limited	

Slope 0.04

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
JafC3: Jennings-----	45	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Depth to cemented pan Depth to saturated zone Droughty Slope	1.00 0.75 0.34 0.04
Blocher, Hard Bedrock Substratum-	30	Not limited		Not limited		Somewhat limited Slope	0.04
KxkC2: Knobcreek-----	37	Not limited		Not limited		Somewhat limited Slope	0.04
Navilleton-----	35	Not limited		Not limited		Somewhat limited Slope	0.04
KxlC3: Knobcreek-----	33	Not limited		Not limited		Somewhat limited Slope	0.04
Haggatt-----	26	Not limited		Not limited		Somewhat limited Slope	0.04
Caneyville-----	24	Not limited		Not limited		Somewhat limited Depth to bedrock Droughty Slope Content of large stones	0.90 0.47 0.04 0.01
KxlE3: Knobcreek-----	35	Somewhat limited Slope	0.18	Not limited		Very limited Slope	1.00
Haggatt-----	22	Somewhat limited Slope	0.18	Not limited		Very limited Slope	1.00
Caneyville-----	21	Somewhat limited Slope	0.18	Not limited		Very limited Slope Depth to bedrock Droughty Content of large stones	1.00 0.90 0.47 0.01
KxmE2: Knobcreek-----	33	Somewhat limited Slope	0.18	Not limited		Very limited Slope	1.00
Haggatt-----	22	Somewhat limited Slope	0.18	Not limited		Very limited Slope	1.00
Caneyville-----	20	Somewhat limited Slope	0.18	Not limited		Very limited Slope Depth to bedrock	1.00 0.06

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KxoC2: Knobcreek, karst----	29	Not limited		Not limited		Somewhat limited Slope	0.04
Navilleton, karst---	28	Not limited		Not limited		Not limited	
Haggatt, karst-----	27	Not limited		Not limited		Somewhat limited Slope	0.04

KxpD2: Knobcreek, karst----	35	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Haggatt, karst-----	31	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
Caneyville, karst---	30	Somewhat limited Slope	0.18	Not limited		Very limited Slope Depth to bedrock	1.00 0.06
LpoAK: Lindside-----	82	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Flooding	0.75 0.60
McgC2: Markland-----	74	Not limited		Not limited		Somewhat limited Slope	0.04
McngQ: Markland-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.68	Very limited Slope	1.00
McpC3: Markland-----	61	Not limited		Not limited		Somewhat limited Slope	0.04
McuDQ: Markland-----	70	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
MdqDQ: Markland-----	85	Somewhat limited Slope	0.08	Not limited		Very limited Slope	1.00
MhuA: Mcgary-----	93	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
MhyA: Medora-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan	0.64
MhyB2: Medora-----	88	Not limited		Not limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Depth to cemented pan	0.99
MhyC2: Medora-----	73	Not limited		Not limited		Very limited Depth to cemented pan Slope	0.99 0.04
MhyC3: Medora-----	75	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Very limited Depth to cemented pan Depth to saturated zone Droughty Slope	1.00 0.75 0.36 0.04
MsvA: Montgomery, drained-	82	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
NaaA: Nabb-----	85	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.10

NaaB2: Nabb-----	78	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.20
NbhAK: Newark-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
OfbAW: Oldenburg-----	85	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Flooding	0.75 0.60
PcrB2: Pekin-----	85	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
PcrC2: Pekin----- Table REC-2.--Recreation--Continued	72	Somewhat limited		Somewhat limited		Somewhat limited	

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Depth to saturated zone Slope	0.75 0.04
PcrC3: Pekin-----	71	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.04
PhaA: Peoga-----	83	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Pml: Pits, Quarry-----	85	Not rated		Not rated		Not rated	
Ppu: Pits, Sand And Gravel-----	80	Not rated		Not rated		Not rated	
Rbld3: Rarden-----	78	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone Depth to bedrock	1.00 1.00 0.29
Rbmd5: Rarden, gullied----	74	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone Too clayey Slope Depth to bedrock Droughty	1.00 1.00 0.84 0.80 0.53
RptG: Rohan-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock Slope Droughty Gravel content Content of large stones	1.00 1.00 1.00 0.27 0.01
Jessietown-----	36	Very limited Slope	1.00	Somewhat limited Slope	0.96	Very limited Slope	1.00

Depth to bedrock | 0.46

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RtcA: Ryker-----	95	Not limited		Not limited		Not limited	
RtcB2: Ryker-----	92	Not limited		Not limited		Not limited	
RzrB2: Ryker-----	80	Not limited		Not limited		Not limited	
RztC2: Ryker-----	43	Not limited		Not limited		Somewhat limited Slope	0.04
Grayford-----	25	Not limited		Not limited		Somewhat limited Slope	0.04
RztC3: Ryker-----	44	Not limited		Not limited		Somewhat limited Slope	0.04
Grayford-----	28	Not limited		Not limited		Somewhat limited Slope	0.04
RzvC2: Ryker, karst-----	41	Not limited		Not limited		Not limited	
Grayford, karst-----	26	Not limited		Not limited		Somewhat limited Slope	0.04
RzvC3: Ryker, karst-----	41	Not limited		Not limited		Not limited	
Grayford, karst-----	26	Not limited		Not limited		Not limited	
SceB2: Scottsburg-----	96	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
SfyB: Shircliff-----	75	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
SoaB: Spickert-----	95	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.35
SodB: Spickert, terrace---	90	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan	0.75 0.15

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SolC2: Spickert-----	44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Depth to cemented pan Slope	0.75 0.35 0.04
Wrays-----	32	Not limited		Not limited		Somewhat limited	

StaAQ:						Slope	0.04
Steff-----	86	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
StdAQ:							
Stendal-----	88	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
StdAW:							
Stendal-----	87	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
ThaC2:							
Trappist-----	84	Not limited		Not limited		Somewhat limited Depth to bedrock Slope	0.35 0.04
ThbC3:							
Trappist-----	75	Not limited		Not limited		Somewhat limited Depth to bedrock Slope Droughty	0.90 0.04 0.03
ThbD5:							
Trappist, gullied---	73	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Droughty	0.84 0.46 0.43
ThcD3:							
Trappist-----	44	Somewhat limited Slope	0.01	Not limited		Very limited Slope Depth to bedrock	1.00 0.71
Rohan-----	29	Somewhat limited Slope	0.32	Not limited		Very limited Depth to bedrock Droughty Slope Gravel content Content of large stones	1.00 1.00 1.00 0.39 0.01
ThdD:							
Trappist-----	49	Somewhat limited		Not limited		Very limited	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.08			Slope Depth to bedrock	1.00 0.10
Rohan-----	33	Somewhat limited Slope	0.32	Not limited		Very limited Depth to bedrock Droughty Slope	1.00 1.00 1.00
TsaC3:							
Trappist-----	46	Not limited		Not limited		Somewhat limited Depth to bedrock Slope Droughty	0.90 0.04 0.03
Deputy-----	23	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone Slope	0.75 0.04
Uaa:							
Udorthents, Cut And Filled-----	83	Not limited		Not limited		Not limited	
UaoAK:							
Udifluvents, Cut And Filled-----	65	Not limited		Not limited		Somewhat limited Flooding	0.60
Urban Land-----	25	Not rated		Not rated		Not rated	
UedA:							

Urban Land-----	60	Not rated		Not rated		Not rated	
Aquents, Clayey Substratum-----	25	Not limited		Not limited		Not limited	
UndAY: Urban Land-----	65	Not rated		Not rated		Not rated	
Udifluents-----	25	Not limited		Not limited		Not limited	
UngB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Fragipan Substratum-----	30	Not limited		Not limited		Somewhat limited Depth to cemented pan	0.90
UnkB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Silty Substratum-----	30	Not limited		Not limited		Not limited	
UnpA: Urban Land-----	45	Not rated		Not rated		Not rated	

Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Udarents, Loamy Substratum-----	30	Not limited		Not limited		Not limited	
UnsB: Urban Land, hills underlain with limestone-----	40	Not rated		Not rated		Not rated	
Udarents, Clayey Substratum, hills underlain with limestone-----	30	Not limited		Not limited		Not limited	
W: Water-----	100	Not rated		Not rated		Not rated	
WaaAV: Wakeland-----	83	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
WaaAW: Wakeland-----	82	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
WedB2: Weddel-----	95	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.44	Somewhat limited Depth to saturated zone	0.75
WhcD: Wellrock-----	50	Not limited		Not limited		Somewhat limited Slope	0.84
Gnawbone-----	41	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.84 0.01
WnmA: Whitcomb-----	87	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WokAV: Wilbur-----	78	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Very limited Flooding Depth to saturated zone	1.00 0.75

WokAW: | | | | | | | | |
 Wilbur-----| 83 |Somewhat limited | |Somewhat limited | |Somewhat limited | |
 Table REC-2.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.44	Depth to saturated zone	0.44	Depth to saturated zone	0.75
						Flooding	0.60
WprAW: Wirt-----	83	Not limited		Not limited		Somewhat limited Flooding	0.60