

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AddA: Avonburg-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.26	Very limited Depth to saturated zone Too clayey Depth to cemented pan	1.00 0.50 0.26
AddB2: Avonburg-----	75	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone Depth to cemented pan	1.00 0.96	Very limited Depth to saturated zone Depth to cemented pan Too clayey	1.00 0.96 0.50
BbhA: Bartle-----	83	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
BcrAQ: Beanblossom-----	90	Very limited Depth to saturated zone Depth to bedrock Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Seepage Flooding Depth to bedrock	1.00 1.00 0.40 0.13	Very limited Seepage Gravel content Depth to bedrock Depth to saturated zone	1.00 0.80 0.13 0.01
BcrAW: Beanblossom-----	89	Very limited Flooding Depth to saturated zone Depth to bedrock	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage Depth to bedrock	1.00 1.00 1.00 0.13	Very limited Seepage Gravel content Depth to bedrock Depth to saturated zone	1.00 0.80 0.13 0.01
BdoA: Bedford-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.75	Very limited Depth to cemented pan Hard to compact Depth to saturated zone Too clayey	1.00 1.00 0.86 0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BdoB: Bedford-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.75	Very limited Depth to cemented pan Hard to compact Depth to saturated zone Too clayey	1.00 1.00 0.86 0.50
BfbC2: Blocher, Soft							

Bedrock Substratum-	46	Very limited Depth to bedrock	1.00	Somewhat limited Depth to saturated zone	0.19	Very limited Too clayey	1.00
		Too clayey Depth to saturated zone	1.00 0.86	Slope	0.04	Hard to compact Depth to saturated zone	1.00 0.47
		Slope	0.04			Slope	0.04
Weddel-----	30	Very limited Depth to bedrock	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too clayey	1.00 0.50	Slope	0.04	Too clayey Slope	0.50 0.04
		Slope	0.04				
BfcC3: Blocher, Soft Bedrock Substratum-	49	Very limited Depth to bedrock	1.00	Somewhat limited Depth to saturated zone	0.19	Very limited Too clayey	1.00
		Too clayey Depth to saturated zone	1.00 0.86	Slope	0.04	Hard to compact Depth to saturated zone	1.00 0.47
		Slope	0.04			Slope	0.04
Weddel-----	32	Very limited Depth to bedrock	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Slope	1.00 0.04	Slope	0.04	Slope	0.04
BnyD3: Bonnell-----	74	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	1.00			Too clayey	1.00
BobE5: Bonnell, gullied----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Hickory, gullied----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Too clayey	0.50			Too clayey	0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BodAW: Bonnie-----	73	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00		
BvoG: Brownstown-----	39	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Content of large stones	0.18	Depth to bedrock	1.00	Seepage	0.52
						Content of large stones	0.18
						Gravel content	0.01
Gilwood-----	38	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.14
CcaG: Caneyville-----	53	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
						Hard to compact	1.00
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
CkkB2: Cincinnati-----	80	Very limited		Very limited		Very limited	

CldC2: Cincinnati-----	42	Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
				Depth to saturated zone	0.75	Depth to saturated zone	0.86
Blocher-----	34	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Slope	0.04	Depth to saturated zone	0.75	Depth to saturated zone	0.86
				Slope	0.04	Slope	0.04
Blocher-----	34	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Depth to saturated zone	0.75	Too clayey	1.00
		Depth to saturated zone	1.00	Slope	0.04	Depth to saturated zone	0.86
		Slope	0.04			Slope	0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CldC3: Cincinnati-----	42	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
Blocher-----	34	Slope	0.04	Depth to saturated zone	1.00	Depth to saturated zone	1.00
				Slope	0.04	Slope	0.04
		Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Depth to saturated zone	0.19	Too clayey	1.00
Blocher-----	34	Depth to saturated zone	0.86	Slope	0.04	Depth to saturated zone	0.47
		Slope	0.04			Slope	0.04
		Very limited		Very limited		Very limited	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
ClfA: Cobbsfork-----	75	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
ComC: Coolville-----	71	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.88	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.04	Hard to compact	1.00
ConC3: Coolville-----	45	Slope	0.04			Depth to bedrock	0.88
						Slope	0.04
		Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to saturated zone	1.00	Too clayey	1.00
Rarden-----	45	Too clayey	1.00	Depth to bedrock	0.93	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.04	Hard to compact	1.00
		Slope	0.04			Depth to bedrock	0.93
						Slope	0.04
Rarden-----	45	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to saturated zone	1.00	Slope	0.04	Depth to saturated zone	1.00
Rarden-----	45	Slope	0.04			Hard to compact	1.00
						Slope	0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value

		limiting features		limiting features		limiting features	
ConD:							
Coolville-----	51	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Too clayey	1.00
		Too clayey	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	1.00	Depth to bedrock	0.84	Slope	1.00
		Depth to saturated zone	1.00			Hard to compact	1.00
						Depth to bedrock	0.84
Rarden-----	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Slope	1.00
						Hard to compact	1.00
CspA:							
Crider-----	85	Not limited		Not limited		Very limited	
						Hard to compact	1.00
CspB2:							
Crider, eroded-----	85	Very limited		Not limited		Very limited	
		Too clayey	1.00			Hard to compact	1.00
CtrB2:							
Crider, karst-----	78	Very limited		Not limited		Very limited	
		Seepage	1.00			Hard to compact	1.00
		Too clayey	1.00				
CtwB:							
Crider-----	39	Very limited		Not limited		Very limited	
		Too clayey	1.00			Hard to compact	1.00
						Too clayey	0.50
Bedford-----	29	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Too clayey	0.50	Depth to saturated zone	1.00	Hard to compact	1.00
						Depth to saturated zone	1.00
						Too clayey	0.50
Navilleton-----	28	Very limited		Not limited		Very limited	
		Too clayey	1.00			Hard to compact	1.00
						Too clayey	0.50
CwaAQ:							
Cuba-----	92	Very limited		Somewhat limited		Not limited	
		Seepage	1.00	Flooding	0.40		
		Flooding	0.40				

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CxgC3:							
Crider, severely eroded-----	46	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Hard to compact	1.00
						Slope	0.04
Haggatt, severely eroded-----	46	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00	Slope	0.04	Hard to compact	1.00
		Slope	0.04			Depth to bedrock	0.42
						Slope	0.04
CxhC2:							
Crider-----	56	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.04	Slope	0.04	Hard to compact	1.00
						Slope	0.04
Haggatt-----	37	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	1.00
		Too clayey	1.00	Slope	0.04	Hard to compact	1.00
		Slope	0.04			Depth to bedrock	0.42
						Slope	0.04

CxmC2: Crider, karst-----	52	Very limited Seepage Slope	1.00 0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04
Haggatt, karst-----	35	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 1.00 0.04	Somewhat limited Depth to bedrock Slope	0.42 0.04	Very limited Too clayey Hard to compact Depth to bedrock Slope	1.00 1.00 0.42 0.04
CxnC3: Crider, karst, severely eroded----	44	Very limited Seepage Too clayey Slope	1.00 1.00 0.04	Somewhat limited Slope	0.04	Very limited Too clayey Hard to compact Slope	1.00 1.00 0.04
Haggatt, severely eroded-----	44	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 1.00 0.04	Somewhat limited Depth to bedrock Slope	0.42 0.04	Very limited Too clayey Hard to compact Depth to bedrock Slope	1.00 1.00 0.42 0.04
DbrG: Deam-----	94	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DdsAW: Dearborn-----	80	Very limited Flooding Seepage Content of large stones	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Content of large stones Seepage	1.00 0.52
DfnA: Dubois-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Depth to saturated zone Too clayey	1.00 1.00 0.50
DtvC2: Deputy-----	50	Very limited Depth to bedrock Too clayey Depth to saturated zone Slope	1.00 1.00 1.00 0.04	Very limited Depth to saturated zone Depth to bedrock Slope	1.00 0.18 0.04	Very limited Too clayey Depth to saturated zone Depth to bedrock Slope	1.00 1.00 0.18 0.04
Trappist-----	27	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.04
EbpD2: Eden-----	82	Very limited Depth to bedrock Too clayey Slope Content of large stones	1.00 1.00 1.00 0.06	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Too clayey Slope Hard to compact Content of large stones	1.00 1.00 1.00 1.00 0.06
EesA: Elkinsville-----	52	Not limited		Not limited		Not limited	
Millstone-----	43	Not limited		Not limited		Not limited	
EesB: Elkinsville-----	52	Not limited		Not limited		Not limited	
Millstone-----	43	Not limited		Not limited		Not limited	

EesC2:							
Elkinsville-----	44	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04
Millstone-----	43	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EesD2:							
Elkinsville-----	44	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Millstone-----	44	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
EesFQ:							
Elkinsville-----	48	Very limited Slope Flooding	1.00 0.40	Very limited Slope Flooding	1.00 0.40	Very limited Slope	1.00
Millstone-----	47	Very limited Slope Flooding	1.00 0.40	Very limited Slope Flooding	1.00 0.40	Very limited Slope	1.00
EsaG:							
Eden-----	74	Very limited Slope Depth to bedrock Too clayey Content of large stones	1.00 1.00 1.00 0.28	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey Hard to compact Content of large stones	1.00 1.00 1.00 1.00 0.28
GgbG:							
Gilwood-----	45	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.14
Brownstown-----	35	Very limited Slope Depth to bedrock Content of large stones	1.00 1.00 0.18	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage Content of large stones Gravel content	1.00 1.00 0.52 0.18 0.01
GgfD:							
Gilwood-----	39	Very limited Depth to bedrock Slope	1.00 0.84	Very limited Depth to bedrock Slope	1.00 0.84	Very limited Depth to bedrock Slope Gravel content	1.00 0.84 0.09
Wrays-----	38	Very limited Depth to bedrock Slope Too clayey	1.00 0.84 0.50	Somewhat limited Depth to bedrock Slope	0.88 0.84	Somewhat limited Depth to bedrock Slope Too clayey	0.88 0.84 0.50
GgfE2:							
Gilwood-----	42	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.08

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wrays-----	36	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.88	Very limited Slope Depth to bedrock	1.00 0.88

			Too clayey	0.50				Too clayey	0.50
GmaG:									
Grawbone-----	48	Very limited			Very limited			Very limited	
		Slope	1.00		Slope	1.00		Depth to bedrock	1.00
		Depth to bedrock	1.00		Depth to bedrock	1.00		Slope	1.00
		Too clayey	0.50					Too clayey	0.50
Kurtz-----	32	Very limited			Very limited			Very limited	
		Slope	1.00		Slope	1.00		Slope	1.00
		Depth to bedrock	1.00		Depth to bedrock	0.71		Depth to bedrock	0.71
		Too clayey	0.50					Too clayey	0.50
GyaD2:									
Grayford-----	73	Very limited			Very limited			Very limited	
		Depth to bedrock	1.00		Slope	1.00		Slope	1.00
		Slope	1.00		Depth to bedrock	0.42		Too clayey	0.50
		Too clayey	0.50					Depth to bedrock	0.42
GyaD3:									
Grayford-----	78	Very limited			Very limited			Very limited	
		Depth to bedrock	1.00		Slope	1.00		Slope	1.00
		Slope	1.00		Depth to bedrock	0.42		Too clayey	0.50
		Too clayey	0.50					Depth to bedrock	0.42
GyaD5:									
Grayford, gullied---	65	Very limited			Very limited			Very limited	
		Depth to bedrock	1.00		Slope	1.00		Too clayey	1.00
		Too clayey	1.00		Depth to bedrock	0.42		Slope	1.00
		Slope	1.00					Hard to compact	1.00
								Depth to bedrock	0.42
GykD2:									
Grayford, karst----	74	Very limited			Very limited			Very limited	
		Depth to bedrock	1.00		Slope	1.00		Slope	1.00
		Seepage	1.00		Depth to bedrock	0.42		Too clayey	0.50
		Slope	1.00					Depth to bedrock	0.42
		Too clayey	0.50						
GykD3:									
Grayford, karst----	74	Very limited			Very limited			Very limited	
		Depth to bedrock	1.00		Slope	1.00		Slope	1.00
		Seepage	1.00		Depth to bedrock	0.42		Too clayey	0.50
		Slope	1.00					Depth to bedrock	0.42
		Too clayey	0.50						
HcaA:									
Hatfield-----	85	Very limited			Very limited			Very limited	
		Depth to saturated zone	1.00		Depth to saturated zone	1.00		Depth to saturated zone	1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HccB2:							
Haubstadt-----	84	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Too clayey	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too clayey	0.50
HcdC2:							
Haubstadt-----	55	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Too clayey	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Slope	0.04	Slope	0.04	Too clayey	0.50
						Slope	0.04
Shircliff-----	23	Very limited		Very limited		Very limited	
		Too clayey	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to saturated zone	1.00	Slope	0.37	Hard to compact	1.00
		Slope	0.37			Depth to saturated zone	1.00
						Slope	0.37
HceC3:							
Haubstadt-----	55	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Too clayey	0.50	Depth to	1.00	Depth to	1.00

		Slope	0.04	saturated zone Slope	0.04	saturated zone Too clayey Slope	0.50 0.04
Shircliff-----	23	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Depth to saturated zone Slope	1.00 0.37	Slope	0.37	Hard to compact Depth to saturated zone Slope	1.00 1.00 0.37
HcgAH: Haymond-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
HcgAV: Haymond-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
HcgAW: Haymond-----	82	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HerE: Hickory-----	45	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
Bonnell-----	38	Very limited Too clayey Slope	1.00 1.00	Very limited Slope	1.00	Very limited Too clayey Slope	1.00 1.00
HtwD2: Haggatt-----	51	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.42	Very limited Too clayey Slope Hard to compact Depth to bedrock	1.00 1.00 1.00 0.42
Caneyville-----	31	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Too clayey Slope Hard to compact	1.00 1.00 1.00 1.00
HtzD3: Haggatt, severely eroded-----	51	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.42	Very limited Too clayey Slope Hard to compact Depth to bedrock	1.00 1.00 1.00 0.42
Caneyville, severely eroded-----	41	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Too clayey Slope Hard to compact	1.00 1.00 1.00 1.00
HufAK: Huntington-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
HuhD2: Haggatt, karst-----	46	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.42	Very limited Too clayey Slope Hard to compact Depth to bedrock	1.00 1.00 1.00 0.42
Caneyville, karst---	31	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 1.00 1.00	Very limited Seepage Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to bedrock Too clayey Slope Hard to compact	1.00 1.00 1.00 1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HujD3: Haggatt, karst-----	46	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.42	Very limited Too clayey Slope Hard to compact Depth to bedrock	1.00 1.00 1.00 0.42
Caneyville, karst---	39	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 1.00 1.00	Very limited Seepage Depth to bedrock Slope	1.00 1.00 1.00	Very limited Depth to bedrock Too clayey Slope Hard to compact	1.00 1.00 1.00 1.00
JaeB2: Jennings-----	80	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.19	Very limited Depth to cemented pan Too clayey Depth to saturated zone	1.00 0.50 0.47
JafC2: Jennings-----	45	Somewhat limited Depth to saturated zone Too clayey Slope	0.86 0.50 0.04	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 0.19 0.04	Very limited Depth to cemented pan Too clayey Depth to saturated zone Slope	1.00 0.50 0.47 0.04
Blocher, Hard Bedrock Substratum-	30	Very limited Too clayey Depth to saturated zone Slope	1.00 0.86 0.04	Somewhat limited Depth to saturated zone Slope	0.19 0.04	Very limited Too clayey Depth to saturated zone Slope	1.00 0.47 0.04
JafC3: Jennings-----	45	Very limited Depth to saturated zone Too clayey Slope	1.00 0.50 0.04	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Depth to cemented pan Depth to saturated zone Too clayey Slope	1.00 1.00 0.50 0.04
Blocher, Hard Bedrock Substratum-	30	Very limited Depth to bedrock Too clayey Depth to saturated zone Slope	1.00 1.00 0.86 0.04	Somewhat limited Depth to saturated zone Slope	0.19 0.04	Very limited Too clayey Depth to saturated zone Slope	1.00 0.47 0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KxkC2: Knobcreek-----	37	Very limited Too clayey Slope	1.00 0.04	Somewhat limited Slope	0.04	Very limited Too clayey Hard to compact Slope	1.00 1.00 0.04
Navilleton-----	35	Very limited Too clayey Slope	1.00 0.04	Somewhat limited Slope	0.04	Very limited Hard to compact Too clayey Slope	1.00 0.50 0.04
KxlC3: Knobcreek-----	33	Very limited		Somewhat limited		Very limited	

		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Hard to compact	1.00
						Slope	0.04
Haggatt-----	26	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.96	Too clayey	1.00
		Too clayey	1.00	Slope	0.04	Hard to compact	1.00
		Slope	0.04			Depth to bedrock	0.96
						Slope	0.04
Caneyville-----	24	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Hard to compact	1.00
						Slope	0.04
KxlE3:							
Knobcreek-----	35	Very limited		Very limited		Very limited	
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
						Hard to compact	1.00
Haggatt-----	22	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.96	Slope	1.00
		Slope	1.00			Hard to compact	1.00
						Depth to bedrock	0.96
Caneyville-----	21	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
						Hard to compact	1.00
KxmE2:							
Knobcreek-----	33	Very limited		Very limited		Very limited	
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
						Hard to compact	1.00
Haggatt-----	22	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.88	Slope	1.00
		Slope	1.00			Hard to compact	1.00
						Depth to bedrock	0.88

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Caneyville-----	20	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
						Hard to compact	1.00
KxoC2:							
Knobcreek, karst----	29	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Hard to compact	1.00
						Slope	0.04
Navilleton, karst---	28	Very limited		Not limited		Very limited	
		Too clayey	1.00			Hard to compact	1.00
						Too clayey	0.50
Haggatt, karst-----	27	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.88	Too clayey	1.00
		Too clayey	1.00	Slope	0.04	Hard to compact	1.00
		Slope	0.04			Depth to bedrock	0.88
						Slope	0.04
KxpD2:							
Knobcreek, karst----	35	Very limited		Very limited		Very limited	
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
						Hard to compact	1.00
Haggatt, karst-----	31	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.88	Slope	1.00
		Slope	1.00			Hard to compact	1.00
						Depth to bedrock	0.88
Caneyville, karst---	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00

		Too clayey Slope	1.00 1.00	Slope	1.00	Too clayey Slope Hard to compact	1.00 1.00 1.00
LpoAK: Lindside-----	82	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone Too clayey	1.00 0.50	Depth to saturated zone	1.00	Too clayey	0.50
McgC2: Markland-----	74	Very limited Too clayey Slope	1.00 0.04	Somewhat limited Slope	0.04	Very limited Too clayey Hard to compact Slope	1.00 1.00 0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
McngQ: Markland-----	90	Very limited Slope Too clayey Flooding	1.00 1.00 0.40	Very limited Slope Flooding	1.00 0.40	Very limited Slope Too clayey Hard to compact	1.00 1.00 1.00
McpC3: Markland-----	61	Very limited Too clayey Slope	1.00 0.04	Somewhat limited Slope	0.04	Very limited Too clayey Slope	1.00 0.04
McuDQ: Markland-----	70	Very limited Too clayey Slope Flooding	1.00 1.00 0.40	Very limited Slope Flooding	1.00 0.40	Very limited Too clayey Slope	1.00 1.00
MdqDQ: Markland-----	85	Very limited Too clayey Slope Flooding	1.00 1.00 0.40	Very limited Slope Flooding	1.00 0.40	Very limited Too clayey Slope Hard to compact	1.00 1.00 1.00
MhuA: Mcgary-----	93	Very limited Too clayey	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Depth to saturated zone	1.00			Depth to saturated zone Hard to compact	1.00 1.00
MhyA: Medora-----	85	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.19	Very limited Depth to cemented pan Too clayey	1.00 0.50
						Depth to saturated zone	0.47
MhyB2: Medora-----	88	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.19	Very limited Depth to cemented pan Too clayey	1.00 0.50
						Depth to saturated zone	0.47
MhyC2: Medora-----	73	Somewhat limited Depth to saturated zone Too clayey Slope	0.86 0.50 0.04	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 0.19 0.04	Very limited Depth to cemented pan Too clayey Depth to saturated zone Slope	1.00 0.50 0.47 0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol	Pct.	Trench sanitary	Area sanitary	Daily cover for
------------	------	-----------------	---------------	-----------------

and soil name	of map unit	landfill		landfill		landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhyC3: Medora-----	75	Very limited Depth to saturated zone Too clayey Slope	1.00 0.50 0.04	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.04	Very limited Depth to cemented pan Depth to saturated zone Too clayey Slope	1.00 1.00 0.50 0.04
MsvA: Montgomery, drained-	82	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone Hard to compact Too clayey	1.00 1.00 1.00 0.50
NaaA: Nabb-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Depth to saturated zone Too clayey	1.00 1.00 0.50
NaaB2: Nabb-----	78	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Depth to saturated zone Too clayey	1.00 1.00 0.50
NbhAK: Newark-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
OfbAW: Oldenburg-----	85	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.09
PcrB2: Pekin-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PcrC2: Pekin-----	72	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope	1.00 0.04
PcrC3: Pekin-----	71	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope	1.00 0.04
PhaA: Peoga-----	83	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Pml: Pits, Quarry-----	85	Not rated		Not rated		Not rated	

Ppu: Pits, Sand And Gravel-----	80	Not rated		Not rated		Not rated	
Rb1D3: Rarden-----	78	Very limited Depth to bedrock Too clayey Slope Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Depth to bedrock Slope Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Depth to bedrock Too clayey Depth to saturated zone Hard to compact	1.00 1.00 1.00 1.00
Rbmd5: Rarden, gullied----	74	Very limited Depth to bedrock Too clayey Depth to saturated zone Slope	1.00 1.00 1.00 0.84	Very limited Depth to bedrock Depth to saturated zone Slope	1.00 1.00 0.84	Very limited Depth to bedrock Too clayey Depth to saturated zone Slope	1.00 1.00 1.00 0.84
RptG: Rohan-----	45	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.87
Jessietown-----	36	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 0.50	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Depth to bedrock Slope Too clayey	1.00 1.00 0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RtcA: Ryker-----	95	Somewhat limited Too clayey	0.50	Not limited		Not limited	
RtcB2: Ryker-----	92	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
RzrB2: Ryker-----	80	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
RztC2: Ryker-----	43	Somewhat limited Too clayey Slope	0.50 0.04	Somewhat limited Slope	0.04	Somewhat limited Too clayey Slope	0.50 0.04
Grayford-----	25	Very limited Depth to bedrock Too clayey Slope	1.00 0.50 0.04	Somewhat limited Depth to bedrock Slope	0.42 0.04	Somewhat limited Too clayey Depth to bedrock Slope	0.50 0.42 0.04
RztC3: Ryker-----	44	Somewhat limited Too clayey Slope	0.50 0.04	Somewhat limited Slope	0.04	Somewhat limited Too clayey Slope	0.50 0.04
Grayford-----	28	Very limited Depth to bedrock Too clayey Slope	1.00 0.50 0.04	Somewhat limited Depth to bedrock Slope	0.42 0.04	Somewhat limited Too clayey Depth to bedrock Slope	0.50 0.42 0.04
RzvC2: Ryker, karst-----	41	Very limited Seepage Too clayey	1.00 0.50	Not limited		Somewhat limited Too clayey	0.50
Grayford, karst-----	26	Very limited Depth to bedrock Seepage Too clayey Slope	1.00 1.00 0.50 0.04	Somewhat limited Depth to bedrock Slope	0.42 0.04	Somewhat limited Too clayey Depth to bedrock Slope	0.50 0.42 0.04

RzvC3: Ryker, karst-----	41	Very limited		Not limited		Somewhat limited	
		Seepage	1.00			Too clayey	0.50
		Too clayey	0.50				
Grayford, karst-----	26	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.42	Too clayey	0.50
		Seepage	1.00			Depth to bedrock	0.42
		Too clayey	0.50				

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SceB2: Scottsburg-----	96	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too clayey	0.50
		Too clayey	0.50				
SfyB: Shircliff-----	75	Very limited		Very limited		Very limited	
		Too clayey	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
SoaB: Spickert-----	95	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	0.50			Too clayey	0.50
SodB: Spickert, terrace---	90	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Too clayey	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too clayey	0.50
SolC2: Spickert-----	44	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too clayey	0.50	Slope	0.04	Too clayey	0.50
		Slope	0.04			Slope	0.04
Wrays-----	32	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Depth to bedrock	0.88	Depth to bedrock	0.88
		Too clayey	0.50	Slope	0.04	Too clayey	0.50
		Slope	0.04			Slope	0.04
StaAQ: Steff-----	86	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.22
		Flooding	0.40	Flooding	0.40		
StdAQ: Stendal-----	88	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	0.40	Flooding	0.40		

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StdAW:							

Stendal-----	87	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
ThaC2: Trappist-----	84	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Slope	0.04
ThbC3: Trappist-----	75	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Slope	0.04
ThbD5: Trappist, gullied--	73	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.84	Too clayey	1.00
		Slope	0.84			Slope	0.84
ThcD3: Trappist-----	44	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
Rohan-----	29	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Gravel content	0.88
						Too clayey	0.50
ThdD: Trappist-----	49	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	1.00	Slope	1.00	Too clayey	1.00
		Slope	1.00			Slope	1.00
Rohan-----	33	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Slope	1.00	Slope	1.00	Slope	1.00
						Gravel content	0.23
TsaC3: Trappist-----	46	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
		Too clayey	1.00	Slope	0.04	Too clayey	1.00
		Slope	0.04			Slope	0.04

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Deputy-----	23	Very limited Depth to bedrock	1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.93	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Slope	0.04	Depth to bedrock	0.93
		Slope	0.04			Slope	0.04
Uaa: Udorthents, Cut And Filled-----	83	Very limited Seepage	1.00	Not limited		Somewhat limited Hard to compact	0.50
UaoAK: Udifluents, Cut And Filled-----	65	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Hard to compact	0.50
		Seepage	1.00				
Urban Land-----	25	Not rated		Not rated		Not rated	
UedA: Urban Land-----	60	Not rated		Not rated		Not rated	
Aquents, Clayey							

Substratum-----	25	Very limited Seepage	1.00	Not limited		Somewhat limited Hard to compact	0.50
UndAY: Urban Land-----	65	Not rated		Not rated		Not rated	
Udifluents-----	25	Very limited Seepage Flooding	1.00 0.40	Somewhat limited Flooding	0.40	Somewhat limited Hard to compact	0.50
UngB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Fragipan Substratum-----	30	Very limited Seepage	1.00	Very limited Depth to cemented pan	1.00	Very limited Depth to cemented pan Hard to compact	1.00 0.50
UnkB: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Silty Substratum-----	30	Very limited Seepage	1.00	Not limited		Somewhat limited Hard to compact	0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UnpA: Urban Land-----	45	Not rated		Not rated		Not rated	
Udarents, Loamy Substratum-----	30	Very limited Seepage	1.00	Not limited		Somewhat limited Hard to compact	0.50
UnsB: Urban Land, hills underlain with limestone-----	40	Not rated		Not rated		Not rated	
Udarents, Clayey Substratum, hills underlain with limestone-----	30	Very limited Seepage	1.00	Not limited		Somewhat limited Hard to compact	0.50
W: Water-----	100	Not rated		Not rated		Not rated	
WaaAV: Wakeland-----	83	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
WaaAW: Wakeland-----	82	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
WedB2: Weddel-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Hard to compact Depth to saturated zone Too clayey	1.00 1.00 0.50
WhcD: Wellrock-----	50	Very limited Depth to bedrock Slope Too clayey	1.00 0.84 0.50	Somewhat limited Slope Depth to bedrock	0.84 0.26	Somewhat limited Slope Too clayey Depth to bedrock	0.84 0.50 0.26

Gnawbone-----	41	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.84	Slope	0.84	Slope	0.84
		Too clayey	0.50			Too clayey	0.50

Table ENG-6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WnmA: Whitcomb-----	87	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too clayey	0.50
		Too clayey	0.50				
WokAV: Wilbur-----	78	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
WokAW: Wilbur-----	83	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
WprAW: Wirt-----	83	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
		Seepage	1.00	Seepage	1.00		