

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

Map symbol	Soil name
AddA	Avonburg silt loam, 0 to 2 percent slopes (Prime farmland if drained)
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded (Prime farmland if drained)
Ar	Armiesburg silty clay loam, sandy substratum, frequently flooded (Prime farmland if protected   from flooding or not frequently flooded during the growing season)
Ay	Ayrshire fine sandy loam, sandy substratum (Prime farmland if drained)
BbhA	Bartle silt loam, 0 to 2 percent slopes (Prime farmland if drained)
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration
BdB	Bedford silt loam, 2 to 6 percent slopes
BdhAH	Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration (Prime   farmland if drained and either protected from flooding or not frequently flooded during the   growing season)
Bf	Birds silt loam, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)
Bn	Bobtown loamy fine sand, 0 to 3 percent slopes
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration (Prime   farmland if drained and either protected from flooding or not frequently flooded during the   growing season)
CcE2	Cincinnati silt loam, 2 to 6 percent slopes, eroded
ClfA	Cobbsfork silt loam, 0 to 1 percent slopes (Prime farmland if drained)
Df	Driftwood clay loam, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)
DuA	Dubois silt loam, 0 to 2 percent slopes (Prime farmland if drained)
DuB2	Dubois silt loam, 2 to 6 percent slopes, eroded (Prime farmland if drained)
FoA	Fox-Ockley sandy loams, sandy substratums, 0 to 2 percent slopes
Ge	Genesee silt loam, frequently flooded (Prime farmland if protected from flooding or not   frequently flooded during the growing season)
HdA	Haubstadt silt loam, 0 to 2 percent slopes
HdB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded
Hm	Haymond silt loam, frequently flooded (Prime farmland if protected from flooding or not   frequently flooded during the growing season)
Ly	Lyles fine sandy loam (Prime farmland if drained)
MfxA	Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes
MKE2	Markland silt loam, 1 to 5 percent slopes, eroded
MrA	McGary silty clay loam, 0 to 2 percent slopes (Prime farmland if drained)
MtB2	Medora silt loam, 2 to 6 percent slopes, eroded
NaaA	Nabb silt loam, 0 to 2 percent slopes
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded
NnA	Nineveh variant sandy loam, occasionally flooded, 0 to 2 percent slopes
PaB2	Parke silt loam, 2 to 6 percent slopes, eroded
PeE2	Pekin silt loam, 2 to 6 percent slopes, eroded
PhaA	Peoga silt loam, 0 to 1 percent slopes (Prime farmland if drained)
Pp	Piopolis silty clay loam, frequently flooded (Prime farmland if drained and either protected   from flooding or not frequently flooded during the growing season)
RoA	Roby variant sandy loam, rarely flooded, 0 to 2 percent slopes
RtxAH	Rossburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration (Prime farmland   if protected from flooding or not frequently flooded during the growing season)
Ru	Ruark variant sandy loam, occasionally flooded (Prime farmland if drained)
Sf	Steff silt loam, frequently flooded (Prime farmland if protected from flooding or not   frequently flooded during the growing season)
Sg	Steff silt loam, rarely flooded
SldAH	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration (Prime farmland if   drained and either protected from flooding or not frequently flooded during the growing   season)
Sn	Stendal silt loam, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)
St	Stonelick fine sandy loam, frequently flooded (Prime farmland if protected from flooding or not   frequently flooded during the growing season)
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded (Prime farmland if drained)
SyA	Stoy silt loam, 0 to 2 percent slopes (Prime farmland if drained)
TlB2	Tilsit silt loam, 2 to 6 percent slopes, eroded

Table Y.--Prime Farmland--Continued

Map symbol	Soil name
Wa	Wakeland silt loam, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)
Wk	Whitaker sandy loam, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)
Wo	Whitaker variant loam, frequently flooded (Prime farmland if protected from flooding or not   frequently flooded during the growing season)
Wr	Wilbur silt loam, frequently flooded (Prime farmland if protected from flooding or not   frequently flooded during the growing season)
WsyAQ	Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded (Prime farmland if drained)
Wt	Wilhite silty clay, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)
Zp	Zipp silty clay, frequently flooded (Prime farmland if drained and either protected from   flooding or not frequently flooded during the growing season)