

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|----------------------------|------------------|--|----------------------|--|----------------------|---|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| AddA: Avonburg----- | 85 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 |
| AddB2: Avonburg----- | 75 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Very limited Restricted permeability Depth to saturated zone Slope | 1.00 1.00 0.15 |
| Ar: Armiesburg----- | 90 | Very limited Flooding | 1.00 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| Ay: Ayrshire----- | 90 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.94 | Very limited Depth to saturated zone | 1.00 |
| BbhA: Bartle----- | 83 | Very limited Depth to saturated zone Depth to cemented pan | 1.00 0.46 | Very limited Depth to saturated zone Depth to cemented pan | 1.00 0.46 | Very limited Depth to saturated zone Depth to cemented pan | 1.00 0.46 |
| BcrAW: Beanblossom----- | 89 | Very limited Flooding | 1.00 | Not limited | | Somewhat limited Flooding | 0.60 |
| BdB: Bedford----- | 100 | Very limited Restricted permeability Depth to saturated zone Depth to cemented pan | 1.00 0.98 0.80 | Very limited Restricted permeability Depth to cemented pan Depth to saturated zone | 1.00 0.80 0.75 | Very limited Restricted permeability Depth to saturated zone Depth to cemented pan Slope | 1.00 0.98 0.80 0.55 |
| BdhAH: Bellcreek----- | 80 | Very limited Depth to saturated zone Flooding Ponding | 1.00 1.00 1.00 | Very limited Ponding Depth to saturated zone Flooding | 1.00 1.00 0.40 | Very limited Depth to saturated zone Flooding Ponding | 1.00 1.00 1.00 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|--------------------------|------------------|--------------------------------------|--------------|--------------------------------------|--------------|---|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| BeG: Berk----- | 100 | Restricted permeability | 0.21 | Restricted permeability | 0.21 | Restricted permeability | 0.21 |
| | | Very limited Slope Gravel content | 1.00 0.13 | Very limited Slope Gravel content | 1.00 0.13 | Very limited Slope Gravel content Depth to bedrock Content of large stones | 1.00 1.00 0.42 0.38 |

| | | | | | | | |
|-----------------|-----|--|----------------------|--|----------------------|--|----------------------|
| Bf: | | | | | | | |
| Birds----- | 100 | Very limited Depth to saturated zone Flooding | 1.00 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Depth to saturated zone Flooding | 1.00 1.00 |
| B1F: | | | | | | | |
| Bloomfield----- | 100 | Very limited Too sandy Slope | 1.00 1.00 | Very limited Too sandy Slope | 1.00 1.00 | Very limited Slope Too sandy | 1.00 1.00 |
| BmB: | | | | | | | |
| Bloomfield----- | 55 | Very limited Too sandy | 1.00 | Very limited Too sandy | 1.00 | Very limited Too sandy Slope | 1.00 0.55 |
| Alvin----- | 45 | Somewhat limited Too sandy | 0.24 | Somewhat limited Too sandy | 0.24 | Somewhat limited Slope Too sandy | 0.55 0.24 |
| BmC2: | | | | | | | |
| Bloomfield----- | 55 | Very limited Too sandy Slope | 1.00 0.16 | Very limited Too sandy Slope | 1.00 0.16 | Very limited Too sandy Slope | 1.00 1.00 |
| Alvin----- | 45 | Somewhat limited Too sandy Slope | 0.24 0.16 | Somewhat limited Too sandy Slope | 0.24 0.16 | Very limited Slope Too sandy | 1.00 0.24 |
| Bn: | | | | | | | |
| Bobtown----- | 100 | Somewhat limited Depth to saturated zone Too sandy | 0.77 0.24 | Somewhat limited Depth to saturated zone Too sandy | 0.43 0.24 | Somewhat limited Depth to saturated zone Too sandy | 0.77 0.24 |
| BoD2: | | | | | | | |
| Bonnell----- | 100 | Somewhat limited Slope | 0.96 | Somewhat limited Slope | 0.96 | Very limited Slope | 1.00 |
| BodAV: | | | | | | | |
| Bonnie----- | 84 | Very limited Depth to saturated zone Flooding Ponding | 1.00 1.00 1.00 | Very limited Ponding Depth to saturated zone Flooding | 1.00 1.00 0.40 | Very limited Depth to saturated zone Flooding Ponding | 1.00 1.00 1.00 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|----------------------------------|------------------|--|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Restricted permeability | 0.21 | Restricted permeability | 0.21 | Restricted permeability | 0.21 |
| BpD3: | | | | | | | |
| Bonnell----- | 100 | Very limited Slope Restricted permeability | 1.00 0.21 | Very limited Slope Restricted permeability | 1.00 0.21 | Very limited Slope Restricted permeability | 1.00 0.21 |
| CcB2: | | | | | | | |
| Cincinnati----- | 80 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.39 0.35 | Somewhat limited Depth to cemented pan Depth to saturated zone | 0.35 0.19 | Somewhat limited Slope Depth to saturated zone Depth to cemented pan | 0.55 0.39 0.35 |
| CcC2: | | | | | | | |
| Cincinnati, eroded-- | 100 | Somewhat limited Depth to cemented pan Depth to saturated zone Slope | 0.90 0.39 0.04 | Somewhat limited Depth to cemented pan Depth to saturated zone Slope | 0.90 0.19 0.04 | Very limited Slope Depth to cemented pan Depth to saturated zone | 1.00 0.90 0.39 |
| CcC3: | | | | | | | |
| Cincinnati, severely eroded----- | 100 | Very limited Depth to cemented pan Depth to saturated zone Restricted | 1.00 0.98 0.96 | Very limited Depth to cemented pan Restricted permeability Depth to | 1.00 0.96 0.75 | Very limited Depth to cemented pan Slope Depth to | 1.00 1.00 0.98 |

| | | | | | | | |
|-------------------------------------|-----|----------------|------|----------------|------|----------------|------|
| | | permeability | | saturated zone | | saturated zone | |
| | | Slope | 0.04 | Slope | 0.04 | Restricted | 0.96 |
| | | permeability | | saturated zone | | saturated zone | |
| ClfA: | | | | | | | |
| Cobbsfork----- | 75 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Ponding | 1.00 | Depth to | 1.00 |
| | | saturated zone | | | | saturated zone | |
| | | Ponding | 1.00 | Depth to | 1.00 | Ponding | 1.00 |
| | | saturated zone | | | | saturated zone | |
| | | Restricted | 0.96 | Restricted | 0.96 | Restricted | 0.96 |
| | | permeability | | permeability | | permeability | |
| CoD: | | | | | | | |
| Coolville----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to | 0.98 | Restricted | 0.98 | Depth to | 0.98 |
| | | saturated zone | | permeability | | saturated zone | |
| | | Restricted | 0.98 | Depth to | 0.75 | Restricted | 0.98 |
| | | permeability | | saturated zone | | permeability | |
| Df: | | | | | | | |
| Driftwood----- | 100 | Very limited | | Very limited | | Very limited | |
| Table REC-1.--Recreation--Continued | | | | | | | |

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Flooding | 1.00 | Flooding | 0.40 | Flooding | 1.00 |
| DuA: | | | | | | | |
| Dubois----- | 85 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Depth to cemented | 0.01 | Depth to cemented | 0.01 | Depth to cemented | 0.01 |
| | | pan | | pan | | pan | |
| DuB2: | | | | | | | |
| Dubois----- | 77 | Very limited | | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | | saturated zone | |
| | | Depth to cemented | 0.65 | Depth to cemented | 0.65 | Depth to cemented | 0.65 |
| | | pan | | pan | | pan | |
| | | Slope | | Slope | | Slope | 0.55 |
| FOA: | | | | | | | |
| Fox----- | 55 | Not limited | | Not limited | | Not limited | |
| Ockley----- | 45 | Not limited | | Not limited | | Not limited | |
| FrD2: | | | | | | | |
| Frederick----- | 45 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.66 | Slope | 0.66 | Slope | 1.00 |
| Crider----- | 35 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Slope | 0.04 | Slope | 0.04 | Slope | 1.00 |
| Gilpin----- | 20 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to bedrock | | Depth to bedrock | | Depth to bedrock | 0.42 |
| Ge: | | | | | | | |
| Genesee----- | 90 | Very limited | | Somewhat limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 0.40 | Flooding | 1.00 |
| GnD3: | | | | | | | |
| Gilpin----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Restricted | 0.99 | Restricted | 0.99 | Restricted | 0.99 |
| | | permeability | | permeability | | permeability | |
| | | Depth to bedrock | | Depth to bedrock | | Depth to bedrock | 0.42 |
| GnF: | | | | | | | |
| Gilpin----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Restricted | 0.99 | Restricted | 0.99 | Restricted | 0.99 |
| | | permeability | | permeability | | permeability | |
| | | Depth to bedrock | | Depth to bedrock | | Depth to bedrock | 0.42 |
| GpD: | | | | | | | |
| Gilpin----- | 50 | Very limited | | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 | Slope | 1.00 |
| | | Depth to bedrock | | Depth to bedrock | | Depth to bedrock | 0.42 |
| Wellston----- | 50 | Somewhat limited | | Somewhat limited | | Very limited | |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|--|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Slope | 0.96 | Slope | 0.96 | Slope | 1.00 |
| HdA: Haubstadt----- | 90 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Depth to saturated zone | 0.98 | Depth to saturated zone | 0.75 | Depth to saturated zone | 0.98 |
| | | Depth to cemented pan | 0.29 | Depth to cemented pan | 0.29 | Depth to cemented pan | 0.29 |
| HdB2: Haubstadt----- | 84 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Depth to saturated zone | 0.98 | Depth to saturated zone | 0.75 | Depth to saturated zone | 0.98 |
| | | Depth to cemented pan | 0.29 | Depth to cemented pan | 0.29 | Slope | 0.55 |
| | | | | | | Depth to cemented pan | 0.29 |
| Hm: Haymond----- | 90 | Very limited Flooding | 1.00 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| HrE: Hickory----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| KtF: Kurtz----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Ly: Lyles----- | 100 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| MfxA: Martinsville, Sandy Substratum----- | 95 | Not limited | | Not limited | | Not limited | |
| MkB2: Markland----- | 100 | Somewhat limited | | Somewhat limited | | Somewhat limited | |
| | | Restricted permeability | 0.96 | Restricted permeability | 0.96 | Restricted permeability | 0.96 |
| | | Depth to saturated zone | 0.39 | Depth to saturated zone | 0.19 | Slope | 0.55 |
| | | | | | | Depth to saturated zone | 0.39 |
| MmC3: Markland----- | 100 | Somewhat limited | | Somewhat limited | | Very limited | |
| | | Restricted permeability | 0.96 | Restricted permeability | 0.96 | Slope | 1.00 |
| | | Depth to saturated zone | 0.39 | Depth to saturated zone | 0.19 | Restricted permeability | 0.96 |
| | | Slope | 0.01 | Slope | 0.01 | Depth to saturated zone | 0.39 |
| MrA: Mcgary----- | 93 | Very limited | | Very limited | | Very limited | |

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|--------------------------|------------------|------------------------------------|-------|------------------------------------|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Restricted permeability | 0.43 | Restricted permeability | 0.43 | Restricted permeability | 0.43 |
| MtB2: Medora----- | 88 | Very limited | | Very limited | | Somewhat limited | |
| | | Depth to cemented pan | 0.99 | Depth to cemented pan | 0.99 | Depth to cemented pan | 0.99 |
| | | | | | | Slope | 0.55 |

| | | | | | | | |
|-----------------------------|-----|--|--------------|--|--------------|---|----------------------|
| MtC2: Medora----- | 73 | Very limited Depth to cemented pan Slope | 0.99 0.04 | Very limited Depth to cemented pan Slope | 0.99 0.04 | Very limited Slope Depth to cemented pan | 1.00 0.99 |
| NaaA: Nabb----- | 85 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.98 0.10 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.75 0.10 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.98 0.10 |
| NaaB2: Nabb----- | 78 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.98 0.20 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.75 0.20 | Somewhat limited Depth to saturated zone Slope Depth to cemented pan | 0.98 0.55 0.20 |
| NeD2: Negley----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| NgE: Negley----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| NnA: Nineveh Variant---- | 100 | Very limited Flooding | 1.00 | Not limited | | Somewhat limited Flooding | 0.60 |
| Omz: Orthents----- | 100 | Not rated | | Not rated | | Not rated | |
| Otc2: Otwell----- | 100 | Very limited Restricted permeability Slope | 1.00 0.04 | Very limited Restricted permeability Slope | 1.00 0.04 | Very limited Slope Restricted permeability | 1.00 1.00 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|--------------------------|------------------|---|----------------------|---|----------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Otc3: Otwell----- | 100 | Very limited Restricted permeability Depth to saturated zone Slope | 1.00 0.39 0.04 | Very limited Restricted permeability Depth to saturated zone Slope | 1.00 0.19 0.04 | Very limited Slope Restricted permeability Depth to saturated zone | 1.00 1.00 0.39 |
| PaB2: Parke----- | 100 | Not limited | | Not limited | | Somewhat limited Slope | 0.50 |
| PaC2: Parke----- | 100 | Somewhat limited Slope | 0.04 | Somewhat limited Slope | 0.04 | Very limited Slope | 1.00 |
| PeB2: Pekin----- | 90 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.98 0.54 | Somewhat limited Depth to saturated zone Depth to cemented pan | 0.75 0.54 | Somewhat limited Depth to saturated zone Slope Depth to cemented pan | 0.98 0.55 0.54 |
| PhaA: Peoga----- | 83 | Very limited Depth to saturated zone Ponding Restricted permeability | 1.00 1.00 0.96 | Very limited Ponding Depth to saturated zone Restricted permeability | 1.00 1.00 0.96 | Very limited Depth to saturated zone Ponding Restricted permeability | 1.00 1.00 0.96 |

| | | | | | | | |
|-----------------------------|-----|---|----------------------|---|----------------------|---|--------------------------------------|
| Pp: Piopolis, drained--- | 90 | Very limited Depth to saturated zone Flooding Restricted permeability | 1.00 1.00 0.96 | Very limited Depth to saturated zone Restricted permeability Flooding | 1.00 1.00 0.40 | Very limited Depth to saturated zone Flooding Restricted permeability | 1.00 1.00 0.96 |
| RaC3: Rarden----- | 100 | Somewhat limited Depth to saturated zone Restricted permeability Slope | 0.98 0.98 0.01 | Somewhat limited Restricted permeability Depth to saturated zone Slope | 0.98 0.75 0.01 | Very limited Slope Depth to saturated zone Restricted permeability Depth to bedrock | 1.00 0.98 0.98 0.98 0.42 |
| RdD3: Rarden----- | 100 | Very limited Slope Depth to saturated zone | 1.00 0.98 | Very limited Slope Restricted permeability | 1.00 0.98 | Very limited Slope Depth to saturated zone | 1.00 0.98 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|-----------------------------|---------------------------|---|--------------|--|--------------|--|--------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Restricted permeability | 0.98 | Depth to saturated zone | 0.75 | Restricted permeability Depth to bedrock | 0.98 0.42 |
| RoA: Roby Variant----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 0.81 | Somewhat limited Depth to saturated zone | 0.48 | Somewhat limited Depth to saturated zone | 0.81 |
| RtxAH: Rossburg----- | 90 | Very limited Flooding | 1.00 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 |
| Ru: Ruark Variant----- | 100 | Very limited Depth to saturated zone Flooding | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.60 |
| Sf: Steff----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 0.39 | Somewhat limited Flooding Depth to saturated zone | 0.40 0.19 | Very limited Flooding Depth to saturated zone | 1.00 0.39 |
| Sg: Steff----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 0.39 | Somewhat limited Depth to saturated zone | 0.19 | Somewhat limited Depth to saturated zone | 0.39 |
| SldAH: Shoals----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone Flooding | 1.00 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| Sn: Stendal----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Somewhat limited Depth to saturated zone Flooding | 0.94 0.40 | Very limited Flooding Depth to saturated zone | 1.00 1.00 |
| SsC2: Stonehead----- | 100 | Somewhat limited Restricted permeability Slope | 0.96 0.01 | Somewhat limited Restricted permeability Slope | 0.96 0.01 | Very limited Slope Restricted permeability | 1.00 0.96 |
| St: Stonlick----- | 90 | Very limited | | Somewhat limited | | Very limited | |

| | | | | | | | |
|--|--|----------|------|----------|------|----------|------|
| | | Flooding | 1.00 | Flooding | 0.40 | Flooding | 1.00 |
|--|--|----------|------|----------|------|----------|------|

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|-------------------------------|------------------|---|-------|---|-------|---|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| StdAQ: Stendal----- | 88 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | | | | |
| SyA: Stoy----- | 90 | Very limited Restricted permeability | 1.00 | Very limited Restricted permeability | 1.00 | Very limited Restricted permeability | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 0.94 | Depth to saturated zone | 1.00 |
| TlB2: Tilsit----- | 100 | Very limited Restricted permeability | 1.00 | Very limited Restricted permeability | 1.00 | Very limited Restricted permeability | 1.00 |
| | | | | | | Slope | 0.55 |
| TlC2: Tilsit----- | 100 | Very limited Restricted permeability | 1.00 | Very limited Restricted permeability | 1.00 | Very limited Slope | 1.00 |
| | | Slope | 0.04 | Slope | 0.04 | Restricted permeability | 1.00 |
| Ud: Udorthents----- | 60 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Restricted permeability | 1.00 |
| | | Restricted permeability | 1.00 | Restricted permeability | 1.00 | Slope | 1.00 |
| Poorly Drained Aquent----- | 40 | Very limited Depth to saturated zone | 1.00 | Very limited Ponding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Flooding | 1.00 | Depth to saturated zone | 1.00 | Flooding | 1.00 |
| | | Ponding | 1.00 | Flooding | 0.40 | Ponding | 1.00 |
| | | Restricted permeability | 0.21 | Restricted permeability | 0.21 | Restricted permeability | 0.21 |
| W: Water----- | 100 | Not rated | | Not rated | | Not rated | |
| Wa: Wakeland----- | 90 | Very limited Flooding | 1.00 | Somewhat limited Depth to saturated zone | 0.94 | Very limited Flooding | 1.00 |
| | | Depth to saturated zone | 1.00 | Flooding | 0.40 | Depth to saturated zone | 1.00 |
| WeD2: Wellston----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct. of map unit | Camp areas | | Picnic areas | | Playgrounds | |
|--------------------------|------------------|------------------------------------|-------|---|-------|------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| | | Restricted permeability | 0.21 | Restricted permeability | 0.21 | Restricted permeability | 0.21 |
| Wk: Whitaker----- | 90 | Very limited Flooding | 1.00 | Somewhat limited Depth to saturated zone | 0.94 | Very limited Flooding | 1.00 |
| | | Depth to | 1.00 | Flooding | 0.40 | Depth to | 1.00 |

| | | | | | | | | |
|----------------------|-----|--|----------------|--|------|--|----------------|--|
| | | | saturated zone | | | | saturated zone | |
| Wo: | | | | | | | | |
| Whitaker Variant---- | 100 | Very limited Flooding | 1.00 | Somewhat limited Depth to saturated zone | 0.43 | Very limited Flooding | 1.00 | |
| | | Depth to saturated zone | 0.77 | Flooding | 0.40 | Depth to saturated zone | 0.77 | |
| Wr: | | | | | | | | |
| Wilbur----- | 100 | Very limited Flooding | 1.00 | Somewhat limited Flooding | 0.40 | Very limited Flooding | 1.00 | |
| | | Depth to saturated zone | 0.39 | Depth to saturated zone | 0.19 | Depth to saturated zone | 0.39 | |
| WsyAQ: | | | | | | | | |
| Whitaker----- | 92 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | |
| | | Depth to saturated zone | 1.00 | | | | | |
| Wt: | | | | | | | | |
| Wilhite----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | |
| | | Flooding | 1.00 | Too clayey | 1.00 | Flooding | 1.00 | |
| | | Too clayey | 1.00 | Restricted permeability | 0.96 | Too clayey | 1.00 | |
| | | Restricted permeability | 0.96 | Flooding | 0.40 | Restricted permeability | 0.96 | |
| Zp: | | | | | | | | |
| Zipp----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | |
| | | Flooding | 1.00 | Too clayey | 1.00 | Flooding | 1.00 | |
| | | Too clayey | 1.00 | Restricted permeability | 0.96 | Too clayey | 1.00 | |
| | | Restricted permeability | 0.96 | Flooding | 0.40 | Restricted permeability | 0.96 | |