

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|----------------------------|------------------|---|----------------------|--|------------------------------|--|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| AddA: Avonburg----- | 85 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to saturated zone Depth to cemented pan | 1.00 0.26 | Very limited Depth to saturated zone Too clayey Depth to cemented pan | 1.00 0.50 0.26 |
| AddB2: Avonburg----- | 75 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to saturated zone Depth to cemented pan | 1.00 0.96 | Very limited Depth to saturated zone Depth to cemented pan Too clayey | 1.00 0.96 0.50 |
| Ar: Armiesburg----- | 90 | Very limited Flooding Seepage Too clayey | 1.00 1.00 0.50 | Very limited Flooding | 1.00 | Somewhat limited Too clayey | 0.50 |
| Ay: Ayrshire----- | 90 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| BbhA: Bartle----- | 83 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to cemented pan Depth to saturated zone | 1.00 1.00 | Very limited Depth to cemented pan Depth to saturated zone Too clayey | 1.00 1.00 0.50 |
| BcrAW: Beanblossom----- | 89 | Very limited Flooding Depth to saturated zone Depth to bedrock | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone Seepage Depth to bedrock | 1.00 1.00 1.00 0.13 | Very limited Seepage Gravel content Depth to bedrock Depth to saturated zone | 1.00 0.80 0.13 0.01 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|--------------------------|------------------|--|----------------------|--|----------------------|---|------------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| BdB: Bedford----- | 100 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to cemented pan Depth to saturated zone | 1.00 1.00 | Very limited Depth to cemented pan Hard to compact Depth to saturated zone Too clayey | 1.00 1.00 1.00 0.50 |
| BdhAH: Bellcreek----- | 80 | Very limited Flooding Depth to saturated zone Ponding | 1.00 1.00 1.00 | Very limited Flooding Ponding Depth to | 1.00 1.00 1.00 | Very limited Ponding Depth to saturated zone Too clayey | 1.00 1.00 1.00 |

| | | | | | | | |
|--------------------------|-----|----------------------------|------|----------------------------|------|--|------|
| | | Too clayey | 1.00 | saturated zone | | | |
| BeG: Berks----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Depth to bedrock | 1.00 |
| | | Depth to bedrock | 1.00 | Seepage | 1.00 | Slope | 1.00 |
| | | Content of large stones | 0.72 | Depth to bedrock | 1.00 | Content of large stones | 0.72 |
| | | | | | | Seepage | 0.52 |
| | | | | | | Gravel content | 0.01 |
| Bf: Birds----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | | |
| BlF: Bloomfield----- | 100 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Very limited Too Sandy | 1.00 |
| | | Too Sandy | 1.00 | Slope | 1.00 | Seepage | 1.00 |
| | | Slope | 1.00 | | | Slope | 1.00 |
| EmB: Bloomfield----- | 55 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Very limited Too Sandy | 1.00 |
| | | Too Sandy | 1.00 | | | Seepage | 1.00 |
| Alvin----- | 45 | Very limited Seepage | 1.00 | Not limited | | Somewhat limited Too Sandy | 0.50 |
| | | Too Sandy | 1.00 | | | | |
| EmC2: Bloomfield----- | 55 | Very limited Seepage | 1.00 | Very limited Seepage | 1.00 | Very limited Too Sandy | 1.00 |
| | | Too Sandy | 1.00 | Slope | 0.16 | Seepage | 1.00 |
| | | Slope | 0.16 | | | Slope | 0.16 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-------------------------------|---------------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Alvin----- | 45 | Very limited Seepage | 1.00 | Somewhat limited Slope | 0.16 | Somewhat limited Too Sandy | 0.50 |
| | | Too Sandy | 1.00 | | | Slope | 0.16 |
| | | Slope | 0.16 | | | | |
| Bn: Bobtown----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.95 |
| | | Seepage | 1.00 | Seepage | 1.00 | | |
| BoD2: Bonnell----- | 100 | Very limited Too clayey | 1.00 | Somewhat limited Slope | 0.96 | Very limited Too clayey | 1.00 |
| | | Slope | 0.96 | | | Slope | 0.96 |
| BodAV: Bonnie----- | 84 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Ponding | 1.00 |
| | | Depth to saturated zone | 1.00 | Ponding | 1.00 | Depth to saturated zone | 1.00 |
| | | Ponding | 1.00 | Depth to saturated zone | 1.00 | | |
| BpD3: Bonnell----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| | | Too clayey | 0.50 | | | Too clayey | 0.50 |
| CcB2: Cincinnati----- | 80 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to cemented pan | 1.00 | Very limited Depth to cemented pan | 1.00 |
| | | | | Depth to saturated zone | 0.75 | Depth to saturated zone | 0.86 |
| CcC2: Cincinnati, eroded-- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to cemented pan | 1.00 | Very limited Depth to cemented pan | 1.00 |
| | | Slope | 0.04 | Depth to saturated zone | 0.75 | Depth to saturated zone | 0.86 |

| | | | | | | | |
|--|-----|---|------------------|---|--------------------------|---|--------------------------|
| | | | | Slope | 0.04 | Slope | 0.04 |
| CcC3: Cincinnati, severely eroded----- | 100 | Very limited Depth to saturated zone Slope | 1.00 0.04 | Very limited Depth to cemented pan Depth to saturated zone Slope | 1.00 1.00 0.04 | Very limited Depth to cemented pan Depth to saturated zone Slope | 1.00 1.00 0.04 |
| ClfA: Cobbsfork----- | 75 | Very limited Ponding Depth to saturated zone | 1.00 1.00 | Very limited Ponding Depth to saturated zone | 1.00 1.00 | Very limited Ponding Depth to saturated zone | 1.00 1.00 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|---|------------------------------|---|--------------------------|--|--------------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| CoD: Coolville----- | 100 | Very limited Depth to saturated zone Depth to bedrock Too clayey Slope | 1.00 1.00 1.00 1.00 | Very limited Slope Depth to saturated zone Depth to bedrock | 1.00 1.00 0.42 | Very limited Too clayey Slope Hard to compact Depth to saturated zone Depth to bedrock | 1.00 1.00 0.42 |
| Df: Driftwood----- | 100 | Very limited Flooding Depth to saturated zone Too clayey | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone Too clayey | 1.00 1.00 |
| DuA: Dubois----- | 85 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to cemented pan Depth to saturated zone | 1.00 1.00 | Very limited Depth to cemented pan Depth to saturated zone Too clayey | 1.00 1.00 0.50 |
| DuB2: Dubois----- | 77 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to cemented pan Depth to saturated zone | 1.00 1.00 | Very limited Depth to cemented pan Depth to saturated zone Too clayey | 1.00 1.00 0.50 |
| FoA: Fox----- | 55 | Very limited Seepage Too Sandy | 1.00 1.00 | Very limited Seepage | 1.00 | Very limited Too Sandy Seepage Gravel content | 1.00 1.00 0.22 |
| Ockley----- | 45 | Very limited Seepage | 1.00 | Not limited | | Not limited | |
| FrD2: Frederick----- | 45 | Very limited Too clayey Slope | 1.00 0.66 | Somewhat limited Slope | 0.66 | Very limited Too clayey Hard to compact Slope | 1.00 1.00 0.66 |
| Crider----- | 35 | Very limited Depth to bedrock Too clayey Slope | 1.00 1.00 0.04 | Somewhat limited Slope | 0.04 | Very limited Too clayey Hard to compact Slope | 1.00 1.00 0.04 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|-----------------------------|--|
| | | Rating class and Value | Rating class and Value | Rating class and Value | Rating class and Value | | |

| | | limiting features | | limiting features | | limiting features | |
|-------------------------|-----|---|----------------------|--|--------------|--|----------------------|
| Gilpin----- | 20 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content | 1.00 1.00 0.02 |
| Ge: Genesee----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Not limited | |
| GnD3: Gilpin----- | 100 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content | 1.00 1.00 0.01 |
| GnF: Gilpin----- | 100 | Very limited Slope Depth to bedrock Too clayey | 1.00 1.00 0.50 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Depth to bedrock Slope Too clayey | 1.00 1.00 0.50 |
| GpD: Gilpin----- | 50 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope | 1.00 1.00 | Very limited Depth to bedrock Slope Gravel content | 1.00 1.00 0.02 |
| Wellston----- | 50 | Very limited Depth to bedrock Slope Too clayey | 1.00 0.96 0.50 | Somewhat limited Depth to bedrock Slope | 1.00 0.96 | Somewhat limited Depth to bedrock Slope Too clayey | 1.00 0.96 0.50 |
| HdA: Haubstadt----- | 90 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to cemented pan Depth to saturated zone | 1.00 1.00 | Very limited Depth to cemented pan Depth to saturated zone Too clayey | 1.00 1.00 0.50 |
| HdB2: Haubstadt----- | 84 | Very limited Depth to saturated zone Too clayey | 1.00 0.50 | Very limited Depth to cemented pan Depth to saturated zone | 1.00 1.00 | Very limited Depth to cemented pan Depth to saturated zone Too clayey | 1.00 1.00 0.50 |
| Hm: Haymond----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Not limited | |
| HrE: Hickory----- | 100 | Very limited Slope Too clayey | 1.00 0.50 | Very limited Slope | 1.00 | Very limited Slope Too clayey | 1.00 0.50 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|---|------------------|---|----------------------|--|--------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| KtF: Kurtz----- | 100 | Very limited Slope Depth to bedrock Too clayey | 1.00 1.00 0.50 | Very limited Slope Depth to bedrock | 1.00 0.42 | Very limited Slope Too clayey Depth to bedrock | 1.00 0.50 0.42 |
| Ly: Lyles----- | 100 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 0.52 |
| MfxA: Martinsville, Sandy Substratum----- | 95 | Very limited Seepage | 1.00 | Not limited | | Not limited | |
| MkB2: Markland----- | 100 | Very limited Too clayey | 1.00 | Somewhat limited Depth to | 0.75 | Very limited Too clayey | 1.00 |

| | | | | | | | |
|------------------------|-----|---|------|---|------|---------------------------------------|------|
| | | Depth to saturated zone | 1.00 | saturated zone | | Hard to compact | 1.00 |
| | | | | | | Depth to saturated zone | 0.86 |
| MmC3: Markland----- | 100 | Very limited Too clayey | 1.00 | Somewhat limited Depth to saturated zone | 0.75 | Very limited Too clayey | 1.00 |
| | | Depth to saturated zone | 1.00 | Slope | 0.01 | Hard to compact | 1.00 |
| | | Slope | 0.01 | | | Depth to saturated zone | 0.86 |
| | | | | | | Slope | 0.01 |
| MrA: Mcgary----- | 93 | Very limited Too clayey | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Too clayey | 1.00 |
| | | Depth to saturated zone | 1.00 | | | Depth to saturated zone | 1.00 |
| | | | | | | Hard to compact | 1.00 |
| MtB2: Medora----- | 88 | Somewhat limited Depth to saturated zone | 0.86 | Very limited Depth to cemented pan | 1.00 | Very limited Depth to cemented pan | 1.00 |
| | | Too clayey | 0.50 | Depth to saturated zone | 0.19 | Too clayey | 0.50 |
| | | | | | | Depth to saturated zone | 0.47 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|------------------|---|--------------|---|-------|---|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MtC2: Medora----- | 73 | Somewhat limited Depth to saturated zone | 0.86 | Very limited Depth to cemented pan | 1.00 | Very limited Depth to cemented pan | 1.00 |
| | | Too clayey | 0.50 | Depth to saturated zone | 0.19 | Too clayey | 0.50 |
| | | Slope | 0.04 | Slope | 0.04 | Depth to saturated zone | 0.47 |
| | | | | | | Slope | 0.04 |
| NaaA: Nabb----- | 85 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to cemented pan | 1.00 | Very limited Depth to cemented pan | 1.00 |
| | | Too clayey | 0.50 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | | | | | Too clayey | 0.50 |
| NaaB2: Nabb----- | 78 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to cemented pan | 1.00 | Very limited Depth to cemented pan | 1.00 |
| | | Too clayey | 0.50 | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | | | | | Too clayey | 0.50 |
| NeD2: Negley----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| | | | | | | Too clayey | 0.50 |
| NgE: Negley----- | 100 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| NnA: Nineveh Variant---- | 100 | Very limited Flooding Seepage | 1.00 1.00 | Very limited Flooding | 1.00 | Not limited | |
| Omz: Orthents----- | 100 | Not rated | | Not rated | | Not rated | |
| OtC2: Otwell----- | 100 | Somewhat limited Depth to saturated zone | 0.86 | Somewhat limited Depth to saturated zone | 0.19 | Somewhat limited Depth to saturated zone | 0.47 |
| | | Slope | 0.04 | Slope | 0.04 | Slope | 0.04 |

| | | | | | | | |
|--------------------|-----|--|------|--|------|--|------|
| Ru: | | | | | | | |
| Ruark Variant----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | | |
| | | Seepage | 1.00 | | | | |
| Sf: | | | | | | | |
| Steff----- | 100 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Somewhat limited Depth to saturated zone | 0.86 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Seepage | 0.22 |
| | | Seepage | 1.00 | Seepage | 1.00 | | |
| Sg: | | | | | | | |
| Steff----- | 100 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Somewhat limited Depth to saturated zone | 0.86 |
| | | Seepage | 1.00 | Seepage | 1.00 | Seepage | 0.22 |
| | | Flooding | 0.40 | Flooding | 0.40 | | |
| SldAH: | | | | | | | |
| Shoals----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | Seepage | 0.22 |
| | | Seepage | 1.00 | Seepage | 1.00 | | |
| Sn: | | | | | | | |
| Stendal----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 | | |
| SsC2: | | | | | | | |
| Stonehead----- | 100 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to saturated zone | 0.19 | Somewhat limited Too clayey | 0.50 |
| | | Depth to saturated zone | 0.86 | Depth to bedrock | 0.05 | Depth to saturated zone | 0.47 |
| | | Too clayey | 0.50 | Slope | 0.01 | Depth to bedrock | 0.05 |
| | | Slope | 0.01 | | | Slope | 0.01 |
| St: | | | | | | | |
| Stonelick----- | 90 | Very limited Flooding | 1.00 | Very limited Flooding | 1.00 | Very limited Too Sandy | 1.00 |
| | | Seepage | 1.00 | Seepage | 1.00 | Seepage | 0.52 |
| | | Too Sandy | 1.00 | | | | |
| StdAQ: | | | | | | | |
| Stendal----- | 88 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| | | Flooding | 0.40 | Flooding | 0.40 | | |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|--|-------|--|-------|--|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| SyA: | | | | | | | |
| Stoy----- | 90 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone | 1.00 |
| TLB2: | | | | | | | |
| Tilsit----- | 100 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 |
| | | Depth to saturated zone | 0.86 | Depth to saturated zone | 0.19 | Too clayey | 0.50 |
| | | Too clayey | 0.50 | | | Depth to saturated zone | 0.47 |
| TLC2: | | | | | | | |
| Tilsit----- | 100 | Very limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 | Somewhat limited Depth to bedrock | 1.00 |
| | | Depth to saturated zone | 0.86 | Depth to saturated zone | 0.19 | Too clayey | 0.50 |
| | | Too clayey | 0.50 | Slope | 0.04 | Depth to saturated zone | 0.47 |
| | | Slope | 0.04 | | | Slope | 0.04 |
| Ud: | | | | | | | |

| | | | | | | | |
|-------------------------------|-----|---|----------------------|---|----------------------|---|----------------------|
| Udorthents----- | 60 | Very limited Slope | 1.00 | Very limited Slope | 1.00 | Very limited Slope | 1.00 |
| Poorly Drained Aquent----- | 40 | Very limited Flooding Depth to saturated zone Ponding | 1.00 1.00 1.00 | Very limited Flooding Ponding Depth to saturated zone | 1.00 1.00 1.00 | Very limited Ponding Depth to saturated zone | 1.00 1.00 |
| W: Water----- | 100 | Not rated | | Not rated | | Not rated | |
| Wa: Wakeland----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |
| WeD2: Wellston----- | 100 | Very limited Depth to bedrock Slope Too clayey | 1.00 1.00 0.50 | Very limited Slope Depth to bedrock | 1.00 1.00 | Very limited Slope Depth to bedrock Too clayey | 1.00 1.00 0.50 |
| Wk: Whitaker----- | 90 | Very limited Flooding Depth to saturated zone Seepage | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone | 1.00 |

Table ENG-6.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Trench sanitary landfill | | Area sanitary landfill | | Daily cover for landfill | |
|-----------------------------|---------------------------|---|------------------------------|---|------------------------------|---|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Wo: Whitaker Variant---- | 100 | Very limited Flooding Depth to saturated zone Seepage Too clayey | 1.00 1.00 1.00 0.50 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Somewhat limited Depth to saturated zone Too clayey | 0.95 0.50 |
| Wr: Wilbur----- | 100 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Somewhat limited Depth to saturated zone | 0.86 |
| WsyAQ: Whitaker----- | 92 | Very limited Depth to saturated zone Seepage Flooding | 1.00 1.00 1.00 0.40 | Very limited Depth to saturated zone Seepage Flooding | 1.00 1.00 1.00 0.40 | Very limited Depth to saturated zone Seepage | 1.00 1.00 |
| Wt: Wilhite----- | 100 | Very limited Flooding Depth to saturated zone Too clayey | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone Too clayey | 1.00 1.00 |
| Zp: Zipp----- | 100 | Very limited Flooding Depth to saturated zone Too clayey | 1.00 1.00 1.00 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Depth to saturated zone Too clayey Hard to compact | 1.00 1.00 1.00 |