

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT
 Dorchester County, Maryland: Detailed Soil Map Legend

Map Symbol	Soil Mapunit Name	HEL Classification	
		R=	C=
1	BEACHES	not highly erodible	
2	BESTPITCH AND TRANSQUAKING SOILS	not highly erodible	
3	CHICONE MUCKY SILT LOAM	not highly erodible	
4C	DOWNER LOAMY SAND, 5 TO 10 PERCENT SLOPES	potentially highly erodible	
5A	DOWNER SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
5B	DOWNER SANDY LOAM, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
6	ELKTON LOAM	not highly erodible	
7	ELKTON SILT LOAM	not highly erodible	
8	ELKTON MUCKY SILT LOAM, VERY WET	not highly erodible	
9C	EVESBORO SAND, 5 TO 10 PERCENT SLOPES	potentially highly erodible	
9E	EVESBORO SAND, 15 TO 30 PERCENT SLOPES	highly erodible	
10	FALLSINGTON SANDY LOAM	not highly erodible	
11	FLUVAQUENTS	not highly erodible	
12A	FORT MOTT LOAMY SAND, 0 TO 2 PERCENT SLOPES	not highly erodible	
12B	FORT MOTT LOAMY SAND, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
13E	FORT MOTT, EVESBORO, AND DOWNER SOILS	highly erodible	
14A	GALESTOWN LOAMY SAND, 0 TO 2 PERCENT SLOPES	not highly erodible	
14B	GALESTOWN LOAMY SAND, 2 TO 5 PERCENT SLOPES	not highly erodible	
15A	HAMBROOK LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
15B	HAMBROOK LOAM, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
16	HAMMONTON SANDY LOAM	not highly erodible	
17	HONGA PEAT	not highly erodible	
18	HURLOCK SANDY LOAM	not highly erodible	
19A	INGLESIDE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
19B	INGLESIDE SANDY LOAM, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
20	KEYPORT SILT LOAM	potentially highly erodible	
21	KLEJ-HAMMONTON COMPLEX	not highly erodible	
22A	MATAPEAKE SILT LOAM, WET SUBSTRATUM, 0 TO 2 PERCENT SLOPES	not highly erodible	
22B	MATAPEAKE SILT LOAM, WET SUBSTRATUM, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
23	MATTAPEX FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
24A	MATTAPEX SILT LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
24B	MATTAPEX SILT LOAM, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
25	NANTICOKE SILT LOAM	not highly erodible	
26	OTHELLO SILT LOAM	not highly erodible	
27	OTHELLO AND KENTUCK SOILS	not highly erodible	
28	PONE MUCKY SANDY LOAM	not highly erodible	
29	PONE MUCKY LOAM	not highly erodible	
30	PUCKUM MUCK	not highly erodible	
31A	RUNCLINT SAND, 0 TO 2 PERCENT SLOPES	not highly erodible	
31B	RUNCLINT SAND, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
32	SASSAFRAS LOAM	not highly erodible	
33	SUNKEN MUCKY SILT LOAM	not highly erodible	
34	UDORTHENTS	potentially highly erodible	
35	WOODSTOWN LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
36A	WOODSTOWN SANDY LOAM, 0 TO 2 PERCENT SLOPES	not highly erodible	
36B	WOODSTOWN SANDY LOAM, 2 TO 5 PERCENT SLOPES	potentially highly erodible	
W	WATER		

HIGHLY ERODIBLE LAND CLASSIFICATION REPORT--Continued
:

Map Symbol	Soil Mapunit Name	HEL Classification R= C=
---------------	-------------------	-----------------------------

