

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Aa: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Be: Beaches-----	100	Not rated		Not rated		Not rated	
B1A: Beltsville-----	95	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	 1.00 1.00 1.00	Very limited Restricted permeability Too acid	 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	 1.00 1.00 0.94
B1B2: Beltsville-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	 1.00 1.00 1.00	Very limited Restricted permeability Too acid	 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability Too steep for surface application	 1.00 1.00 0.94 0.08
B1B3: Beltsville-----	100	Not Rated Not Rated; CEC or Clay Seepage	 1.00	Very limited Restricted permeability Too acid	 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BlC2: Beltsville-----	100	Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
						Too steep for surface application	0.08
		Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
BlC3: Beltsville-----	100	Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
		Not Rated		Very limited		Not Rated	
Bm: Bibb-----	100	Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
BrB2: Bourne-----	100	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Flooding	1.00	Not Rated; CEC or Clay	
		Flooding	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Flooding	1.00
		Seepage	1.00			Too acid	1.00
BrB2: Bourne-----	100	Too acid	1.00				
		Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
BrB2: Bourne-----	100	Seepage	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
		Too acid	0.77			Too acid	0.77

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrC3: Bourne-----	100	Not Rated		Very limited		Too steep for surface application	0.08
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated	
		Seepage	1.00	Slope	1.00	Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too acid	0.77			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
						Too acid	0.77
CaB2: Caroline-----	100	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
CaC2: Caroline-----	100	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
CaC3: Caroline-----	100	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Restricted permeability	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
CaD2: Caroline-----	100	Not Rated		Very limited		Not Rated	
		Not Rated; CEC or Clay		Slope	1.00	Not Rated; CEC or Clay	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaD3: Caroline-----	100	Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Not Rated		Very limited Slope	1.00	Not Rated	
ChA: Chillum-----	100	Not Rated; CEC or Clay Seepage	1.00	Restricted permeability	1.00	Not Rated; CEC or Clay	
		Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
ChB2: Chillum-----	100	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00			Not Rated; CEC or Clay	
		Too acid	1.00			Too acid	1.00
ChC2: Chillum-----	100	Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Slope	1.00	Not Rated; CEC or Clay	
		Too acid	1.00			Too steep for surface application	1.00
ChC3: Chillum-----	100	Too steep for surface application	0.50			Too acid	1.00
		Not Rated		Very limited Restricted permeability	1.00	Not Rated	
		Not Rated; CEC or Clay Seepage	1.00	Slope	1.00	Not Rated; CEC or Clay	
CrB2: Croom-----	100	Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Too acid	1.00			Too acid	1.00
		Not Rated		Very limited		Not Rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrC2: Croom-----	100	Not Rated; CEC or Clay Seepage Too acid	1.00 0.91	Restricted permeability	1.00	Not Rated; CEC or Clay Too acid Too steep for surface application	0.91 0.08
		Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.91 0.22	Very limited Restricted permeability Slope	1.00 1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.91 0.22
CrD2: Croom-----	100	Not Rated Not Rated; CEC or Clay Seepage Too steep for surface application Too acid	1.00 1.00 1.00 0.91	Very limited Slope Restricted permeability	1.00 1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 0.91
		Not Rated Not Rated; CEC or Clay Seepage Too steep for surface application Too acid	1.00 1.00 1.00 0.91	Very limited Slope Restricted permeability	1.00 1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 0.91
CrD3: Croom-----	100	Not Rated Not Rated; CEC or Clay Seepage Too steep for surface application Too acid	1.00 1.00 1.00 0.91	Very limited Slope Restricted permeability	1.00 1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 0.91
		Not Rated Not Rated; CEC or Clay Seepage Too steep for surface application Too acid	1.00 1.00 1.00 0.91	Very limited Slope Restricted permeability	1.00 1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 0.91
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	50	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00
		Too acid	1.00				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	50	Very limited Depth to saturated zone Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00
EvB: Evesboro-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Somewhat limited Too acid	0.42	Not Rated Not Rated; CEC or Clay Too acid Filtering capacity Too steep for surface application	1.00 1.00 1.00 0.08
EvC: Evesboro-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 1.00	Very limited Slope Too acid	1.00 0.42	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application Filtering capacity	1.00 1.00 1.00 1.00
EwC2: Evesboro-----	60	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.50	Very limited Slope Too acid	1.00 0.42	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 0.50
Westphalia-----	40	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.50	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.50

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EwD2: Evesboro-----	60	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope Too acid	1.00 0.42	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid Filtering capacity	1.00 1.00 1.00 1.00
Westphalia-----	40	Not Rated Not Rated; CEC or Clay Too steep for surface application Seepage	1.00 1.00	Very limited Slope Restricted permeability Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00
EwE2: Evesboro-----	60	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope Too acid	1.00 0.42	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid Filtering capacity	1.00 1.00 1.00 1.00
Westphalia-----	40	Not Rated Not Rated; CEC or Clay Too steep for surface application Seepage	1.00 1.00	Very limited Slope Restricted permeability Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00 1.00 1.00
FaB: Faceville-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.03	Not Rated Not Rated; CEC or Clay Too acid	1.00
Fs: Fallsington-----	50	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fallsington-----	50	Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Low adsorption	0.04
		Low adsorption	0.04				
Gp: Gravel Pits-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Low adsorption	0.04
KeC2: Kempsville-----	100	Not rated		Not rated		Not rated	
		Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	0.91	Slope	1.00	Too acid	0.91
KeC3: Kempsville-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited		Very limited		Very limited	
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	0.91	Slope	1.00	Too acid	0.91
KeD2: Kempsville-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
KeD3: Kempsville-----	100	Too acid	0.91			Too acid	0.91
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpA: Keyport-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KpB2: Keyport-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone Too steep for surface application	0.68 0.08
KrA: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KrB2: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone Too steep for surface application	0.68 0.08
KrC2: Keyport-----	100	Very limited Too acid	1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Too acid	1.00
		Seepage	1.00			Too steep for surface application	1.00
		Depth to saturated zone Too steep for surface application	0.68 0.22			Restricted permeability Depth to saturated zone Too steep for sprinkler application	0.94 0.68 0.22

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Kz: Klej-----	95	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
Le: Leonardtown-----	100	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
MaB2: Marr-----	100	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00			Too acid	0.91
		Too acid	0.91			Too steep for surface application	0.08
MaC2: Marr-----	100	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.91			Too acid	0.91
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
MaC3: Marr-----	100	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	0.91			Too acid	0.91
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
MmA: Matapeake-----	100	Not Rated Not Rated; CEC or Clay		Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmB2: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
MnA: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid	1.00
MnB2: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
MnC3: Matapeake-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid Too steep for surface application	1.00 1.00 0.22	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 0.22
MtA: Mattapex-----	100	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Too acid Depth to saturated zone	1.00 0.95
MtB2: Mattapex-----	100	Very limited Seepage Too acid Depth to saturated zone	1.00 1.00 0.95	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Too acid Depth to saturated zone Too steep for surface application	1.00 0.95 0.08
MuA: Mattapex-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuB2: Mattapex-----	100	Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.95
		Depth to saturated zone	0.95				
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.95
		Depth to saturated zone	0.95			Too steep for surface application	0.08
MuC2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Too acid	0.14	Depth to saturated zone	0.95
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
On: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.15
Ot: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Restricted permeability	0.15
RuB: Rumford-----	100	Not Rated Not Rated; CEC or Clay		Somewhat limited Restricted permeability	0.32	Not Rated Not Rated; CEC or Clay	
		Seepage	1.00	Too acid	0.03	Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
RuC2: Rumford-----	100	Not Rated Not Rated; CEC or Clay		Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Seepage	1.00	Restricted permeability	0.32	Too acid	1.00
		Too acid	1.00	Too acid	0.03	Too steep for surface application	1.00
		Too steep for surface application	0.22			Filtering capacity	1.00
SaA: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SaB2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SaC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SaC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
SaD2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SaD3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
SfA: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
SfB2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
SmC2: Sassafras-----	65	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
Chillum-----	35	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid	1.00			Too acid	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
SmC3: Sassafras-----	65	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated Not Rated; CEC or Clay Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Chillum-----	35	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability Slope	1.00	Not Rated Not Rated; CEC or Clay Too steep for surface application	1.00
		Too acid Too steep for surface application	1.00 0.50			Too acid Too steep for sprinkler application	1.00 0.50
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WeB2: Westphalia-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application	1.00 0.08
WeC2: Westphalia-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.50
WeC3: Westphalia-----	100	Not Rated Not Rated; CEC or Clay Seepage Too acid	1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Not Rated Not Rated; CEC or Clay Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.50
WsA: Woodstown-----	100	Very limited Seepage Too acid	1.00 1.00	Somewhat limited Restricted permeability Too acid	0.68 0.14	Very limited Too acid Depth to saturated zone	1.00 0.84

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsB: Woodstown-----	100	Depth to saturated zone	0.84				
		Very limited Seepage	1.00	Somewhat limited Restricted permeability	0.68	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.84
		Depth to saturated zone	0.84			Too steep for surface application	0.08
WsC2: Woodstown-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Too acid	0.14	Depth to saturated zone	0.84
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22

