

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
AuC2: Aura-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 0.22	Very limited Slope Restricted permeability Too acid	1.00 0.68 0.42	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.22
AuD2: Aura-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 1.00	Very limited Slope Restricted permeability Too acid	1.00 0.68 0.42	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 1.00
AuD3: Aura-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 0.78	Very limited Slope Restricted permeability Too acid	1.00 0.68 0.42	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00 0.78
BlA: Beltsville-----	95	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Too acid	1.00 0.14	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BlB2: Beltsville-----	95	Depth to saturated zone	1.00			Restricted permeability	0.94
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
						Too steep for surface application	0.08
BlC2: Beltsville-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
BlC3: Beltsville-----	95	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Too steep for surface application	0.22			Restricted permeability	0.94
Bo: Bibb-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Flooding	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00				
BrB2: Bourne-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrC2: Bourne-----	100	Low adsorption	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.94
		Too acid	0.77			Too acid	0.77
						Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
BuC3: Bourne-----	100	Low adsorption	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	0.77			Restricted permeability	0.94
		Too steep for surface application	0.22			Too acid	0.77
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
ChB2: Chillum-----	100	Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	1.00	Too acid	0.14	Depth to saturated zone	1.00
		Too acid	0.77			Restricted permeability	0.94
		Too steep for surface application	0.22			Too acid	0.77
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
ChC2: Chillum-----	100	Seepage	1.00			Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
Co: Coastal Beaches-----	100	Not rated		Not rated		Not rated	
CrB2: Croomb-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	0.50	Too acid	0.91
		Too acid	0.91			Too steep for surface application	0.68
CrC2: Croomb-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
CrC3: Croomb-----	100	Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00			Too steep for sprinkler application	1.00
		Too acid	0.91			Too acid	0.91
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvB: Evesboro-----	100	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Too acid	0.42	Very limited Low adsorption Too acid Filtering capacity Too steep for surface application	1.00 1.00 1.00 0.08
EvC: Evesboro-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 1.00	Very limited Slope Too acid	1.00 0.42	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application Filtering capacity	1.00 1.00 1.00 1.00 1.00
EwB: Evesboro-----	100	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Too acid	0.14	Very limited Low adsorption Too acid Filtering capacity Too steep for surface application	1.00 1.00 1.00 0.08
EwC: Evesboro-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 1.00	Very limited Slope Too acid	1.00 0.14	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application Filtering capacity	1.00 1.00 1.00 1.00 1.00
ExC2: Exum-----	100	Very limited Low adsorption Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Slope Too acid	1.00 1.00 0.14	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ExC3: Exum-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Slope Too acid	1.00 0.14	Too acid Too steep for surface application	1.00 1.00
ExD2: Exum-----	100	Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
EyD3: Exum-----	100	Too steep for surface application	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited Low adsorption	1.00	Very limited Slope	1.00	Restricted permeability	0.60
EzB2: Exum-----	65	Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Too acid	1.00
Beltsville-----	30	Too acid	1.00			Restricted permeability	0.60
		Depth to saturated zone	1.00			Too acid	1.00
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Too acid	0.14	Restricted permeability	0.94

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fallsington-----	100					Too steep for surface application	0.08
		Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
		Low adsorption	0.04			Low adsorption	0.04
GaB: Galestown-----	100	Very limited Seepage	1.00	Somewhat limited Too acid	0.14	Very limited Too acid	1.00
		Too acid	1.00			Filtering capacity	1.00
Gp: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
GvE: Gravelly Land-----	95	Not rated		Not rated		Not rated	
Ik: Iuka-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Flooding	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.67
		Too acid	0.67				
Im: Iuka-----	95	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Too acid	0.67
		Too acid	0.67				
		Flooding	0.40				
In: Iuka-----	100	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeA: Keyport-----	100	Low adsorption	1.00	Restricted permeability	1.00	Depth to saturated zone	1.00
		Seepage	1.00	Flooding	0.60	Too acid	0.67
		Depth to saturated zone	1.00			Flooding	0.60
		Too acid	0.67				
KeB2: Keyport-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KpA: Keyport-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KpB2: Keyport-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
		Seepage	1.00			Restricted permeability	0.94
		Depth to saturated zone	0.68			Depth to saturated zone	0.68
KpC2: Keyport-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpC3: Keyport-----	100	Seepage	1.00			Too steep for surface application	1.00
		Depth to saturated zone	0.68			Restricted permeability	0.94
		Too steep for surface application	0.50			Depth to saturated zone	0.68
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Seepage	1.00			Too steep for surface application	1.00
		Depth to saturated zone	0.68			Restricted permeability	0.94
Le: Leonardtown-----	100	Too steep for surface application	0.50			Depth to saturated zone	0.68
		Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Low adsorption	1.00	Too acid	0.14	Low adsorption	1.00
		Seepage	1.00			Too acid	1.00
		Too acid	1.00			Restricted permeability	0.94
MgA: Magnolia-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
		Low adsorption	0.45			Low adsorption	0.45
MgB2: Magnolia-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Filtering capacity	1.00
		Too acid	1.00			Too acid	1.00
		Low adsorption	0.45			Low adsorption	0.45
MgC2: Magnolia-----	100	Too steep for surface application	0.08			Too steep for surface application	0.08
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Filtering capacity	1.00
		Too steep for surface application	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MkC3: Magnolia-----	100	Low adsorption	0.45			Too steep for sprinkler application	0.50
						Low adsorption	0.45
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Filtering capacity Too acid	1.00
		Too steep for surface application	0.50				
MlB2: Marr-----	100	Low adsorption	0.45			Too steep for sprinkler application	0.50
						Low adsorption	0.45
		Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Too acid	0.91			Too acid Too steep for surface application	0.08
MmA: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
MmB2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
MnA: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00				
MnB2: Matapeake-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnC2: Matapeake-----	100	Too acid	1.00			Too steep for surface application	0.08
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
MnC3: Matapeake-----	100	Too acid Too steep for surface application	1.00 0.22	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.22
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too steep for surface application	1.00
Ms: Matawan-----	100	Too acid Too steep for surface application	1.00 0.22	Too acid	0.14	Too acid Too steep for sprinkler application	1.00 0.22
		Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Depth to saturated zone	0.86
MtA: Mattapex-----	100	Depth to saturated zone	0.86			Restricted permeability	0.60
		Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
MtB2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuA: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14		
MuB2: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Depth to saturated zone	0.95
		Depth to saturated zone	0.95	Too acid	0.14	Too steep for surface application	0.08
MxC: Mattapex-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Too acid	1.00
		Too acid	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.95	Slope	1.00	Depth to saturated zone	0.95
		Too steep for surface application	0.50	Too acid	0.14	Too steep for sprinkler application	0.50
OcB: Ochlockonee-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too acid	0.77
		Too acid	0.77				
		Flooding	0.40				
Or: Osier-----	100	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Very limited Filtering capacity	1.00
		Depth to saturated zone	1.00	Too acid	0.03	Depth to saturated zone	1.00
		Low adsorption	1.00			Low adsorption	1.00
		Too acid	1.00			Too acid	1.00
Os: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Restricted permeability	0.15

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ot: Othello-----	100	Very limited Depth to saturated zone Seepage Too acid	1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.14	Very limited Depth to saturated zone Too acid Restricted permeability	1.00 1.00 0.15
RdB2: Rumford-----	100	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Restricted permeability Too acid	0.32 0.03	Very limited Low adsorption Too acid Filtering capacity	1.00 1.00 1.00
RdC2: Rumford-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 0.22	Very limited Slope Restricted permeability Too acid	1.00 0.32 0.03	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 0.22
RgB2: Rumford-----	100	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Too acid	0.14	Very limited Low adsorption Too acid Filtering capacity	1.00 1.00 1.00
RgC2: Rumford-----	100	Very limited Seepage Low adsorption Too acid Too steep for surface application	1.00 1.00 1.00 0.22	Very limited Slope Too acid	1.00 0.14	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 0.22
SaE: Sandy Land-----	100	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShA: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14		
ShB2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	0.08
ShC2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
ShC3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22
ShD2: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
ShD3: Sassafras-----	100	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00	Too acid	0.14	Too acid	1.00
Sx: Swamp-----	100	Not rated		Not rated		Not rated	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Too acid	0.14	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
WaC2: Westphalia-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
WaC3: Westphalia-----	100	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
WaD2: Westphalia-----	100	Very limited Too steep for surface application	1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Seepage	1.00	Too acid	0.14	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaD3: Westphalia-----	100	Very limited Too steep for surface application Low adsorption	1.00 1.00	Very limited Slope	1.00	Very limited Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Too acid	0.14	Too steep for sprinkler application Too acid	1.00 1.00
WeB2: Westphalia-----	70	Very limited Low adsorption	1.00	Very limited Restricted permeability	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 0.08
Evesboro-----	30	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Somewhat limited Too acid	0.42	Very limited Low adsorption Too acid Filtering capacity Too steep for surface application	1.00 1.00 1.00 0.08
WeC2: Westphalia-----	70	Very limited Low adsorption	1.00	Very limited Restricted permeability Slope	1.00	Very limited Low adsorption	1.00
		Seepage Too acid	1.00 1.00	Too acid	0.14	Too acid Too steep for surface application	1.00 1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
Evesboro-----	30	Very limited Seepage Low adsorption Too acid	1.00 1.00 1.00	Very limited Slope Too acid	1.00 0.42	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 0.50
WeC3: Westphalia-----	70	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Evesboro-----	30	Low adsorption	1.00	Restricted permeability	1.00	Low adsorption	1.00
		Seepage	1.00	Slope	1.00	Too acid	1.00
		Too acid	1.00	Too acid	0.14	Too steep for surface application	1.00
		Too steep for surface application	0.50			Too steep for sprinkler application	0.50
		Very limited		Very limited		Very limited	
		Seepage	1.00	Slope	1.00	Low adsorption	1.00
		Low adsorption	1.00	Too acid	0.42	Too acid	1.00
		Too acid	1.00			Too steep for surface application	1.00
		Too steep for surface application	0.50			Filtering capacity	1.00
						Too steep for sprinkler application	0.50
WkB2: Wickham-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too acid	1.00
		Too acid	1.00			Too steep for surface application	0.08
WkC2: Wickham-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
WkD2: Wickham-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
WmC3: Wickham-----	100	Very limited		Very limited		Very limited	

Table AWM-2.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WmD3: Wickham-----	100	Low adsorption	1.00	Depth to saturated zone	1.00	Low adsorption	1.00
		Seepage	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	1.00	Slope	1.00	Too acid	1.00
		Too steep for surface application	0.22			Too steep for sprinkler application	0.22
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Slope	1.00	Low adsorption	1.00
WoA: Woodstown-----	100	Seepage	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Too acid	1.00			Too acid	1.00
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
WoB2: Woodstown-----	100	Depth to saturated zone	0.84	Too acid	0.14		
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Restricted permeability	0.68	Depth to saturated zone	0.84
WoC2: Woodstown-----	100	Depth to saturated zone	0.84	Too acid	0.14	Too steep for surface application	0.08
		Too steep for surface application	0.22				
		Very limited		Very limited		Very limited	
		Seepage	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Too acid	1.00	Slope	1.00	Too steep for surface application	1.00
		Depth to saturated zone	0.84	Restricted permeability	0.68	Depth to saturated zone	0.84
		Too steep for surface application	0.22	Too acid	0.14	Too steep for sprinkler application	0.22

