

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adamstown-----	85	Poor Low content of organic matter Too acid	0.00 0.99	Fair Depth to saturated zone	0.98	Fair Rock fragments Hard to reclaim Depth to saturated zone	0.12 0.82 0.98
AdB: Adamstown-----	85	Poor Low content of organic matter Too acid	0.00 0.99	Fair Depth to saturated zone	0.98	Fair Rock fragments Hard to reclaim Depth to saturated zone	0.12 0.82 0.98
AfB: Adamstown-----	55	Poor Low content of organic matter Too acid	0.00 0.99	Fair Depth to saturated zone	0.98	Fair Rock fragments Hard to reclaim Depth to saturated zone	0.12 0.82 0.98
Funkstown-----	35	Poor Low content of organic matter	0.00	Fair Depth to saturated zone	0.98	Fair Rock fragments Hard to reclaim Depth to saturated zone	0.03 0.98 0.98
ArB: Airmont-----	85	Fair Droughty Low content of organic matter Too acid Depth to cemented pan	0.06 0.12 0.32 0.97	Poor Depth to cemented pan Cobble content Depth to saturated zone	0.00 0.66 0.76	Poor Rock fragments Depth to saturated zone Too acid Depth to cemented pan Not hard to reclaim	0.00 0.76 0.88 0.97 0.99

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ArD: Airmont-----	85	Fair Droughty	0.06	Poor Depth to cemented pan	0.00	Poor Rock fragments	0.00
		Low content of organic matter	0.12	Cobble content	0.66	Slope	0.00
		Too acid	0.32	Depth to saturated zone	0.76	Depth to saturated zone	0.76
		Depth to cemented pan	0.97	Slope	0.92	Too acid	0.88
						Depth to cemented pan	0.97
						Not hard to reclaim	0.99
AtB: Athol-----	85	Poor Low content of organic matter	0.00	Good		Fair Rock fragments	0.88
		Too acid	0.32				
AtC: Athol-----	85	Poor Low content of organic matter	0.00	Good		Fair Slope	0.37
		Too acid	0.32			Rock fragments	0.88
BaB: Bagtown-----	85	Fair Low content of organic matter	0.12	Good		Poor Rock fragments	0.00
		Too acid	0.32			Hard to reclaim	0.08
						Too acid	0.88
BaC: Bagtown-----	85	Fair Low content of organic matter	0.12	Good		Poor Rock fragments	0.00
		Too acid	0.32			Hard to reclaim	0.08
						Too acid	0.88
BaD: Bagtown-----	85	Fair Low content of organic matter	0.12	Fair Slope	0.50	Poor Slope	0.00
		Too acid	0.32			Rock fragments	0.00
						Hard to reclaim	0.08
						Too acid	0.88
BbD: Bagtown-----	85	Fair Low content of organic matter	0.12	Fair Slope	0.50	Poor Slope	0.00
		Too acid	0.32			Rock fragments	0.00
						Hard to reclaim	0.08
						Too acid	0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BbE: Bagtown-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.08 0.88
BcB: Baile-----	55	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.00 0.59
Glenville-----	30	Fair Depth to cemented pan Droughty Low content of organic matter Too acid	0.04 0.06 0.12 0.54	Poor Depth to cemented pan Depth to saturated zone	0.00 0.29	Fair Depth to cemented pan Depth to saturated zone Rock fragments Too acid	0.04 0.29 0.50 0.98
BdB: Benevola-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.30 0.99	Good		Poor Too Clayey	0.00
BdC: Benevola-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.30 0.99	Good		Poor Too Clayey Slope	0.00 0.37
BfA: Bermudian-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.99	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.18 0.98
BgA: Birdsboro-----	85	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Hard to reclaim Too acid Rock fragments	0.32 0.59 0.72
BgB: Birdsboro-----	85	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.99	Good		Fair Hard to reclaim Too acid Rock fragments	0.32 0.59 0.72

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BhE: Blocktown-----	85	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00
BkD: Brinklow-----	50	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.29 0.54 0.54	Poor Depth to bedrock Slope Shrink-swell	0.00 0.50 0.99	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.98
Blocktown-----	40	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00
BmA: Bowmansville-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.84 0.90	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
Rowland-----	35	Fair Too acid Low content of organic matter Water erosion	0.54 0.88 0.90	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.98
BmB: Bowmansville-----	50	Fair Low content of organic matter Too acid Water erosion	0.12 0.84 0.90	Fair Depth to saturated zone	0.04	Fair Depth to saturated zone	0.04
Rowland-----	35	Fair Too acid Low content of organic matter Water erosion	0.54 0.88 0.90	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone Too acid	0.53 0.98
BnB: Braddock-----	85	Poor Too clayey Too acid Low content of organic matter	0.00 0.12 0.12	Fair Shrink-swell	0.94	Poor Rock fragments Too Clayey Hard to reclaim Too acid	0.00 0.00 0.00 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BnC: Braddock-----	85	Poor Too clayey Too acid Low content of organic matter	0.00 0.12 0.12	Fair Shrink-swell	0.94	Poor Rock fragments Too Clayey Hard to reclaim Slope Too acid	0.00 0.00 0.00 0.37 0.59
BoB: Braddock-----	85	Poor Too clayey Too acid Low content of organic matter Cobble content	0.00 0.12 0.12 0.26	Poor Cobble content Shrink-swell	0.00 0.98	Poor Rock fragments Hard to reclaim Too Clayey Too acid	0.00 0.00 0.00 0.59
BpB: Brecknock-----	85	Fair Low content of organic matter Droughty Too acid	0.12 0.55 0.68	Fair Depth to bedrock	0.58	Fair Hard to reclaim Rock fragments	0.02 0.03
BrB: Brentsville-----	85	Fair Too acid Droughty Depth to bedrock Low content of organic matter	0.12 0.25 0.54 0.88	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.03 0.54 0.59
BrC: Brentsville-----	85	Fair Too acid Droughty Depth to bedrock Low content of organic matter	0.12 0.25 0.54 0.88	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.03 0.37 0.54 0.59
BsB: Buckeystown-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Fair Too acid	0.88
BtB: Buckeystown-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Fair Too acid	0.88
BtC: Buckeystown-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Fair Slope Too acid	0.37 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuB: Buckeystown-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Fair Too acid	0.88
CaC: Cardiff-----	85	Fair Low content of organic matter Too acid Droughty Water erosion Depth to bedrock	0.12 0.20 0.58 0.68 0.77	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Too acid Depth to bedrock	0.00 0.63 0.76 0.77
CaD: Cardiff-----	85	Fair Low content of organic matter Too acid Droughty Water erosion Depth to bedrock	0.12 0.20 0.58 0.68 0.77	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Too acid Depth to bedrock	0.00 0.00 0.76 0.77
CaE: Cardiff-----	85	Fair Low content of organic matter Too acid Droughty Water erosion Depth to bedrock	0.12 0.20 0.58 0.68 0.77	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Too acid Depth to bedrock	0.00 0.00 0.76 0.77
CbF: Cardiff-----	85	Fair Low content of organic matter Too acid Droughty Water erosion Depth to bedrock	0.12 0.20 0.58 0.68 0.77	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Too acid Depth to bedrock	0.00 0.00 0.76 0.77
CcC: Catoctin-----	85	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.99	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54
CcD: Catoctin-----	85	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Slope Cobble content	0.00 0.50 0.99	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CcE: Catoctin-----	90	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Slope Cobble content	0.00 0.00 0.99	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.54
CdB: Catoctin-----	45	Fair Droughty Low content of organic matter Depth to bedrock Too acid	0.06 0.12 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.89	Poor Rock fragments Depth to bedrock	0.00 0.54
Highfield-----	40	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.88
CdC: Catoctin-----	45	Fair Droughty Low content of organic matter Depth to bedrock Too acid	0.06 0.12 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.89	Poor Rock fragments Slope Depth to bedrock	0.00 0.00 0.37 0.54
Highfield-----	40	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.88
CdD: Catoctin-----	50	Fair Droughty Low content of organic matter Depth to bedrock Too acid	0.06 0.12 0.54 0.84	Poor Depth to bedrock Slope Cobble content	0.00 0.50 0.89	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.54
Highfield-----	40	Fair Low content of organic matter Too acid	0.12 0.32	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CdE: Catoclin-----	60	Fair Droughty Low content of organic matter Depth to bedrock Too acid	0.06 0.12 0.54 0.84	Poor Depth to bedrock Slope Cobble content	0.00 0.00 0.89	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.54
Highfield-----	35	Fair Low content of organic matter Too acid	0.12 0.32	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.88
CeB: Catoclin-----	45	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.99	Poor Rock fragments Depth to bedrock	0.00 0.54
Spoolsville-----	40	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Rock fragments	0.97
CeC: Catoclin-----	45	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.99	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54
Spoolsville-----	40	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Rock fragments	0.97
CeD: Catoclin-----	55	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Slope Cobble content	0.00 0.50 0.99	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.54
Spoolsville-----	40	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Rock fragments	0.97

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeE: Catoclin-----	60	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Slope Cobble content	0.00 0.00 0.99	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.54
Spoolsville-----	40	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Rock fragments	0.97
CgA: Codorus-----	60	Fair Low content of organic matter Too acid Water erosion	0.12 0.54 0.99	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Rock fragments	0.32 0.53 0.97
Hatboro-----	40	Fair Low content of organic matter Too acid Water erosion	0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50
CmA: Combs-----	85	Good		Good		Fair Rock fragments	0.97
CnA: Combs-----	85	Good		Good		Fair Rock fragments	0.97
CoB: Conestoga-----	60	Poor Low content of organic matter Too acid	0.00 0.88	Good		Fair Hard to reclaim Rock fragments	0.32 0.72
Letort-----	40	Fair Low content of organic matter Too acid	0.05 0.88	Good		Good	
CoC: Conestoga-----	70	Poor Low content of organic matter Too acid	0.00 0.88	Good		Fair Hard to reclaim Slope Rock fragments	0.32 0.37 0.72
Letort-----	20	Fair Low content of organic matter Too acid	0.05 0.88	Good		Fair Slope	0.37

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrA: Croton-----	50	Poor Depth to cemented pan Droughty Too acid Water erosion	0.00 0.03 0.32 0.90	Poor Depth to saturated zone Depth to cemented pan Depth to bedrock	0.00 0.00 0.68	Poor Depth to saturated zone Depth to cemented pan Too acid	0.00 0.00 0.88
Abbottstown-----	35	Poor Low content of organic matter Depth to cemented pan Droughty Too acid Water erosion	0.00 0.04 0.21 0.68 0.90	Poor Depth to cemented pan Depth to saturated zone Depth to bedrock	0.00 0.04 0.58	Fair Depth to saturated zone Depth to cemented pan Not hard to reclaim	0.04 0.04 0.99
CrB: Croton-----	45	Poor Depth to cemented pan Droughty Too acid Water erosion	0.00 0.09 0.32 0.90	Poor Depth to saturated zone Depth to cemented pan Depth to bedrock Shrink-swell	0.00 0.00 0.68 0.95	Poor Depth to saturated zone Depth to cemented pan Too acid	0.00 0.00 0.88
Abbottstown-----	35	Poor Low content of organic matter Depth to cemented pan Droughty Too acid Water erosion	0.00 0.04 0.21 0.68 0.90	Poor Depth to cemented pan Depth to saturated zone Depth to bedrock	0.00 0.04 0.58	Fair Depth to saturated zone Depth to cemented pan Not hard to reclaim	0.04 0.04 0.99
DbF: DeKalb-----	45	Poor Droughty Low content of organic matter Too acid Depth to bedrock Stone content Cobble content	0.00 0.00 0.08 0.54 0.63 0.73	Poor Depth to bedrock Slope Cobble content Stone content	0.00 0.00 0.29 0.51	Poor Slope Rock fragments Too acid Depth to bedrock	0.00 0.00 0.50 0.54
Bagtown-----	40	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.08 0.88
Rock Outcrop-----	15	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DeC: Dekalb-----	55	Poor Droughty Too acid Low content of organic matter Depth to bedrock Stone content Cobble content	0.00 0.08 0.12 0.54 0.63 0.73	Poor Depth to bedrock Cobble content Stone content	0.00 0.29 0.51	Poor Rock fragments Slope Too acid Depth to bedrock	0.00 0.37 0.50 0.54
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeD: Dekalb-----	45	Poor Droughty Too acid Low content of organic matter Depth to bedrock Stone content Cobble content	0.00 0.08 0.12 0.54 0.63 0.73	Poor Depth to bedrock Cobble content Slope Stone content	0.00 0.29 0.50 0.51	Poor Slope Rock fragments Too acid Depth to bedrock	0.00 0.00 0.50 0.50 0.54
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DoB: Downsville-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.50 0.88
DoC: Downsville-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Slope Hard to reclaim Too acid	0.00 0.37 0.50 0.88
DgA: Dryrun-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Fair Depth to saturated zone	0.98	Poor Rock fragments Hard to reclaim Depth to saturated zone	0.00 0.08 0.98
DtA: Duffield-----	50	Fair Low content of organic matter Too acid Too clayey	0.12 0.97 0.98	Fair Shrink-swell	0.87	Fair Rock fragments Too Clayey	0.50 0.57

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ryder-----	35	Fair Low content of organic matter Depth to bedrock Droughty Too acid Water erosion	0.12 0.74 0.92 0.97 0.99	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock	0.28 0.74
DtB: Duffield-----	50	Fair Low content of organic matter Too acid Too clayey	0.12 0.97 0.98	Fair Shrink-swell	0.87	Fair Rock fragments Too Clayey	0.50 0.57
Ryder-----	35	Fair Low content of organic matter Depth to bedrock Droughty Too acid Water erosion	0.12 0.74 0.92 0.97 0.99	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock	0.28 0.74
DtC: Duffield-----	50	Fair Low content of organic matter Too acid Too clayey	0.12 0.97 0.98	Fair Shrink-swell	0.87	Fair Slope Rock fragments Too Clayey	0.37 0.50 0.57
Ryder-----	40	Fair Low content of organic matter Depth to bedrock Droughty Too acid Water erosion	0.12 0.74 0.92 0.97 0.99	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock	0.28 0.37 0.74
DuB: Duffield-----	50	Fair Low content of organic matter Too acid Too clayey	0.12 0.97 0.98	Fair Shrink-swell	0.87	Fair Rock fragments Too Clayey	0.50 0.57
Ryder-----	35	Fair Low content of organic matter Depth to bedrock Droughty Too clayey Too acid Water erosion	0.12 0.58 0.80 0.95 0.97 0.99	Poor Depth to bedrock	0.00	Fair Rock fragments Too Clayey Depth to bedrock	0.28 0.55 0.58

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DvB: Duffield-----	50	Poor Low content of organic matter Too acid Too clayey	0.00 0.84 0.98	Fair Shrink-swell	0.87	Fair Too Clayey Rock fragments	0.49 0.50
Ryder-----	40	Fair Low content of organic matter Depth to bedrock Droughty Too acid Water erosion	0.12 0.74 0.92 0.97 0.99	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock	0.28 0.74
DwB: Duffield-----	35	Fair Low content of organic matter Too acid Too clayey Water erosion	0.12 0.97 0.98 0.99	Fair Shrink-swell	0.87	Fair Rock fragments Too Clayey	0.50 0.57
Hagerstown-----	20	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.88	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
Urban Land-----	20	Not rated		Not rated		Not rated	
EdB: Edgemont-----	85	Fair Too acid Low content of organic matter	0.12 0.12	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.00 0.59
EgB: Edgemont-----	85	Fair Too acid Low content of organic matter	0.12 0.12	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.00 0.59
EgC: Edgemont-----	85	Fair Too acid Low content of organic matter	0.12 0.12	Good		Poor Hard to reclaim Rock fragments Slope Too acid	0.00 0.00 0.37 0.59

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EgD: Edgemont-----	85	Fair Too acid Low content of organic matter	0.12 0.12	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.59
ErB: Edgemont-----	75	Fair Too acid Low content of organic matter	0.12 0.12	Good		Poor Hard to reclaim Rock fragments Too acid	0.00 0.00 0.59
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErC: Edgemont-----	75	Fair Too acid Low content of organic matter	0.12 0.12	Good		Poor Hard to reclaim Rock fragments Slope Too acid	0.00 0.00 0.37 0.59
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErD: Edgemont-----	75	Fair Too acid Low content of organic matter	0.12 0.12	Fair Slope	0.50	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.59
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErE: Edgemont-----	75	Fair Too acid Low content of organic matter	0.12 0.12	Poor Slope	0.00	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.59
Rock Outcrop-----	20	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FoB: Foxville-----	90	Poor Too acid Stone content Cobble content	0.00 0.13 0.99	Poor Stone content Cobble content Depth to saturated zone	0.00 0.01 0.04	Poor Rock fragments Depth to saturated zone Hard to reclaim Too acid	0.00 0.04 0.98 0.98
FxA: Foxville-----	50	Poor Too acid Stone content Cobble content	0.00 0.13 0.99	Poor Stone content Cobble content Depth to saturated zone	0.00 0.01 0.04	Poor Rock fragments Depth to saturated zone Hard to reclaim Too acid	0.00 0.04 0.98 0.98
Hatboro-----	45	Fair Low content of organic matter Too acid Water erosion	0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50
GaB: Gaila-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Too acid Rock fragments	0.59 0.72
GaC: Gaila-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.12 0.99	Good		Fair Slope Too acid Rock fragments	0.37 0.59 0.72
GeB: Glenelg-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
GfB: Glenelg-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.68	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
GgB: Glenelg-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Hard to reclaim Rock fragments	0.00 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GgC: Glenelg-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
GhB: Glenelg-----	50	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
Blocktown-----	35	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock	0.00 0.00
GhC: Glenelg-----	50	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Hard to reclaim Rock fragments Slope	0.00 0.12 0.37
Blocktown-----	35	Poor Droughty Low content of organic matter Depth to bedrock Too acid	0.00 0.00 0.00 0.95	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Slope	0.00 0.00 0.37
GmB: Glenelg-----	45	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Hard to reclaim Rock fragments	0.00 0.12
Mt.airy-----	35	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.88
GnB: Glenelg-----	40	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Hard to reclaim Rock fragments	0.00 0.12

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mt.airy-----	30	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.88
Urban Land-----	20	Not rated		Not rated		Not rated	
GoB: Glenville-----	85	Fair Depth to cemented pan Droughty Low content of organic matter Too acid	0.04 0.06 0.12 0.54	Poor Depth to cemented pan Depth to saturated zone	0.00 0.29	Fair Depth to cemented pan Depth to saturated zone Rock fragments Too acid	0.04 0.29 0.50 0.98
GoC: Glenville-----	85	Fair Depth to cemented pan Droughty Low content of organic matter Too acid	0.04 0.06 0.12 0.54	Poor Depth to cemented pan Depth to saturated zone	0.00 0.29	Fair Depth to cemented pan Depth to saturated zone Slope Rock fragments Too acid	0.04 0.29 0.37 0.50 0.98
GuB: Glenville-----	60	Fair Depth to cemented pan Droughty Low content of organic matter Too acid	0.04 0.06 0.12 0.54	Poor Depth to cemented pan Depth to saturated zone	0.00 0.29	Fair Depth to cemented pan Depth to saturated zone Rock fragments Too acid	0.04 0.29 0.50 0.98
Baile-----	40	Fair Too acid Low content of organic matter Water erosion	0.12 0.12 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Too acid	0.00 0.59
GvA: Glenville-----	65	Fair Depth to cemented pan Droughty Low content of organic matter Too acid	0.04 0.06 0.12 0.54	Poor Depth to cemented pan Depth to saturated zone	0.00 0.29	Fair Depth to cemented pan Depth to saturated zone Rock fragments Too acid	0.04 0.29 0.50 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Codorus-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Rock fragments	0.32 0.53 0.97
GvB: Glenville-----	65	Fair Depth to cemented pan Droughty Low content of organic matter Too acid	0.04 0.06 0.12 0.54	Poor Depth to cemented pan Depth to saturated zone	0.00 0.29	Fair Depth to cemented pan Depth to saturated zone Rock fragments Too acid	0.04 0.29 0.50 0.98
Codorus-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.54 0.68	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Rock fragments	0.32 0.53 0.97
HaA: Hagerstown-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.88	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
HaB: Hagerstown-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.88	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
HaC: Hagerstown-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.88	Fair Shrink-swell	0.87	Poor Too Clayey Slope	0.00 0.37
HbB: Hagerstown-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.88	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
HcB: Hagerstown-----	55	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell	0.87	Poor Too Clayey	0.00

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Opequon-----	40	Poor Droughty Depth to bedrock Too clayey Low content of organic matter Water erosion	0.00 0.00 0.00 0.12 0.99	Poor Depth to bedrock Shrink-swell	0.00 0.12	Poor Depth to bedrock Too Clayey Rock fragments	0.00 0.00 0.50
HdA: Hatboro-----	60	Fair Low content of organic matter Too acid Water erosion	0.12 0.88 0.99	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone Hard to reclaim	0.00 0.50
Codorus-----	40	Fair Low content of organic matter Too acid Water erosion	0.12 0.54 0.99	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Rock fragments	0.32 0.53 0.97
HgB: Highfield-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.88
HgC: Highfield-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.88
HgD: Highfield-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.88
HhB: Highfield-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HhC: Highfield-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.88
HhD: Highfield-----	85	Poor Low content of organic matter Too acid	0.00 0.32	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.88
HtF: Hyattstown-----	85	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Depth to bedrock Rock fragments	0.00 0.00 0.00 0.00
HyD: Hyattstown-----	60	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Depth to bedrock Rock fragments	0.00 0.00 0.00 0.00
Linganore-----	40	Poor Droughty Depth to bedrock Too acid Low content of organic matter	0.00 0.54 0.84 0.88	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock	0.00 0.00 0.00 0.54
KeB: Klinesville-----	85	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.24 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.00 0.98
KeC: Klinesville-----	85	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.24 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.37 0.98
KeD: Klinesville-----	85	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.24 0.54	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KnB: Klinesville-----	85	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.24 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.00 0.98
KnC: Klinesville-----	85	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.24 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Slope Too acid	0.00 0.00 0.37 0.98
KrF: Klinesville-----	70	Poor Droughty Depth to bedrock Low content of organic matter Too acid	0.00 0.00 0.24 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.00 0.98
Rock Outcrop-----	25	Not rated		Not rated		Not rated	
LaB: Lantz-----	55	Fair Too clayey Low content of organic matter Water erosion Too acid	0.50 0.50 0.90 0.95	Poor Depth to saturated zone Shrink-swell	0.00 0.98	Poor Depth to saturated zone Too Clayey Rock fragments	0.00 0.33 0.88
Rohrersville-----	35	Fair Too acid Depth to cemented pan Low content of organic matter Water erosion Droughty	0.32 0.54 0.88 0.90 0.99	Poor Depth to cemented pan Depth to saturated zone Shrink-swell	0.00 0.04 0.87	Fair Depth to saturated zone Depth to cemented pan	0.04 0.54
LeB: Leetonia-----	85	Poor Droughty Too acid Low content of organic matter Cobble content	0.00 0.03 0.12 0.85	Fair Cobble content Depth to bedrock	0.04 0.58	Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.32

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LgB: Legore-----	85	Fair Low content of organic matter Too acid Too clayey	0.12 0.74 0.99	Good		Fair Rock fragments Too Clayey Hard to reclaim	0.12 0.58 0.95
LnB: Legore-----	55	Fair Low content of organic matter Too acid Too clayey	0.12 0.74 0.99	Good		Fair Rock fragments Too Clayey Hard to reclaim	0.12 0.58 0.95
Montalto-----	45	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Shrink-swell	0.55	Poor Hard to reclaim Too Clayey	0.00 0.00
LnD: Legore-----	55	Fair Low content of organic matter Too acid Too clayey	0.12 0.74 0.99	Fair Slope	0.50	Poor Slope Rock fragments Too Clayey Hard to reclaim	0.00 0.12 0.58 0.95
Montalto-----	45	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.68	Fair Slope Shrink-swell	0.50 0.55	Poor Slope Hard to reclaim Too Clayey	0.00 0.00 0.00
LqB: Lehigh-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.88 0.99	Fair Depth to saturated zone Depth to bedrock	0.29 0.58	Poor Rock fragments Depth to saturated zone	0.00 0.29
LsA: Lindside-----	85	Fair Low content of organic matter Water erosion	0.12 0.99	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone	0.76
LyB: Linganore-----	50	Fair Droughty Depth to bedrock Too acid Low content of organic matter	0.10 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock	0.00 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hyattstown-----	35	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock	0.00	Poor Depth to bedrock Rock fragments	0.00 0.00
LyC: Linganore-----	50	Fair Droughty Depth to bedrock Too acid Low content of organic matter	0.10 0.54 0.84 0.88	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54
Hyattstown-----	35	Poor Droughty Depth to bedrock	0.00 0.00	Poor Depth to bedrock	0.00	Poor Depth to bedrock Rock fragments Slope	0.00 0.00 0.37
MaA: Melvin-----	55	Poor Low content of organic matter Water erosion	0.00 0.90	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
Lindside-----	35	Fair Low content of organic matter Water erosion	0.12 0.99	Fair Depth to saturated zone	0.76	Fair Depth to saturated zone	0.76
MbA: Morven-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.74 0.99	Good		Good	
MbB: Morven-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.74 0.99	Good		Good	
MeB: Mt.airy-----	85	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.88
MeC: Mt.airy-----	85	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.37 0.54 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeD: Mt.airy-----	85	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
MeF: Mt.airy-----	85	Poor Droughty Low content of organic matter Too acid Depth to bedrock	0.00 0.00 0.32 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
MmA: Mt. Zion-----	85	Fair Low content of organic matter Too acid Water erosion	0.50 0.74 0.90	Good		Poor Hard to reclaim Rock fragments	0.00 0.68
MmB: Mt. Zion-----	85	Fair Low content of organic matter Too acid Water erosion	0.50 0.74 0.90	Good		Poor Hard to reclaim Rock fragments	0.00 0.68
MmC: Mt. Zion-----	85	Fair Low content of organic matter Too acid Water erosion	0.50 0.74 0.90	Good		Poor Hard to reclaim Slope Rock fragments	0.00 0.37 0.68
MnA: Mt. Zion-----	50	Fair Low content of organic matter Too acid Water erosion	0.50 0.74 0.90	Good		Poor Hard to reclaim Rock fragments	0.00 0.68
Rohrersville-----	45	Fair Too acid Depth to cemented pan Low content of organic matter Water erosion Droughty	0.32 0.54 0.88 0.90 0.99	Poor Depth to cemented pan Depth to saturated zone Shrink-swell	0.00 0.04 0.87	Fair Depth to saturated zone Depth to cemented pan	0.04 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MnB: Mt. Zion-----	50	Fair Low content of organic matter Too acid Water erosion	0.50 0.74 0.90	Good		Poor Hard to reclaim Rock fragments	0.00 0.68
Rohrersville-----	35	Fair Too acid Depth to cemented pan Low content of organic matter Water erosion Droughty	0.32 0.54 0.88 0.90 0.99	Poor Depth to cemented pan Depth to saturated zone Shrink-swell	0.00 0.04 0.87	Fair Depth to saturated zone Depth to cemented pan	0.04 0.54
MoB: Mt. Zion-----	60	Fair Low content of organic matter Too acid Water erosion	0.50 0.74 0.90	Good		Poor Hard to reclaim Rock fragments	0.00 0.68
Codorus-----	40	Fair Low content of organic matter Too acid Water erosion	0.12 0.54 0.99	Fair Depth to saturated zone	0.53	Fair Hard to reclaim Depth to saturated zone Rock fragments	0.32 0.53 0.97
MrB: Murrill-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.68 0.98
MtB: Murrill-----	45	Fair Low content of organic matter Too acid	0.12 0.54	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.68 0.98
Dryrun-----	35	Fair Low content of organic matter Too acid	0.12 0.32	Fair Depth to saturated zone	0.98	Poor Rock fragments Hard to reclaim Depth to saturated zone	0.00 0.08 0.98
Urban Land-----	20	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuB: Myersville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Rock fragments Too acid	0.02 0.50 0.98
MuC: Myersville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Slope Rock fragments Too acid	0.02 0.37 0.50 0.98
MvA: Myersville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Rock fragments Too acid	0.02 0.50 0.98
MvB: Myersville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Rock fragments Too acid	0.02 0.50 0.98
MvC: Myersville-----	85	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Slope Rock fragments Too acid	0.02 0.37 0.50 0.98
MxA: Myersville-----	50	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Rock fragments Too acid	0.02 0.50 0.98
Burkittsville-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.61 0.99	Good		Fair Rock fragments	0.97
MxB: Myersville-----	50	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Rock fragments Too acid	0.02 0.50 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Burkittsville-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.61 0.99	Good		Fair Rock fragments	0.97
MyB: Myersville-----	45	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Rock fragments Too acid	0.02 0.50 0.98
Catoctin-----	30	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.99	Poor Rock fragments Depth to bedrock	0.00 0.54
Urban Land-----	10	Not rated		Not rated		Not rated	
MyC: Myersville-----	45	Fair Low content of organic matter Too acid	0.12 0.54	Good		Fair Hard to reclaim Slope Rock fragments Too acid	0.02 0.37 0.50 0.98
Catoctin-----	30	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.99	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54
Urban Land-----	10	Not rated		Not rated		Not rated	
NoA: Norton-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.54	Fair Shrink-swell	0.87	Poor Too Clayey Rock fragments Too acid	0.00 0.88 0.98
NoB: Norton-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.54	Fair Shrink-swell	0.87	Poor Too Clayey Rock fragments Too acid	0.00 0.88 0.98

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NoC: Norton-----	85	Poor Too clayey Low content of organic matter Too acid	0.00 0.12 0.54	Fair Shrink-swell	0.87	Poor Too Clayey Rock fragments Too acid	0.00 0.88 0.98
OcB: Occoquan-----	85	Poor Low content of organic matter Too acid Droughty	0.00 0.12 0.98	Fair Depth to bedrock	0.58	Fair Rock fragments Too acid Hard to reclaim	0.28 0.59 0.99
OcC: Occoquan-----	85	Poor Low content of organic matter Too acid Droughty	0.00 0.12 0.98	Fair Depth to bedrock	0.58	Fair Rock fragments Slope Too acid Hard to reclaim	0.28 0.37 0.59 0.99
PaB: Penn-----	85	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
PeB: Penn-----	85	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.20 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
PeC: Penn-----	85	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.20 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
PnB: Penn-----	85	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PnC: Penn-----	85	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.12 0.37 0.54 0.76
PqB: Penn-----	40	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
Reaville-----	40	Fair Droughty Low content of organic matter Depth to bedrock Too acid Water erosion	0.10 0.12 0.54 0.84 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.04	Poor Rock fragments Depth to saturated zone Depth to bedrock	0.00 0.04 0.54
Urban Land-----	10	Not rated		Not rated		Not rated	
PrA: Penn-----	45	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
Reaville-----	40	Fair Droughty Low content of organic matter Depth to bedrock Too acid Water erosion	0.10 0.12 0.54 0.84 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.04	Poor Rock fragments Depth to saturated zone Depth to bedrock	0.00 0.04 0.54
PrB: Penn-----	50	Fair Too acid Low content of organic matter Droughty Depth to bedrock	0.12 0.12 0.28 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Depth to bedrock Too acid	0.12 0.54 0.76
Reaville-----	40	Fair Droughty Low content of organic matter Depth to bedrock Too acid Water erosion	0.10 0.12 0.54 0.84 0.90	Poor Depth to bedrock Depth to saturated zone	0.00 0.04	Poor Rock fragments Depth to saturated zone Depth to bedrock	0.00 0.04 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ql: Quarry, Limestone---	100	Not rated		Not rated		Not rated	
Qm: Quarry, Marble-----	100	Poor Low content of organic matter	0.00	Poor Slope Low strength	0.00 0.00	Poor Slope	0.00
Qp: Quarry, Phyllite----	100	Poor Low content of organic matter	0.00	Poor Slope Low strength	0.00 0.00	Poor Slope	0.00
RaD: Ravenrock-----	85	Fair Too acid	0.54	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.84 0.98
ReB: Ravenrock-----	50	Fair Too acid	0.54	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.84 0.98
Highfield-----	40	Poor Low content of organic matter Too acid	0.00 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.88
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReC: Ravenrock-----	50	Fair Too acid	0.54	Good		Poor Rock fragments Slope Hard to reclaim Too acid	0.00 0.37 0.84 0.98
Highfield-----	40	Poor Low content of organic matter Too acid	0.00 0.32	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.88
Rock Outcrop-----	10	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ReD: Ravenrock-----	50	Fair Too acid	0.54	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.84 0.98
Highfield-----	40	Poor Low content of organic matter Too acid	0.00 0.32	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.88
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReF: Ravenrock-----	50	Fair Too acid	0.54	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.84 0.98
Highfield-----	35	Poor Low content of organic matter Too acid	0.00 0.32	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.00 0.88
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
RfC: Ravenrock-----	50	Fair Too acid	0.54	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.84 0.98
Rohrersville-----	35	Fair Too acid Depth to cemented pan Low content of organic matter Water erosion Droughty	0.32 0.54 0.88 0.90 0.99	Poor Depth to cemented pan Depth to saturated zone Shrink-swell	0.00 0.04 0.87	Fair Depth to saturated zone Depth to cemented pan	0.04 0.54

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RgA: Readington-----	85	Fair Droughty	0.05	Poor Depth to cemented pan	0.00	Fair Depth to cemented pan	0.36
		Low content of organic matter	0.12	Depth to bedrock	0.58	Depth to saturated zone	0.76
		Depth to cemented pan	0.36	Depth to saturated zone	0.76	Rock fragments	0.88
		Too acid	0.39			Too acid	0.92
		Water erosion	0.90				
RgB: Readington-----	85	Fair Droughty	0.05	Poor Depth to cemented pan	0.00	Fair Depth to cemented pan	0.36
		Low content of organic matter	0.12	Depth to bedrock	0.58	Depth to saturated zone	0.76
		Depth to cemented pan	0.36	Depth to saturated zone	0.76	Rock fragments	0.88
		Too acid	0.39			Too acid	0.92
		Water erosion	0.90				
RmA: Reaville-----	85	Fair Droughty	0.10	Poor Depth to bedrock	0.00	Poor Rock fragments	0.00
		Low content of organic matter	0.12	Depth to saturated zone	0.04	Depth to saturated zone	0.04
		Depth to bedrock	0.54			Depth to bedrock	0.54
		Too acid	0.84				
		Water erosion	0.90				
RoB: Rohrersville-----	60	Fair Too acid	0.32	Poor Depth to cemented pan	0.00	Fair Depth to saturated zone	0.04
		Depth to cemented pan	0.54	Depth to saturated zone	0.04	Depth to cemented pan	0.54
		Low content of organic matter	0.88	Shrink-swell	0.87		
		Water erosion	0.90				
		Droughty	0.99				
Lantz-----	30	Fair Too clayey	0.50	Poor Depth to saturated zone	0.00	Poor Depth to saturated zone	0.00
		Low content of organic matter	0.50	Shrink-swell	0.98	Too Clayey	0.33
		Water erosion	0.90			Rock fragments	0.88
		Too acid	0.95				
RwA: Rowland-----	85	Fair Too acid	0.54	Fair Depth to saturated zone	0.53	Fair Depth to saturated zone	0.53
		Low content of organic matter	0.88			Too acid	0.98
		Water erosion	0.90				

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ScC: Spoolsville-----	60	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Slope Rock fragments	0.37 0.97
Burkittsville-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.61 0.99	Good		Fair Slope Rock fragments	0.37 0.97
ScD: Spoolsville-----	60	Fair Low content of organic matter Too acid	0.12 0.84	Fair Slope Depth to bedrock	0.50 0.58	Poor Slope Rock fragments	0.00 0.97
Burkittsville-----	30	Poor Low content of organic matter Too acid Water erosion	0.00 0.61 0.99	Fair Slope	0.50	Poor Slope Rock fragments	0.00 0.97
SdC: Spoolsville-----	50	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Slope Rock fragments	0.37 0.97
Catoctin-----	40	Poor Low content of organic matter Droughty Depth to bedrock Too acid	0.00 0.11 0.54 0.84	Poor Depth to bedrock Cobble content	0.00 0.99	Poor Rock fragments Slope Depth to bedrock	0.00 0.37 0.54
SeA: Spoolsville-----	85	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Rock fragments	0.97
SeB: Spoolsville-----	85	Fair Low content of organic matter Too acid	0.12 0.84	Fair Depth to bedrock	0.58	Fair Rock fragments	0.97
SpA: Springwood-----	85	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.08 0.84 0.99	Good		Poor Too Clayey Rock fragments	0.00 0.72

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SpB: Springwood-----	85	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.08 0.84 0.99	Good		Poor Too Clayey Rock fragments	0.00 0.72
SpC: Springwood-----	85	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.08 0.84 0.99	Good		Poor Too Clayey Slope Rock fragments	0.00 0.37 0.72
SqB: Springwood-----	65	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.08 0.84 0.99	Good		Poor Too Clayey Rock fragments	0.00 0.72
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
SrB: Springwood-----	45	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.08 0.84 0.99	Good		Poor Too Clayey Rock fragments	0.00 0.72
Morven-----	35	Poor Low content of organic matter Too acid Water erosion	0.00 0.74 0.99	Good		Good	
Urban Land-----	20	Not rated		Not rated		Not rated	
StB: Stumptown-----	65	Poor Droughty Too acid Cobble content Depth to bedrock	0.00 0.32 0.39 0.54	Poor Depth to bedrock Cobble content	0.00 0.06	Poor Rock fragments Depth to bedrock Too acid	0.00 0.54 0.88
Rock Outcrop-----	30	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StC: Stumptown-----	60	Poor Droughty Too acid Cobble content Depth to bedrock	0.00 0.32 0.39 0.54	Poor Depth to bedrock Cobble content	0.00 0.06	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.37 0.54 0.88
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
StD: Stumptown-----	55	Poor Droughty Too acid Cobble content Depth to bedrock	0.00 0.32 0.39 0.54	Poor Depth to bedrock Cobble content Slope	0.00 0.06 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
SuD: Stumptown-----	50	Poor Droughty Too acid Cobble content Depth to bedrock	0.00 0.32 0.39 0.54	Poor Depth to bedrock Cobble content Slope	0.00 0.06 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
Bagtown-----	40	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Fair Slope	0.50	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.08 0.88
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
SuF: Stumptown-----	50	Poor Droughty Too acid Cobble content Depth to bedrock	0.00 0.32 0.39 0.54	Poor Depth to bedrock Slope Cobble content	0.00 0.00 0.06	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.54 0.88
Bagtown-----	40	Fair Low content of organic matter Too acid Water erosion	0.12 0.32 0.99	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim Too acid	0.00 0.00 0.08 0.88
Rock Outcrop-----	10	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TaB: Thurmont-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.88
TaC: Thurmont-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Hard to reclaim Slope Too acid	0.00 0.00 0.37 0.88
ThB: Thurmont-----	85	Fair Low content of organic matter Too acid	0.12 0.32	Good		Poor Rock fragments Hard to reclaim Too acid	0.00 0.00 0.88
ToA: Trego-----	85	Fair Droughty Depth to cemented pan Too acid Low content of organic matter Water erosion	0.10 0.14 0.32 0.88 0.99	Poor Depth to cemented pan Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to cemented pan Depth to saturated zone	0.00 0.01 0.14 0.76
ToB: Trego-----	85	Fair Droughty Depth to cemented pan Too acid Low content of organic matter Water erosion	0.10 0.14 0.32 0.88 0.99	Poor Depth to cemented pan Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to cemented pan Depth to saturated zone	0.00 0.01 0.14 0.76
TqB: Trego-----	85	Fair Droughty Depth to cemented pan Too acid Low content of organic matter Water erosion	0.10 0.14 0.32 0.88 0.99	Poor Depth to cemented pan Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to cemented pan Depth to saturated zone	0.00 0.01 0.14 0.76

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TrB: Trego-----	85	Fair Droughty Depth to cemented pan Too acid Low content of organic matter Water erosion	0.10 0.14 0.32 0.88 0.99	Poor Depth to cemented pan Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to cemented pan Depth to saturated zone	0.00 0.01 0.14 0.76
TxB: Trego-----	60	Fair Droughty Depth to cemented pan Too acid Low content of organic matter Water erosion	0.10 0.14 0.32 0.88 0.99	Poor Depth to cemented pan Depth to saturated zone	0.00 0.76	Poor Rock fragments Hard to reclaim Depth to cemented pan Depth to saturated zone	0.00 0.01 0.14 0.76
Foxville-----	35	Poor Too acid Stone content Cobble content	0.00 0.13 0.99	Poor Stone content Cobble content Depth to saturated zone	0.00 0.01 0.04	Poor Rock fragments Depth to saturated zone Hard to reclaim Too acid	0.00 0.04 0.98 0.98
UdB: Udorthents-----	100	Poor Too clayey Too acid	0.00 0.84	Fair Shrink-swell	0.87	Poor Too Clayey	0.00
UdC: Udorthents-----	100	Poor Too clayey Too acid	0.00 0.84	Fair Shrink-swell	0.87	Poor Too Clayey Slope	0.00 0.37
UrA: Urban Land-----	100	Not rated		Not rated		Not rated	
UrC: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaA: Walkersville-----	85	Poor Low content of organic matter Too acid	0.00 0.97	Fair Shrink-swell	0.43	Fair Rock fragments	0.88
WaB: Walkersville-----	85	Poor Low content of organic matter Too acid	0.00 0.97	Fair Shrink-swell	0.43	Fair Rock fragments	0.88
WaC: Walkersville-----	85	Poor Low content of organic matter Too acid	0.00 0.97	Fair Shrink-swell	0.41	Fair Slope Rock fragments	0.37 0.88
WcB: Watchung-----	85	Poor Too clayey Low content of organic matter Too acid Water erosion	0.00 0.12 0.68 0.90	Poor Depth to saturated zone Shrink-swell	0.00 0.87	Poor Depth to saturated zone Too Clayey Hard to reclaim Rock fragments	0.00 0.00 0.95 0.95
WeC: Weverton-----	50	Poor Stone content Droughty Low content of organic matter Too acid	0.00 0.00 0.12 0.32	Poor Stone content Depth to bedrock Cobble content	0.00 0.58 0.99	Poor Hard to reclaim Rock fragments Slope Too acid	0.00 0.00 0.37 0.88
Hazel-----	45	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.05 0.12 0.32 0.54	Poor Depth to bedrock	0.00	Fair Rock fragments Slope Depth to bedrock Too acid	0.03 0.37 0.54 0.88
WeD: Weverton-----	50	Poor Stone content Droughty Low content of organic matter Too acid	0.00 0.00 0.12 0.32	Poor Stone content Slope Depth to bedrock Cobble content	0.00 0.50 0.58 0.99	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.88
Hazel-----	45	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.05 0.12 0.32 0.54	Poor Depth to bedrock Slope	0.00 0.50	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.54 0.88

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeE: Weverton-----	50	Poor Stone content Droughty Low content of organic matter Too acid	0.00 0.00 0.12 0.32	Poor Slope Stone content Depth to bedrock Cobble content	0.00 0.00 0.58 0.99	Poor Slope Hard to reclaim Rock fragments Too acid	0.00 0.00 0.00 0.88
Hazel-----	45	Fair Droughty Low content of organic matter Too acid Depth to bedrock	0.05 0.12 0.32 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.03 0.54 0.88
WhB: Wheeling-----	85	Poor Low content of organic matter Too acid Water erosion	0.00 0.74 0.99	Good		Fair Rock fragments	0.88
WrB: Whiteford-----	60	Poor Low content of organic matter Too acid	0.00 0.32	Good		Fair Rock fragments Too acid	0.50 0.88
Cardiff-----	40	Poor Low content of organic matter Cobble content Too acid Droughty Depth to bedrock	0.00 0.07 0.20 0.26 0.77	Poor Depth to bedrock Cobble content	0.00 0.00	Poor Rock fragments Too acid Depth to bedrock	0.00 0.76 0.77
WrC: Whiteford-----	60	Poor Low content of organic matter Too acid	0.00 0.32	Good		Fair Slope Rock fragments Too acid	0.37 0.50 0.88
Cardiff-----	40	Poor Low content of organic matter Cobble content Too acid Droughty Depth to bedrock	0.00 0.07 0.20 0.26 0.77	Poor Depth to bedrock Cobble content	0.00 0.00	Poor Rock fragments Slope Too acid Depth to bedrock	0.00 0.37 0.76 0.77

Table ENG-2.--Construction Materials--Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WtB: Wiltshire-----	60	Fair		Poor		Fair	
		Water erosion	0.68	Depth to cemented pan	0.00	Depth to saturated zone	0.73
		Depth to cemented pan	0.85	Depth to saturated zone	0.73	Depth to cemented pan	0.85
		Low content of organic matter	0.88				
		Droughty Too acid	0.92 0.99				
Funkstown-----	30	Poor		Fair		Fair	
		Low content of organic matter	0.00	Depth to saturated zone	0.98	Rock fragments	0.03
						Hard to reclaim	0.98
						Depth to saturated zone	0.98

