

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adamstown-----	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00
AdB: Adamstown-----	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding Slope	1.00 0.50
AfB: Adamstown-----	55	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00
Funkstown-----	35	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00
ArB: Airmont-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.12 0.07
ArD: Airmont-----	85	Very limited Slope Depth to saturated zone	1.00 0.07	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.07
AtB: Athol-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
AtC: Athol-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
BaB: Bagtown-----	85	Not limited		Somewhat limited Depth to saturated zone	0.24	Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaC: Bagtown-----	85	Not limited		Somewhat limited Depth to saturated zone	0.24	Somewhat limited Slope	0.50
BaD: Bagtown-----	85	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope	1.00
BbD: Bagtown-----	85	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.15	Very limited Slope	1.00
BbE: Bagtown-----	85	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.15	Very limited Slope	1.00
BcB: Baile-----	55	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Glenville-----	30	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
BdB: Benevola-----	85	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
BdC: Benevola-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope	0.63	Very limited Slope Shrink-swell	1.00 0.50
BfA: Bermudian-----	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.35	Very limited Flooding	1.00
BgA: Birdsboro-----	85	Not limited		Somewhat limited Depth to saturated zone	0.61	Not limited	
BgB: Birdsboro-----	85	Not limited		Somewhat limited Depth to saturated zone	0.61	Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BhE: Blocktown-----	85	Very limited Slope Depth to soft bedrock Depth to hard bedrock	1.00 1.00 0.46	Very limited Slope Depth to hard bedrock Depth to soft bedrock	1.00 1.00 1.00	Very limited Slope Depth to soft bedrock Depth to hard bedrock	1.00 1.00 0.46
BkD: Brinklow-----	50	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 0.50 0.46	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 0.50	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 0.50 0.46
Blocktown-----	40	Very limited Slope Depth to soft bedrock Depth to hard bedrock	1.00 1.00 0.46	Very limited Slope Depth to hard bedrock Depth to soft bedrock	1.00 1.00 1.00	Very limited Slope Depth to soft bedrock Depth to hard bedrock	1.00 1.00 0.46
BmA: Bowmansville-----	50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Rowland-----	35	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
BmB: Bowmansville-----	50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.12
Rowland-----	35	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Slope	1.00 0.39 0.12
BnB: Braddock-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
BnC: Braddock-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BoB: Braddock-----	85	Somewhat limited Content of large stones Shrink-swell	0.54 0.50	Somewhat limited Content of large stones Shrink-swell	0.54 0.50	Somewhat limited Content of large stones Shrink-swell Slope	0.54 0.50 0.12
BpB: Brecknock-----	85	Not limited		Somewhat limited Depth to hard bedrock	0.42	Somewhat limited Slope	0.50
BrB: Brentsville-----	85	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
BrC: Brentsville-----	85	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
BsB: Buckeystown-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
BtB: Buckeystown-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
BtC: Buckeystown-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
BuB: Buckeystown-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
CaC: Cardiff-----	85	Somewhat limited Slope	0.37	Somewhat limited Slope Depth to soft bedrock	0.37 0.23	Very limited Slope	1.00
CaD: Cardiff-----	85	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.23	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaE: Cardiff-----	85	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.23	Very limited Slope	1.00
CbF: Cardiff-----	85	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.23	Very limited Slope	1.00
CcC: Catoctin-----	85	Somewhat limited Slope	0.63	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Slope	0.63	Depth to hard bedrock	0.46
CcD: Catoctin-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Depth to hard bedrock	1.00	Depth to hard bedrock	0.46
CcE: Catoctin-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Depth to hard bedrock	1.00	Depth to hard bedrock	0.46
CdB: Catoctin-----	45	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.46
						Slope	0.12
Highfield-----	40	Not limited		Not limited		Somewhat limited Slope	0.12
CdC: Catoctin-----	45	Somewhat limited Slope	0.63	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Slope	0.63	Depth to hard bedrock	0.46
Highfield-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
CdD: Catoctin-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Depth to hard bedrock	1.00	Depth to hard bedrock	0.46
Highfield-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CdE: Catoctin-----	60	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
Highfield-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
CeB: Catoctin-----	45	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.46
Spoolsville-----	40	Not limited		Not limited		Not limited	
CeC: Catoctin-----	45	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
Spoolsville-----	40	Not limited		Not limited		Not limited	
CeD: Catoctin-----	55	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
Spoolsville-----	40	Not limited		Not limited		Not limited	
CeE: Catoctin-----	60	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
Spoolsville-----	40	Not limited		Not limited		Not limited	
CgA: Codorus-----	60	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
Hatboro-----	40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
CmA: Combs-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CnA: Combs-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
CoB: Conestoga-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Letort-----	40	Not limited		Not limited		Somewhat limited Slope	0.50
CoC: Conestoga-----	70	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Letort-----	20	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
CrA: Croton-----	50	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone Depth to thin cemented pan Shrink-swell Depth to hard bedrock	1.00 1.00 1.00 0.50 0.32	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Abbottstown-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to hard bedrock	1.00 0.42	Very limited Depth to saturated zone	1.00
CrB: Croton-----	45	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone Depth to thin cemented pan Shrink-swell Depth to hard bedrock	1.00 1.00 1.00 0.50 0.32	Very limited Ponding Depth to saturated zone Slope Shrink-swell	1.00 1.00 0.50 0.50
Abbottstown-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Depth to hard bedrock	1.00 0.42	Very limited Depth to saturated zone Slope	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DbF: Dekalb-----	45	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.96	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Bagtown-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope	1.00
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
DeC: Dekalb-----	55	Somewhat limited Content of large stones Slope Depth to hard bedrock	0.96 0.63 0.46	Very limited Depth to hard bedrock Content of large stones Slope	1.00 0.96 0.63	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeD: Dekalb-----	45	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.96	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DoB: Downsville-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
DoC: Downsville-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
DqA: Dryrun-----	85	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
DtA: Duffield-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ryder-----	35	Not limited		Somewhat limited Depth to soft bedrock	0.26	Not limited	
DtB: Duffield-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
Ryder-----	35	Not limited		Somewhat limited Depth to soft bedrock	0.26	Somewhat limited Slope	0.50
DtC: Duffield-----	50	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Ryder-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.26	Very limited Slope	1.00
DuB: Duffield-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
Ryder-----	35	Not limited		Somewhat limited Depth to soft bedrock	0.42	Somewhat limited Slope	0.50
DvB: Duffield-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
Ryder-----	40	Not limited		Somewhat limited Depth to soft bedrock	0.26	Somewhat limited Slope	0.50
DwB: Duffield-----	35	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.12
Hagerstown-----	20	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.12
Urban Land-----	20	Not rated		Not rated		Not rated	
EdB: Edgemont-----	85	Not limited		Not limited		Somewhat limited Slope	0.12

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EgB: Edgemont-----	85	Not limited		Not limited		Somewhat limited Slope	0.12
EgC: Edgemont-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
EgD: Edgemont-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
ErB: Edgemont-----	75	Not limited		Not limited		Somewhat limited Slope	0.50
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErC: Edgemont-----	75	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErD: Edgemont-----	75	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErE: Edgemont-----	75	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
FoB: Foxville-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Content of large stones	1.00	Content of large stones	1.00	Content of large stones	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
FxA: Foxville-----	50	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00
Hatboro-----	45	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
GaB: Gaila-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
GaC: Gaila-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GeB: Glenelg-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
GfB: Glenelg-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
GgB: Glenelg-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
GgC: Glenelg-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GhB: Glenelg-----	50	Not limited		Not limited		Somewhat limited Slope	0.50
Blocktown-----	35	Somewhat limited Depth to soft bedrock Depth to hard bedrock	1.00 0.46	Very limited Depth to hard bedrock Depth to soft bedrock	1.00 1.00	Somewhat limited Depth to soft bedrock Slope Depth to hard bedrock	1.00 0.50 0.46
GhC: Glenelg-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Blocktown-----	35	Somewhat limited Depth to soft bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Depth to soft bedrock Slope	1.00 1.00 0.63	Very limited Slope Depth to soft bedrock Depth to hard bedrock	1.00 1.00 0.46
GmB: Glenelg-----	45	Not limited		Not limited		Somewhat limited Slope	0.50
Mt.airy-----	35	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
GnB: Glenelg-----	40	Not limited		Not limited		Not limited	
Mt.airy-----	30	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.46
Urban Land-----	20	Not rated		Not rated		Not rated	
GoB: Glenville-----	85	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.81 0.50
GoC: Glenville-----	85	Somewhat limited Depth to saturated zone Slope	0.81 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.81
GuB: Glenville-----	60	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.81 0.50
Baile-----	40	Very limited Ponding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone Slope Shrink-swell	1.00 1.00 0.50 0.50
GvA: Glenville-----	65	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Codorus-----	35	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
GvB: Glenville-----	65	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.81 0.50
Codorus-----	35	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Slope Depth to saturated zone	1.00 0.50 0.39
HaA: Hagerstown-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
HaB: Hagerstown-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
HaC: Hagerstown-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
HbB: Hagerstown-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
HcB: Hagerstown-----	55	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
Opequon-----	40	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock	1.00 1.00	Very limited Depth to hard bedrock Shrink-swell Slope	1.00 1.00 0.50
HdA: Hatboro-----	60	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Codorus-----	40	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
HgB: Highfield-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
HgC: Highfield-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
HgD: Highfield-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
HhB: Highfield-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
HhC: Highfield-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
HhD: Highfield-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
HtF: Hyattstown-----	85	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
HyD: Hyattstown-----	60	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Linganore-----	40	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
KeB: Klinesville-----	85	Very limited Depth to hard bedrock	1.00	Very limited Depth to hard bedrock	1.00	Very limited Depth to hard bedrock Slope	1.00 0.50
KeC: Klinesville-----	85	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeD: Klinesville-----	85	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00
KnB: Klinesville-----	85	Very limited Depth to hard bedrock	1.00	Very limited Depth to hard bedrock	1.00	Very limited Depth to hard bedrock Slope	1.00 0.50
KnC: Klinesville-----	85	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 1.00
KrF: Klinesville-----	70	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00
Rock Outcrop-----	25	Not rated		Not rated		Not rated	
LaB: Lantz-----	55	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
Rohrersville-----	35	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
LeB: Leetonia-----	85	Somewhat limited Content of large stones	0.17	Somewhat limited Depth to hard bedrock Content of large stones	0.42 0.17	Somewhat limited Content of large stones	0.17
LgB: Legore-----	85	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Slope Shrink-swell	0.50 0.50
LnB: Legore-----	55	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Slope Shrink-swell	0.50 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Montalto-----	45	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell Slope	1.00 0.50
LnD: Legore-----	55	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
Montalto-----	45	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 1.00
LqB: Lehigh-----	85	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone Depth to hard bedrock	1.00 0.42	Somewhat limited Depth to saturated zone Slope	0.81 0.50
LsA: Lindside-----	85	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
LyB: Linganore-----	50	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
Hyattstown-----	35	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Somewhat limited Depth to soft bedrock Slope	1.00 0.50
LyC: Linganore-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
Hyattstown-----	35	Somewhat limited Depth to soft bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope	1.00 0.63	Very limited Slope Depth to soft bedrock	1.00 1.00
MaA: Melvin-----	55	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lindside-----	35	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
MbA: Morven-----	85	Not limited		Somewhat limited Depth to saturated zone	0.03	Not limited	
MbB: Morven-----	85	Not limited		Somewhat limited Depth to saturated zone	0.03	Somewhat limited Slope	0.12
MeB: Mt.airy-----	85	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
MeC: Mt.airy-----	85	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
MeD: Mt.airy-----	85	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
MeF: Mt.airy-----	85	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
MmA: Mt. Zion-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.82 0.50	Somewhat limited Shrink-swell	0.50
MmB: Mt. Zion-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.82 0.50	Somewhat limited Slope Shrink-swell	0.50 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MmC: Mt. Zion-----	85	Somewhat limited Slope	0.63	Somewhat limited Depth to saturated zone	0.82	Very limited Slope	1.00
		Shrink-swell	0.50	Slope Shrink-swell	0.63 0.50	Shrink-swell	0.50
MnA: Mt. Zion-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.82	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		
Rohrersville-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
MnB: Mt. Zion-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.82	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50	Slope	0.12
Rohrersville-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
						Slope	0.12
MoB: Mt. Zion-----	60	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.82	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		
Codorus-----	40	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
MrB: Murrill-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
MtB: Murrill-----	45	Not limited		Not limited		Not limited	
Dryrun-----	35	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
Urban Land-----	20	Not rated		Not rated		Not rated	
MuB: Myersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuC: Myersville-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MvA: Myersville-----	85	Not limited		Not limited		Not limited	
MvB: Myersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
MvC: Myersville-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MxA: Myersville-----	50	Not limited		Not limited		Not limited	
Burkittsville-----	35	Not limited		Not limited		Not limited	
MxB: Myersville-----	50	Not limited		Not limited		Somewhat limited Slope	0.50
Burkittsville-----	35	Not limited		Not limited		Not limited	
MyB: Myersville-----	45	Not limited		Not limited		Somewhat limited Slope	0.12
Catoctin-----	30	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock Slope	0.46 0.12
Urban Land-----	10	Not rated		Not rated		Not rated	
MyC: Myersville-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Catoctin-----	30	Somewhat limited Slope	0.63	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope	1.00 0.46
Urban Land-----	10	Not rated		Not rated		Not rated	
NoA: Norton-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
NoB: Norton-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
NoC: Norton-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
OcB: Occoquan-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
OcC: Occoquan-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
PaB: Penn-----	85	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock Slope	0.46 0.12
PeB: Penn-----	85	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
PeC: Penn-----	85	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
PnB: Penn-----	85	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
PnC: Penn-----	85	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
PgB: Penn-----	40	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.46
Reaville-----	40	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	10	Not rated		Not rated		Not rated	
PrA: Penn-----	45	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.46
Reaville-----	40	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46
PrB: Penn-----	50	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
Reaville-----	40	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slope Depth to hard bedrock	1.00 1.00 0.50 0.46
Ql: Quarry, Limestone---	100	Not rated		Not rated		Not rated	
Qm: Quarry, Marble-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Qp: Quarry, Phyllite---	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
RaD: Ravenrock-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope Shrink-swell	1.00 0.50
ReB: Ravenrock-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.24	Somewhat limited Shrink-swell	0.50
Highfield-----	40	Not limited		Not limited		Not limited	
Rock Outcrop-----	10	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ReC: Ravenrock-----	50	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.24	Very limited Slope Shrink-swell	1.00 0.50
Highfield-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReD: Ravenrock-----	50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope Shrink-swell	1.00 0.50
Highfield-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReF: Ravenrock-----	50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope Shrink-swell	1.00 0.50
Highfield-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
RfC: Ravenrock-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.24	Very limited Slope Shrink-swell	1.00 0.50
Rohrersville-----	35	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Slope Shrink-swell	1.00 1.00 0.50
RgA: Readington-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone Depth to hard bedrock	1.00 0.42	Somewhat limited Depth to saturated zone	0.07

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RgB: Readington-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone Depth to hard bedrock	1.00 0.42	Somewhat limited Slope Depth to saturated zone	0.12 0.07
RmA: Reaville-----	85	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.46
RoB: Rohrersville-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Lantz-----	30	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
RwA: Rowland-----	85	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
ScC: Spoolsville-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Burkittsville-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
ScD: Spoolsville-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Burkittsville-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
SdC: Spoolsville-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Catoctin-----	40	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SeA: Spoolsville-----	85	Not limited		Not limited		Not limited	
SeB: Spoolsville-----	85	Not limited		Not limited		Somewhat limited Slope	0.12
SpA: Springwood-----	85	Not limited		Not limited		Not limited	
SpB: Springwood-----	85	Not limited		Not limited		Somewhat limited Slope	0.12
SpC: Springwood-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
SqB: Springwood-----	65	Not limited		Not limited		Somewhat limited Slope	0.12
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
SrB: Springwood-----	45	Not limited		Not limited		Somewhat limited Slope	0.12
Morven-----	35	Not limited		Somewhat limited Depth to saturated zone	0.03	Somewhat limited Slope	0.12
Urban Land-----	20	Not rated		Not rated		Not rated	
StB: Stumptown-----	65	Somewhat limited Content of large stones Depth to hard bedrock	0.61 0.46	Very limited Depth to hard bedrock Content of large stones	1.00 0.61	Somewhat limited Content of large stones Depth to hard bedrock	0.61 0.46
Rock Outcrop-----	30	Not rated		Not rated		Not rated	
StC: Stumptown-----	60	Somewhat limited Slope Content of large stones Depth to hard bedrock	0.63 0.61 0.46	Very limited Depth to hard bedrock Slope Content of large stones	1.00 0.63 0.61	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
StD: Stumptown-----	55	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.61	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
SuD: Stumptown-----	50	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.61	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46
Bagtown-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.15	Very limited Slope	1.00
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
SuF: Stumptown-----	50	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.61	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.61 0.46
Bagtown-----	40	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.15	Very limited Slope	1.00
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
TaB: Thurmont-----	85	Not limited		Somewhat limited Depth to saturated zone	0.15	Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TaC: Thurmont-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.15	Very limited Slope	1.00
ThB: Thurmont-----	85	Not limited		Somewhat limited Depth to saturated zone	0.15	Somewhat limited Slope	0.50
ToA: Trego-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
ToB: Trego-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.07
TqB: Trego-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.07
TrB: Trego-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.12 0.07
TxB: Trego-----	60	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Foxville-----	35	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00
UdB: Udorthents-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UdC: Udorthents-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.16	Very limited Slope Shrink-swell	1.00 0.50
UrA: Urban Land-----	100	Not rated		Not rated		Not rated	
UrC: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WaA: Walkersville-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell	0.50
WaB: Walkersville-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Slope Shrink-swell	0.50 0.50
WaC: Walkersville-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 0.50
WcB: Watchung-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
WeC: Weverton-----	50	Somewhat limited Content of large stones Slope	0.85 0.63	Somewhat limited Content of large stones Slope Depth to hard bedrock	0.85 0.63 0.42	Very limited Slope Content of large stones	1.00 0.85
Hazel-----	45	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeD: Weverton-----	50	Very limited Slope Content of large stones	1.00 0.85	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.85 0.42	Very limited Slope Content of large stones	1.00 0.85
Hazel-----	45	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
WeE: Weverton-----	50	Very limited Slope Content of large stones	1.00 0.85	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.85 0.42	Very limited Slope Content of large stones	1.00 0.85
Hazel-----	45	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
WhB: Wheeling-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
WrB: Whiteford-----	60	Not limited		Not limited		Somewhat limited Slope	0.50
Cardiff-----	40	Somewhat limited Content of large stones	0.93	Somewhat limited Content of large stones Depth to soft bedrock	0.93 0.23	Somewhat limited Content of large stones Slope	0.93 0.50
WrC: Whiteford-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Cardiff-----	40	Somewhat limited Content of large stones Slope	0.93 0.63	Somewhat limited Content of large stones Slope Depth to soft bedrock	0.93 0.63 0.23	Very limited Slope Content of large stones	1.00 0.93
WtB: Wiltshire-----	60	Somewhat limited Depth to saturated zone	0.10	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.10

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Funkstown-----	30	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00

