

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AmB: Airmont-----	85	Somewhat limited Depth to saturated zone Content of large stones	0.07 0.01	Very limited Depth to saturated zone Depth to thin cemented pan Content of large stones	1.00 0.03 0.01	Somewhat limited Slope Depth to saturated zone Content of large stones	0.50 0.07 0.01
AmD: Airmont-----	85	Very limited Slope Depth to saturated zone Content of large stones	1.00 0.07 0.01	Very limited Depth to saturated zone Slope Depth to thin cemented pan Content of large stones	1.00 1.00 0.03 0.01	Very limited Slope Depth to saturated zone Content of large stones	1.00 0.07 0.01
AnB: Andover-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Buchanan-----	40	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
At: Atkins-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
BaB: Bagtown-----	85	Not limited		Somewhat limited Depth to saturated zone	0.24	Somewhat limited Slope	0.50
BaC: Bagtown-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.24	Very limited Slope	1.00
BaD: Bagtown-----	85	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BbD: Bagtown-----	85	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.15	Very limited Slope	1.00
BbE: Bagtown-----	85	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.15	Very limited Slope	1.00
Bc: Basher-----	80	Very limited Flooding Depth to saturated zone	1.00 0.77	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.77
BeB: Berks-----	80	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
BeC: Berks-----	80	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
BfB: Berks-----	50	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
Weikert-----	35	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Somewhat limited Depth to soft bedrock Slope	1.00 0.50
BfC: Berks-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
Weikert-----	40	Somewhat limited Depth to soft bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope	1.00 0.63	Very limited Slope Depth to soft bedrock	1.00 1.00
BkB: Berks-----	35	Not limited		Somewhat limited Depth to soft bedrock	0.46	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Weikert-----	35	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Somewhat limited Depth to soft bedrock	1.00
Urban Land-----	20	Not rated		Not rated		Not rated	
BkD: Berks-----	35	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
Weikert-----	35	Very limited Depth to soft bedrock Slope	1.00 1.00	Very limited Depth to soft bedrock Slope	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Urban Land-----	20	Not rated		Not rated		Not rated	
Bp: Bigpool-----	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.95	Very limited Flooding	1.00
BrB: Braddock-----	45	Not Rated Not Rated; Fragments > 75mm Shrink-swell	0.50	Not Rated Not Rated; Fragments > 75mm Shrink-swell	0.50	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	0.50 0.50
Thurmont-----	40	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	0.15	Not Rated Not Rated; Fragments > 75mm Slope	0.50
BrC: Braddock-----	45	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	0.63 0.50	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	0.63 0.50	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 0.50
Thurmont-----	40	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone	0.63 0.15	Not Rated Not Rated; Fragments > 75mm Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrD: Braddock-----	45	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 0.50	Not Rated Not Rated; Fragments > 75mm Slope Shrink-swell	1.00 0.50
Thurmont-----	40	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone	1.00 0.15	Not Rated Not Rated; Fragments > 75mm Slope	1.00
BtB: Brinkerton-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
BuB: Buchanan-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.07
BuC: Buchanan-----	85	Somewhat limited Slope Depth to saturated zone	0.63 0.07	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.07
BuD: Buchanan-----	85	Very limited Slope Depth to saturated zone	1.00 0.07	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.07
CaB: Calvin-----	85	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
CaC: Calvin-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
CaD: Calvin-----	85	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CcB: Catoctin-----	45	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
Myersville-----	45	Not limited		Not limited		Somewhat limited Slope	0.50
CcC: Catoctin-----	60	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
Myersville-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
CcD: Catoctin-----	60	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
Myersville-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
CkB: Clearbrook-----	85	Somewhat limited Depth to saturated zone Shrink-swell Content of large stones	0.81 0.50 0.01	Very limited Depth to saturated zone Shrink-swell Depth to soft bedrock Content of large stones	1.00 0.50 0.46 0.01	Somewhat limited Depth to saturated zone Shrink-swell Content of large stones	0.81 0.50 0.01
Cm: Codorus-----	80	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
Cn: Codorus-----	80	Very limited Flooding Depth to saturated zone	1.00 0.98	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.98
Co: Combs-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Cp: Combs-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DaB: Dekalb-----	80	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.50 0.46
DaC: Dekalb-----	80	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
DaD: Dekalb-----	80	Very limited Slope Depth to hard bedrock	1.00 0.46	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.46
DeA: Dekalb-----	55	Somewhat limited Content of large stones Depth to hard bedrock	0.96 0.46	Very limited Depth to hard bedrock Content of large stones	1.00 0.96	Somewhat limited Content of large stones Depth to hard bedrock	0.96 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeB: Dekalb-----	55	Somewhat limited Content of large stones Depth to hard bedrock	0.96 0.46	Very limited Depth to hard bedrock Content of large stones	1.00 0.96	Somewhat limited Content of large stones Slope Depth to hard bedrock	0.96 0.50 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeC: Dekalb-----	50	Somewhat limited Content of large stones Slope Depth to hard bedrock	0.96 0.63 0.46	Very limited Depth to hard bedrock Content of large stones Slope	1.00 0.96 0.63	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DeD: DeKalb-----	45	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.96	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DgF: Bagtown-----	35	Very limited Slope	1.00	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope	1.00
DeKalb-----	35	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.96	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
DhF: DeKalb-----	35	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.96	Very limited Slope Content of large stones Depth to hard bedrock	1.00 0.96 0.46
Hazleton-----	30	Very limited Slope Content of large stones	1.00 0.18	Very limited Slope Depth to hard bedrock Content of large stones	1.00 1.00 0.18	Very limited Slope Content of large stones	1.00 0.18
Dk: Deposit-----	80	Very limited Flooding Depth to saturated zone	1.00 0.77	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.77
DnB: Deposit-----	80	Very limited Flooding Depth to saturated zone	1.00 0.77	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.77

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DoA: Downsville-----	85	Not limited		Not limited		Not limited	
DoB: Downsville-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
DoC: Downsville-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
DoD: Downsville-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
DoE: Downsville-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
DrA: Dryrun-----	85	Not limited		Somewhat limited Depth to saturated zone	0.99	Not limited	
DrB: Dryrun-----	85	Not limited		Somewhat limited Depth to saturated zone	0.99	Somewhat limited Slope	0.50
DsA: Duffield-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
DsB: Duffield-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
DsC: Duffield-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
DsD: Duffield-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
DuB: Duffield-----	80	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
DuC: Duffield-----	80	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DvB: Duffield-----	45	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
DvC: Duffield-----	45	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
DvD: Duffield-----	45	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
Fa: Fairplay-----	80	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
FO: Foxville-----	55	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Content of large stones	1.00 1.00 1.00
Hatboro-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Ft: Funkstown-----	80	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HaA: Hagerstown-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
HaB: Hagerstown-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
HaC: Hagerstown-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
HaD: Hagerstown-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
HbB: Hagerstown-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
HbC: Hagerstown-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
HbD: Hagerstown-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
HcB: Hagerstown-----	70	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
HcC: Hagerstown-----	70	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
HcD: Hagerstown-----	70	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
HdB: Duffield-----	35	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
Hagerstown-----	35	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
HdD: Duffield-----	35	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
Hagerstown-----	35	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
HgB: Hagerstown-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
Opequon-----	30	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock	1.00 1.00	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
Hh: Hatboro-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
HnB: Hazel-----	85	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HnC: Hazel-----	85	Somewhat limited Slope	0.63	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Slope	0.63	Depth to hard bedrock	0.46
HnD: Hazel-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Depth to hard bedrock	1.00	Depth to hard bedrock	0.46
HrE: Hazel-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.46	Depth to hard bedrock	1.00	Depth to hard bedrock	0.46
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
HsD: Hazleton-----	80	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.18	Depth to hard bedrock	1.00	Content of large stones	0.18
				Content of large stones	0.18		
HsE: Hazleton-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Content of large stones	0.18	Depth to hard bedrock	1.00	Content of large stones	0.18
				Content of large stones	0.18		
HtB: Highfield-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm Slope	0.50
HtC: Highfield-----	80	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	1.00
HtD: Highfield-----	80	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KcB: Klinesville-----	45	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Somewhat limited Depth to soft bedrock Slope	1.00 0.50
Calvin-----	40	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
KcC: Klinesville-----	45	Somewhat limited Depth to soft bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope	1.00 0.63	Very limited Slope Depth to soft bedrock	1.00 1.00
Calvin-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
KcD: Klinesville-----	55	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Calvin-----	30	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
KcF: Klinesville-----	55	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Calvin-----	30	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
LaB: Lantz-----	50	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Rohrersville-----	40	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lb: Lappans-----	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.15	Very limited Flooding	1.00
Ln: Lindside-----	85	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
Me: Melvin-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
MgA: Monongahela-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MgB: Monongahela-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.07
MgC: Monongahela-----	85	Somewhat limited Slope Depth to saturated zone	0.63 0.07	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.07
MgD: Monongahela-----	85	Very limited Slope Depth to saturated zone	1.00 0.07	Very limited Slope Depth to saturated zone	1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.07
MhA: Monongahela-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MhB: Monongahela-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.07

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhC: Monongahela-----	85	Somewhat limited Slope	0.63	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.07	Slope	0.63	Depth to saturated zone	0.07
MkB: Mt. Zion-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.82	Somewhat limited Slope	0.50
				Shrink-swell	0.50	Shrink-swell	0.50
MkC: Mt. Zion-----	85	Somewhat limited Slope	0.63	Somewhat limited Depth to saturated zone	0.82	Very limited Slope	1.00
		Shrink-swell	0.50	Slope	0.63	Shrink-swell	0.50
				Shrink-swell	0.50		
MmA: Mt. Zion-----	45	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone	0.82	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		
Rohrersville-----	45	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
MoB: Murrill-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
MoC: Murrill-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MsB: Murrill-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
MsC: Murrill-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MsD: Murrill-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MuB: Murrill-----	45	Not limited		Not limited		Not limited	
Urban Land-----	45	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MuD: Murrill-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Urban Land-----	45	Not rated		Not rated		Not rated	
MvB: Myersville-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
MvC: Myersville-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MwB: Myersville-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
MwC: Myersville-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MwD: Myersville-----	80	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
NoB: Nollville-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
NoC: Nollville-----	85	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
NoD: Nollville-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
OpA: Opequon-----	85	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock	1.00 1.00	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00
OpB: Opequon-----	85	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock	1.00 1.00	Very limited Depth to hard bedrock Shrink-swell Slope	1.00 1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OpC: Opequon-----	85	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 1.00 0.63	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00
OrB: Opequon-----	45	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock	1.00 1.00	Very limited Depth to hard bedrock Shrink-swell Slope	1.00 1.00 0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
OrC: Opequon-----	45	Very limited Depth to hard bedrock Shrink-swell	1.00 1.00	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 1.00 0.63	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
OrD: Opequon-----	45	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
OrF: Opequon-----	45	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
PaB: Pecktonville-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.24	Very limited Shrink-swell Slope	1.00 0.50
PaC: Pecktonville-----	85	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.24	Very limited Slope Shrink-swell	1.00 1.00
PaD: Pecktonville-----	85	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.24	Very limited Slope Shrink-swell	1.00 1.00
PcB: Pecktonville-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.24	Very limited Shrink-swell Slope	1.00 0.50
PcC: Pecktonville-----	85	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.24	Very limited Slope Shrink-swell	1.00 1.00
PcD: Pecktonville-----	85	Very limited Slope Shrink-swell	1.00 1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.24	Very limited Slope Shrink-swell	1.00 1.00
PeE: Pecktonville-----	55	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to hard bedrock Depth to saturated zone	1.00 1.00 1.00 0.24	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
Pg: Philo-----	85	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
Ph: Philo-----	85	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone Depth to hard bedrock	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
Pn: Pope-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
Po: Pope-----	85	Not Rated Not Rated; Fragments > 75mm Flooding	1.00	Not Rated Not Rated; Fragments > 75mm Flooding	1.00	Not Rated Not Rated; Fragments > 75mm Flooding	1.00
Qa: Quarry-----	100	Not rated		Not rated		Not rated	
Qm: Quarry-----	100	Not rated		Not rated		Not rated	
Qr: Quarry-----	100	Not rated		Not rated		Not rated	
Qs: Quarry-----	100	Not rated		Not rated		Not rated	
RaC: Ravenrock-----	85	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Depth to saturated zone Slope	0.24 0.04	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RaD: Ravenrock-----	85	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope Shrink-swell	1.00 0.50
RcC: Ravenrock-----	45	Somewhat limited Shrink-swell Slope	0.50 0.04	Somewhat limited Depth to saturated zone Slope	0.24 0.04	Very limited Slope Shrink-swell	1.00 0.50
Rohrersville-----	45	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.04	Very limited Depth to saturated zone Slope	1.00 0.04	Very limited Depth to saturated zone Slope Shrink-swell	1.00 1.00 0.50
ReC: Highfield-----	40	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope	1.00
Ravenrock-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Depth to saturated zone	0.63 0.24	Very limited Slope Shrink-swell	1.00 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReD: Highfield-----	40	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00
Ravenrock-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope Shrink-swell	1.00 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReF: Highfield-----	40	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ravenrock-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Depth to saturated zone	1.00 0.24	Very limited Slope Shrink-swell	1.00 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
RhB: Rohrersville-----	55	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Lantz-----	40	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Not Rated Not Rated; Fragments > 75mm Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
RmB: Ryder-----	55	Not limited		Somewhat limited Depth to soft bedrock	0.26	Somewhat limited Slope	0.50
Duffield-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
RmC: Ryder-----	55	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.26	Very limited Slope	1.00
Duffield-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
RmD: Ryder-----	50	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.26	Very limited Slope	1.00
Duffield-----	35	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
RnB: Ryder-----	55	Not limited		Somewhat limited Depth to soft bedrock	0.26	Somewhat limited Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Nollville-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
RnC: Ryder-----	55	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.26	Very limited Slope	1.00
Nollville-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
RnD: Ryder-----	60	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.26	Very limited Slope	1.00
Nollville-----	30	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
RvC: Ryder-----	55	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
Nollville-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
RyB: Ryder-----	45	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
RyC: Ryder-----	45	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RyD: Ryder-----	45	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
SdB: Sideling-----	85	Not limited		Very limited Shrink-swell Depth to saturated zone	1.00 0.24	Somewhat limited Slope	0.50
SdC: Sideling-----	85	Somewhat limited Slope	0.63	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.24	Very limited Slope	1.00
SdD: Sideling-----	85	Very limited Slope	1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.24	Very limited Slope	1.00
SgB: Sideling-----	85	Not limited		Very limited Shrink-swell Depth to saturated zone	1.00 0.24	Somewhat limited Slope	0.50
SgC: Sideling-----	85	Somewhat limited Slope	0.63	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.24	Very limited Slope	1.00
SgD: Sideling-----	85	Very limited Slope	1.00	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.24	Very limited Slope	1.00
SpA: Swanpond-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SpB: Swanpond-----	85	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.50
SsA: Swanpond-----	60	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell	1.00
Funkstown-----	35	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00
SuA: Funkstown-----	35	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.99	Very limited Flooding	1.00
Swanpond-----	35	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell	1.00
Urban Land-----	20	Not rated		Not rated		Not rated	
TaB: Talladega-----	80	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
TaC: Talladega-----	80	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
TaD: Talladega-----	80	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
ThB: Thurmont-----	85	Not Rated Not Rated; Fragments > 75mm		Not Rated Not Rated; Fragments > 75mm Depth to saturated zone	0.15	Not Rated Not Rated; Fragments > 75mm Slope	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ThC: Thurmont-----	85	Not Rated Not Rated; Fragments > 75mm Slope	0.63	Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone	0.63 0.15	Not Rated Not Rated; Fragments > 75mm Slope	1.00
ThD: Thurmont-----	85	Not Rated Not Rated; Fragments > 75mm Slope	1.00	Not Rated Not Rated; Fragments > 75mm Slope Depth to saturated zone	1.00 0.15	Not Rated Not Rated; Fragments > 75mm Slope	1.00
TrA: Trego-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
TrB: Trego-----	85	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.07
TrC: Trego-----	85	Somewhat limited Slope Depth to saturated zone	0.63 0.07	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.07
TyA: Tyler-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
TyB: Tyler-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
Ud: Udorthents-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.16	Somewhat limited Shrink-swell	0.50
UrB: Urban Land-----	55	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UrD: Urban Land-----	55	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WaA: Walkersville-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell	0.50
WaB: Walkersville-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Slope Shrink-swell	0.50 0.50
WaC: Walkersville-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 0.50
WcA: Walkersville-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Shrink-swell	0.50
WcB: Walkersville-----	85	Somewhat limited Shrink-swell	0.50	Very limited Shrink-swell	1.00	Somewhat limited Slope Shrink-swell	0.50 0.50
WcC: Walkersville-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 0.50
WeB: Weikert-----	85	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Somewhat limited Depth to soft bedrock Slope	1.00 0.50
WeC: Weikert-----	85	Somewhat limited Depth to soft bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope	1.00 0.63	Very limited Slope Depth to soft bedrock	1.00 1.00
WeD: Weikert-----	85	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeF: Weikert-----	85	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
WkB: Berks-----	40	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
Weikert-----	40	Somewhat limited Depth to soft bedrock	1.00	Very limited Depth to soft bedrock	1.00	Somewhat limited Depth to soft bedrock Slope	1.00 0.50
WkC: Weikert-----	50	Somewhat limited Depth to soft bedrock Slope	1.00 0.63	Very limited Depth to soft bedrock Slope	1.00 0.63	Very limited Slope Depth to soft bedrock	1.00 1.00
Berks-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
WkD: Weikert-----	50	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
Berks-----	35	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
WrC: Weverton-----	80	Very limited Content of large stones Slope	1.00 0.63	Very limited Content of large stones Slope	1.00 0.63	Very limited Slope Content of large stones	1.00 1.00
WrD: Weverton-----	85	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Content of large stones	1.00 1.00
WrE: Weverton-----	85	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Content of large stones	1.00 1.00	Very limited Slope Content of large stones	1.00 1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WuB: Wurno-----	50	Not limited		Somewhat limited Depth to soft bedrock	0.46	Somewhat limited Slope	0.50
Nollville-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
WuC: Wurno-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.46	Very limited Slope	1.00
Nollville-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
WuD: Wurno-----	50	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
Nollville-----	40	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
WuE: Wurno-----	50	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.46	Very limited Slope	1.00
Nollville-----	35	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50

