

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
BaA: Barclay-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
BaB2: Barclay-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.50	Seepage	1.00
Bp: Borrow Pits-----	95	Not rated		Not rated	
Cb: Coastal Beaches-----	100	Not rated		Not rated	
DoA: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
DoB2: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	0.32
DoC2: Downer-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
				Slope	1.00
Ek: Elkton-----	50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00		

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Es: Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Elkton-----	50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Fa: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Ff: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fg: Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
Fallsington-----	50	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
GaB: Galestown-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.08
GaC: Galestown-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Seepage Slope	1.00 1.00
KmA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KmB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KmC2: Keyport-----	95	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
KmD: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity Slope	1.00 1.00 1.00 0.84	Very limited Slope Depth to saturated zone	1.00 0.96
KpA: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.96
KpB2: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.96 0.32
KsC3: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Slope Depth to saturated zone	1.00 0.96
KsD3: Keyport-----	100	Very limited Restricted permeability Depth to saturated zone Filtering capacity Slope	1.00 1.00 1.00 0.84	Very limited Slope Depth to saturated zone	1.00 0.96
Ky: Klej-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.82	Very limited Seepage Depth to saturated zone	1.00 1.00
Ma: Madeland-----	95	Not rated		Not rated	

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MkA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MkB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MkC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MkD: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00
MlA: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage	1.00
MlB2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Seepage Slope	1.00 0.32
MlC2: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MlC3: Matapeake-----	100	Somewhat limited Restricted permeability	0.68	Very limited Slope Seepage	1.00 1.00
MlD3: Matapeake-----	100	Somewhat limited Slope Restricted permeability	0.84 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
MpA: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MpB2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
MxA: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 1.00
MxB2: Mattapex-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.68	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
My: Mixed Alluvial Land	100	Not rated		Not rated	
Oh: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
Ot: Othello-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Pe: Plummer-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.68	Very limited Depth to saturated zone Seepage	1.00 0.32
Pk: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00
Pm: Pocomoke-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00
Pt: Portsmouth-----	100	Very limited Depth to saturated zone Filtering capacity Restricted permeability	1.00 1.00 0.50	Very limited Seepage Depth to saturated zone	1.00 1.00
SaA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SaB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SaC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SaC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
SaD: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SaD3: Sassafras-----	100	Very limited Filtering capacity Slope Restricted permeability	1.00 0.84 0.68	Very limited Slope Seepage	1.00 1.00
SfA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SfB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SmA: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage	1.00
SmB2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Seepage Slope	1.00 0.32
SmC2: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00
SmC3: Sassafras-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.68	Very limited Slope Seepage	1.00 1.00

Table ENG-5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
St: Steep Land-----	100	Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated	
WdA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WdB2: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32
WfA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WoA: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00
WoB2: Woodstown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage Slope	1.00 1.00 0.32

