

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ba: Bayboro-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Bb: Bayboro-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Be: Beaches-----	80	Not rated		Not rated		Not rated	
Bo: Borrow Pits-----	95	Not rated		Not rated		Not rated	
DoA: Downer-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
DoB2: Downer-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
DoC: Downer-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
Ea: Elkton-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Ek: Elkton-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness	1.00
Em: Elkton-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
En: Elkton-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EoD: Evesboro-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
EpB: Evesboro-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
ErD: Evesboro-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
EsB: Evesboro-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
EtF: Evesboro-----	100	Moderate Slope/erodibility	0.55	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
EvD: Evesboro-----	50	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
Galestown-----	30	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
EwB: Evesboro-----	50	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
Galestown-----	30	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
EyC: Evesboro-----	30	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Moderately suited Sandiness	0.50
Galestown-----	30	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Moderately suited Sandiness	0.50
Downer-----	20	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Well suited	
Fa: Fallsington-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Fg: Fallsington-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Fs: Fallsington-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
GaD: Galestown-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
GcB: Galestown-----	100	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
KeA: Keyport-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
KeB: Keyport-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
KsA: Klej-----	95	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Wetness	0.50
KsB: Klej-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Wetness	0.50
Le: Leon-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Wetness Sandiness	0.50 0.50
Ma: Made Land-----	95	Not rated		Not rated		Not rated	
MdA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
MdB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Well suited	
MeA: Matapeake-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MeB2: Matapeake-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MeC: Matapeake-----	100	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MfA: Matawan-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MfB: Matawan-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MmA: Matawan-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
MmB: Matawan-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
MmC: Matawan-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
MmE: Matawan-----	100	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
MnA: Matawan-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MnB: Matawan-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MpA: Mattapex-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MpB: Mattapex-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
MtA: Mattapex-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MtB: Mattapex-----	100	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Mu: Muck-----	100	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mv: Mixed Alluvial Land-	100	Not rated		Not rated		Not rated	
NoA: Norfolk-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Well suited	
NoB: Norfolk-----	100	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
NoC: Norfolk-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
NsD: Norfolk-----	50	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
Sassafras-----	50	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
NsE: Norfolk-----	50	Moderate Slope/erodibility	0.45	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Sassafras-----	50	Moderate Slope/erodibility	0.45	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Ot: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Ow: Othello-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Pe: Plummer-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness	1.00
Pk: Pocomoke-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50
Po: Pocomoke-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pr: Portsmouth-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Pt: Portsmouth-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Ru: Rutlege-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness	1.00
SaA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SaB: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SsA: Sassafras-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SsB2: Sassafras-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SsC2: Sassafras-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
St: St. Johns-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Sandiness	1.00 0.50
Su: St. Johns-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Wetness Sandiness	1.00 0.50
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WfA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WfB: Woodstown-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WoA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WsA: Woodstown-----	100	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WsB: Woodstown-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50

