

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adelphia-----	50	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Holmdel-----	30	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Well suited	
AdB: Adelphia-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Holmdel-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
AdC: Adelphia-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Holmdel-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
AeB: Adelphia-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Holmdel-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AfB: Alloway-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Sassafras-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
AfC: Alloway-----	40	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Sassafras-----	30	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
AnB: Alloway-----	30	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sassafras-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
AnD: Alloway-----	30	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Sassafras-----	30	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
AoA: Annapolis-----	70	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited Landslides	0.10
AoB: Annapolis-----	80	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited Landslides	0.10
AoC: Annapolis-----	75	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope Landslides	0.50 0.10
AsA: Annapolis-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited Landslides	0.10
AsB: Annapolis-----	80	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited Landslides	0.10
AsC: Annapolis-----	80	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope Landslides	0.50 0.10
AsE: Annapolis-----	60	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Landslides	1.00 0.10
AsF: Annapolis-----	60	Severe Slope/erodibility	0.65	Severe Slope/erodibility	1.00	Poorly suited Slope Landslides	1.00 0.10

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AsG: Annapolis-----	60	Very severe Slope/erodibility	1.00	Severe Slope/erodibility	1.00	Poorly suited Slope Landslides	1.00 0.10
AuB: Annapolis-----	50	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited Landslides	0.10
Urban Land-----	40	Not rated		Not rated		Not rated	
AuD: Annapolis-----	50	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope Landslides	0.50 0.10
Urban Land-----	35	Not rated		Not rated		Not rated	
CaB: Chillum-----	60	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
CaC: Chillum-----	60	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
CbB: Chillum-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Urban Land-----	40	Not rated		Not rated		Not rated	
CHA: Codorus-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Strength Wetness	1.00 0.50 0.50
Hatboro-----	30	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
CkA: Colemantown-----	80	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CmA: Colemantown-----	70	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50
CnB: Colemantown-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
CoA: Collington-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Wist-----	25	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
CoB: Collington-----	50	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Wist-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
CoC: Collington-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Wist-----	35	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
CpB: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Wist-----	25	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
CpD: Urban Land-----	35	Not rated		Not rated		Not rated	
Collington-----	25	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Wist-----	25	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
CRD: Collington-----	40	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Annapolis-----	25	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Landslides	1.00 0.10
CSE: Collington-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Westphalia-----	25	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Wist-----	25	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
CSF: Collington-----	40	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Westphalia-----	25	Severe Slope/erodibility	0.85	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Wist-----	25	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
CSG: Collington-----	40	Very severe Slope/erodibility	1.00	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Westphalia-----	25	Very severe Slope/erodibility	1.00	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Wist-----	25	Very severe Slope/erodibility	1.00	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
CTA: Comus-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Strength	1.00 0.50
Codorus-----	35	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Strength Wetness	1.00 0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CxA: Cumberstone-----	45	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Mattapex-----	25	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
CxB: Cumberstone-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Mattapex-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
CxC: Cumberstone-----	40	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Mattapex-----	35	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
CyB: Cumberstone-----	30	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Mattapex-----	30	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
CyD: Cumberstone-----	30	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Mattapex-----	25	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
DcA: Deale-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Landslides	0.50 0.10
Shadyoak-----	20	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DeA: Deale-----	35	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Landslides	0.50 0.10
Urban Land-----	30	Not rated		Not rated		Not rated	
Shadyoak-----	20	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
DfA: Dodon-----	75	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Landslides	0.50 0.10
DfB: Dodon-----	75	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength Landslides	0.50 0.10
DfC: Dodon-----	75	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope Landslides	0.50 0.50 0.10
DnA: Donlonton-----	65	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Wetness	0.50 0.50
DnB: Donlonton-----	65	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength Wetness	0.50 0.50
DuB: Donlonton-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength Wetness	0.50 0.50
Urban Land-----	35	Not rated		Not rated		Not rated	
DvB: Downer-----	40	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
Hammonton-----	20	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
DvC: Downer-----	50	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hammonton-----	20	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
DvD: Downer-----	40	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Hammonton-----	15	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
DwB: Downer-----	25	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
DwD: Downer-----	30	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
Hammonton-----	20	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
DxB: Downer-----	40	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
Phalanx-----	35	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
DxC: Downer-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope	0.50
Phalanx-----	35	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
DxD: Downer-----	40	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Phalanx-----	35	Moderate Slope/erodibility	0.25	Moderate Slope/erodibility	0.81	Poorly suited Slope Sandiness	1.00 0.50
EuB: Evesboro-----	25	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	20	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50
EuD: Evesboro-----	30	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness	0.50 0.50
EuE: Evesboro-----	30	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Urban Land-----	25	Not rated		Not rated		Not rated	
Galestown-----	15	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Sandiness	1.00 0.50
EVC: Evesboro-----	45	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
Galestown-----	20	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
FaA: Fallsington-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
FrA: Fallsington-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
GaB: Galestown-----	75	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Sandiness	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HmB: Annapolis-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited Landslides	0.10
Howell-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
HmC: Howell-----	45	Slight Slope/erodibility	0.17	Moderate Slope/erodibility	0.78	Moderately suited Strength Slope	0.50 0.50
Annapolis-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope Landslides	0.50 0.10
HMD: Annapolis-----	40	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Landslides	1.00 0.10
Howell-----	40	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
HME: Annapolis-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Landslides	1.00 0.10
Howell-----	40	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
HoA: Dodon-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength Landslides	0.50 0.10
Howell-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
HoB: Dodon-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength Landslides	0.50 0.10
Howell-----	40	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
HoC: Dodon-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope Landslides	0.50 0.50 0.10

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Howell-----	40	Slight Slope/erodibility	0.17	Moderate Slope/erodibility	0.78	Moderately suited Strength Slope	0.50 0.50
HOD: Dodon-----	40	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
Howell-----	40	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
HOE: Dodon-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
Howell-----	40	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
HOF: Dodon-----	40	Severe Slope/erodibility	0.65	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
Howell-----	40	Severe Slope/erodibility	0.73	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MaB: Dodon-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength Landslides	0.50 0.10
Marr-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength Landslides	0.50 0.10
MaC: Dodon-----	35	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope Landslides	0.50 0.50 0.10
Marr-----	35	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope Landslides	0.50 0.50 0.10

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MaD: Dodon-----	35	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
Marr-----	35	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
MDE: Dodon-----	35	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
Marr-----	35	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
MDF: Marr-----	35	Moderate Slope/erodibility	0.59	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
Dodon-----	30	Severe Slope/erodibility	0.65	Severe Slope/erodibility	1.00	Poorly suited Slope Strength Landslides	1.00 0.50 0.10
MgB: Dodon-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength Landslides	0.50 0.10
Marr-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength Landslides	0.50 0.10
Urban Land-----	30	Not rated		Not rated		Not rated	
MgD: Dodon-----	30	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope Strength Landslides	0.50 0.50 0.10
Marr-----	30	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope Strength Landslides	0.50 0.50 0.10

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
MmA: Matapeake-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MmC: Matapeake-----	50	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MpB: Matapeake-----	30	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MpD: Matapeake-----	30	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
MRD: Matapeake-----	40	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Mattapex-----	30	Moderate Slope/erodibility	0.32	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
MtA: Mattapex-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
MtB: Mattapex-----	60	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
MtC: Mattapex-----	60	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MxB: Mattapex-----	35	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Butlertown-----	30	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MxC: Mattapex-----	45	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Butlertown-----	25	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
MyB: Mattapex-----	30	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Urban Land-----	25	Not rated		Not rated		Not rated	
Butlertown-----	20	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
MZA: Mispillion-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Strength	1.00 0.50
Transquaking-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Poorly suited Flooding Strength Wetness	1.00 1.00 1.00
NMA: Mannington-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Nanticoke-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
PeB: Patapsco-----	30	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness Landslides	0.50 0.10
Evesboro-----	20	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
Fort Mott-----	20	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
PfB: Fort Mott-----	30	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Well suited	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Patapsco-----	30	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness Landslides	0.50 0.10
PfC: Fort Mott-----	30	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope	0.50
Patapsco-----	30	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope Landslides	0.50 0.50 0.10
PfD: Fort Mott-----	30	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
Patapsco-----	30	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope Sandiness Landslides	0.50 0.50 0.10
PgB: Fort Mott-----	25	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Well suited	
Patapsco-----	25	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness Landslides	0.50 0.10
Urban Land-----	25	Not rated		Not rated		Not rated	
PgD: Fort Mott-----	25	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope	0.50
Patapsco-----	25	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.62	Moderately suited Slope Sandiness Landslides	0.50 0.50 0.10
Urban Land-----	25	Not rated		Not rated		Not rated	
PpA: Pepperbox-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.06	Moderately suited Sandiness	0.50
PrB: Pepperbox-----	30	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PT: Gravel And Borrow Pits-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope Sandiness	0.50 0.50
RfA: Russett-----	65	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
RfB: Russett-----	65	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
RhB: Russett-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Alloway-----	25	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Hambrook-----	20	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
RhC: Russett-----	30	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Alloway-----	25	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
Hambrook-----	20	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Strength Slope	0.50 0.50
RhD: Russett-----	30	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Alloway-----	25	Moderate Slope/erodibility	0.29	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Hambrook-----	20	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
RkB: Russett-----	30	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Alloway-----	25	Slight Slope/erodibility	0.07	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	25	Not rated		Not rated		Not rated	
RyB: Russett-----	35	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
Urban Land-----	35	Not rated		Not rated		Not rated	
SaB: Sassafras-----	60	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
SaD: Sassafras-----	60	Moderate Slope/erodibility	0.25	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
SfB: Sassafras-----	55	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
ShA: Hambrook-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
Sassafras-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Well suited	
SME: Sassafras-----	30	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Croom-----	25	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
SMF: Sassafras-----	30	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Croom-----	25	Severe Slope/erodibility	0.85	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
SnB: Sassafras-----	35	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
Urban Land-----	35	Not rated		Not rated		Not rated	
SnD: Sassafras-----	35	Slight Slope/erodibility	0.20	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
SoA: Elkton-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Shadyoak-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
SpA: Shadyoak-----	45	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Elkton-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
SrA: Elkton-----	30	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Shadyoak-----	30	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
SsA: Shrewsbury-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Wetness Strength	1.00 0.50
TsB: Tinton-----	65	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
TsC: Tinton-----	65	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
TuB: Tinton-----	40	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.19	Moderately suited Sandiness	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TuC: Tinton-----	40	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Sandiness Slope	0.50 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
UfG: Udorthents-----	100	Not rated		Not rated		Not rated	
UoB: Udorthents-----	100	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
UoD: Udorthents-----	100	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.89	Moderately suited Slope Strength	0.50 0.50
UoE: Udorthents-----	100	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
UpB: Udorthents-----	65	Not rated		Not rated		Not rated	
UpC: Udorthents-----	65	Not rated		Not rated		Not rated	
UxB: Udorthents-----	60	Not rated		Not rated		Not rated	
UxD: Udorthents-----	60	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UxE: Udorthents-----	60	Very severe Horizon table contains no data Slope/erodibility	1.00 0.49	Severe Horizon table contains no data Slope/erodibility	1.00 1.00	Poorly suited Slope Horizon table contains no data	1.00 1.00
		Slope/erodibility	0.39	Slope/erodibility	1.00		
Uz: Urban Land-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	
WBA: Widewater-----	40	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Issue-----	30	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Strength	1.00 0.50
WdA: Woodstown-----	60	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Strength	0.50
WdB: Woodstown-----	100	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Well suited	
WrB: Urban Land-----	40	Not rated		Not rated		Not rated	
Woodstown-----	40	Slight Slope/erodibility	0.06	Moderate Slope/erodibility	0.33	Moderately suited Strength	0.50
ZBA: Zekiah-----	40	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Poorly suited Flooding Wetness Strength	1.00 1.00 0.50
Issue-----	30	Slight Slope/erodibility	0.02	Slight Slope/erodibility	0.11	Moderately suited Flooding Strength	0.50 0.50

