

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

| Map symbol | Soil name   |
|------------|---|
| AdA        | Adamstown silt loam, 0 to 3 percent slopes                    |
| AdB        | Adamstown silt loam, 3 to 8 percent slopes                    |
| AfB        | Adamstown-funkstown complex, 0 to 8 percent slopes            |
| AtB        | Athol gravelly loam, 3 to 8 percent slopes                    |
| BdB        | Benevola silty clay loam, 0 to 8 percent slopes               |
| BfA        | Bermudian silt loam, 0 to 3 percent slopes                    |
| BgA        | Birdsboro silt loam, 0 to 3 percent slopes                    |
| BgB        | Birdsboro silt loam, 3 to 8 percent slopes                    |
| BnB        | Braddock gravelly loam, 3 to 8 percent slopes                 |
| BpB        | Brecknock channery loam, 3 to 8 percent slopes                |
| BrB        | Brentsville channery loam, 3 to 8 percent slopes              |
| BsB        | Buckeystown sandy loam, 3 to 8 percent slopes                 |
| BtB        | Buckeystown loam, 3 to 8 percent slopes                       |
| CmA        | Combs fine sandy loam, 0 to 3 percent slopes                  |
| CnA        | Combs silt loam, 0 to 3 percent slopes                        |
| CoB        | Conestoga and letort silt loams, 3 to 8 percent slopes        |
| DoB        | Downsville gravelly loam, 3 to 8 percent slopes               |
| DqA        | Dryrun gravelly loam, 0 to 3 percent slopes                   |
| DtA        | Duffield-ryder silt loams, 0 to 3 percent slopes              |
| DtB        | Duffield-ryder silt loams, 3 to 8 percent slopes              |
| DuB        | Duffield and ryder channery silt loams, 3 to 8 percent slopes |
| EdB        | Edgemont gravelly loam, 3 to 8 percent slopes                 |
| GaB        | Gaila silt loam, 3 to 8 percent slopes                        |
| GeB        | Glenelg loam, 3 to 8 percent slopes                           |
| GfB        | Glenelg silt loam, 3 to 8 percent slopes                      |
| GgB        | Glenelg gravelly loam, 3 to 8 percent slopes                  |
| GoB        | Glenville silt loam, 3 to 8 percent slopes                    |
| GvA        | Glenville-codorus complex, 0 to 3 percent slopes              |
| GvB        | Glenville-codorus complex, 3 to 8 percent slopes              |
| HaA        | Hagerstown loam, 0 to 3 percent slopes                        |
| HaB        | Hagerstown loam, 3 to 8 percent slopes                        |
| HbB        | Hagerstown silt loam, 3 to 8 percent slopes                   |
| HgB        | Highfield gravelly silt loam, 3 to 8 percent slopes           |
| LgB        | Legore gravelly silt loam, 3 to 8 percent slopes              |
| LsA        | Lindside silt loam, 0 to 3 percent slopes                     |
| MbA        | Morven loam, 0 to 3 percent slopes                            |
| MbB        | Morven loam, 3 to 8 percent slopes                            |
| MmA        | Mt. zion gravelly silt loam, 0 to 3 percent slopes            |
| MmB        | Mt. zion gravelly silt loam, 3 to 8 percent slopes            |
| MoB        | Mt. zion-codorus complex, 0 to 8 percent slopes               |
| MrB        | Murrill gravelly loam, 3 to 8 percent slopes                  |
| MuB        | Myersville gravelly silt loam, 3 to 8 percent slopes          |
| MvA        | Myersville silt loam, 0 to 3 percent slopes                   |
| MvB        | Myersville silt loam, 3 to 8 percent slopes                   |
| MxA        | Myersville-burkittsville complex, 0 to 3 percent slopes       |
| MxB        | Myersville-burkittsville complex, 3 to 8 percent slopes       |
| NoA        | Norton gravelly silt loam, 0 to 3 percent slopes              |
| NoB        | Norton gravelly silt loam, 3 to 8 percent slopes              |
| OcB        | Occoquan loam, 3 to 8 percent slopes                          |
| PaB        | Penn loam, 3 to 8 percent slopes                              |
| PnB        | Penn silt loam, 3 to 8 percent slopes                         |
| RwA        | Rowland silt loam, 0 to 3 percent slopes                      |
| SeA        | Spoolsville silt loam, 0 to 3 percent slopes                  |
| SeB        | Spoolsville silt loam, 3 to 8 percent slopes                  |
| SpA        | Springwood gravelly loam, 0 to 3 percent slopes               |
| SpB        | Springwood gravelly loam, 3 to 8 percent slopes               |
| Tab        | Thurmont gravelly loam, 3 to 8 percent slopes                 |
| ToA        | Trego gravelly loam, 0 to 3 percent slopes                    |
| ToB        | Trego gravelly loam, 3 to 8 percent slopes                    |
| WaA        | Walkersville gravelly loam, 0 to 3 percent slopes             |

Table Y.--Prime Farmland--Continued

| Map symbol | Soil name  |
|------------|--|
| WaB        | Walkersville gravelly loam, 3 to 8 percent slopes  |
| WhB        | Wheeling gravelly loam, 0 to 8 percent slopes      |
| WtB        | Wiltshire-funkstown complex, 0 to 8 percent slopes |

