Table A.--Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
1	Tonka silt loam, 0 to 1 percent slopes	183	*
3	Velva fine sandy loam, 0 to 2 percent slopes	6,320	0.5
4	Lallie silty clay loam, ponded, 0 to 1 percent slopes	992	*
5	Dimmick silty clay, 0 to 1 percent slopes	1,075	*
6	Heil silt loam, 0 to 1 percent slopes	1,063	*
7	Korell loam, 0 to 2 percent slopes	2,132	0.2
8	Straw loam, 0 to 2 percent slopes	7,343	0.6
9	Straw and velva soils, channeled, 0 to 2 percent slopes	27,512	2.2
10	Arnegard loam, 0 to 2 percent slopes	7,125	0.6
10B	Arnegard loam, 2 to 6 percent slopes	3,578	0.3
11	Amor-arnegard loams, 0 to 3 percent slopes	4,253	0.3
11B	Amor-shambo loams, 3 to 6 percent slopes	19,272	1.5
12C	Amor-cabba loams, 6 to 9 percent slopes	48,014	3.9
13D	Amor-cabba loams, 9 to 15 percent slopes	46,572	3.7
15B	Chama-cabba silt loams, 3 to 6 percent slopes	4,715	0.4
15C	Chama-cabba-sen silt loams, 6 to 9 percent slopes	43,763	3.5
15D	Cabba-chama-sen silt loams, 9 to 15 percent slopes	28,125	2.3
15F	Cabba-chama-arnegard silt loams, 15 to 70 percent slopes	74,170	6.0
16D	Ringling-daglum loams, 6 to 15 percent slopes	5,099	0.4
16F	Brandenburg-cabba-savage complex, 6 to 70 percent slopes	9,641	0.8
17B	Sen-chama silt loams, 3 to 6 percent slopes	9,310	0.7
18B	Reeder-farnuf loams, 3 to 6 percent slopes	9,223	0.7
19	Farland silt loam, 0 to 2 percent slopes	10,524	0.8
19B	Farland silt loam, 2 to 6 percent slopes	23,078	1.9
19C	Farland silt loam, 6 to 9 percent slopes	8,353	0.7
19D	Farland silt loam, 9 to 15 percent slopes	1,993	0.2
20	Shambo loam, 0 to 2 percent slopes	7,161	0.6
20B	Shambo loam, 2 to 6 percent slopes	10,093	0.8
21B	Morton-farland silt loams, 3 to 6 percent slopes	9,801	0.8
22F	Cabba-rock outcrop-chama complex, 15 to 70 percent slopes	1,669	0.1
23C	Morton-cabba silt loams, 3 to 9 percent slopes	14,375	1.2
26	Grail silty clay loam, 0 to 2 percent slopes	4,839	0.4
27	Belfield-grail silty clay loams, 0 to 2 percent slopes	30,057	2.4
27B	Grail-belfield silty clay loams, 2 to 6 percent slopes	21,067	1.7
28	Belfield-daglum silt loams, 0 to 2 percent slopes	36,071	2.9
28B	Belfield-daglum silt loams, 2 to 6 percent slopes	31,389	2.5
29	Savage silty clay loam, 0 to 2 percent slopes	5,270	0.4
29B	Savage silty clay loam, 2 to 6 percent slopes	17,873	1.4
29C	Savage silty clay loam, 6 to 9 percent slopes	2,802	0.2
30	Regent-savage silty clay loams, 0 to 3 percent slopes	1,329	0.1
30B	Regent-savage silty clay loams, 3 to 6 percent slopes	7,776	0.6
30C	Regent-savage silty clay loams, 6 to 9 percent slopes	5,309	0.4
31B	Regent-janesburg complex, 0 to 6 percent slopes	37,831	3.0
31C	Regent-janesburg complex, 6 to 9 percent slopes	16,134	1.3
35B	Moreau silty clay, 0 to 6 percent slopes	9,639	0.8
35C	Moreau-wayden silty clays, 6 to 9 percent slopes	2,280	0.2
35D	Moreau-wayden silty clays, 9 to 15 percent slopes	5,945	0.5
36	Lawther silty clay, 0 to 2 percent slopes	809	*
38B	Searing-ringling loams, 0 to 6 percent slopes	648	*
40C	Rhoades-slickspots-daglum complex, 0 to 9 percent slopes	13,844	1.1
41B	Daglum-rhoades complex, 0 to 6 percent slopes	55,764	4.5
41C	Daglum-rhoades complex, bedrock substratum, 6 to 9 percent slopes	28,456	2.3
42F	Dogtooth-janesburg-cabba complex, 6 to 30 percent slopes	39,352	3.2
43C	Rhoades-daglum fine sandy loams, 0 to 9 percent slopes	4,419	0.4
44B	Ekalaka-lakota fine sandy loams, 0 to 6 percent slopes	11,625	0.9
45	Harriet silt loam, 0 to 2 percent slopes	13,018	1.0
46C	Lakota-ekalaka fine sandy loams, gullied, 0 to 9 percent slopes	6,348	0.5
47B	Dogtooth-janesburg silt loams, 0 to 6 percent slopes	13,803	1.1
48B	Desart-ekalaka-telfer complex, 0 to 6 percent slopes	5,717	0.5
49B	Lefor fine sandy loam, 0 to 6 percent slopes	303	*
51D	Vebar-flasher-tally complex, 9 to 15 percent slopes	38,480	3.1
51F	Flasher-vebar-parshall complex, 9 to 35 percent slopes	65,586	5.3
52B	Vebar-parshall fine sandy loams, 0 to 6 percent slopes	21,964	1.8
53B	Tally-parshall fine sandy loams, 0 to 6 percent slopes	17,918	1.4
53C	Tally-parshall fine sandy loams, 6 to 9 percent slopes	5,278	0.4
54C	Vebar-flasher complex, 6 to 9 percent slopes	40,161	3.2
55B	Beisigl-lihen loamy fine sands, 0 to 6 percent slopes	2,509	0.2
56	Parshall fine sandy loam, 0 to 2 percent slopes	3,412	0.3
57D	Beisigl-flasher loamy fine sands, 6 to 15 percent slopes	15,038	1.2
58B	Lihen-parshall complex, 0 to 6 percent slopes	6,576	0.5
59F	Flasher-rock outcrop-vebar complex, 9 to 70 percent slopes	8,188	0.7
60D	Wabek-manning complex, 6 to 15 percent slopes	3,327	0.3
62B	Manning fine sandy loam, 0 to 6 percent slopes	4,754	0.4
63B	Lehr-stady loams, 0 to 6 percent slopes	5,072	0.4

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
64	Stady loam, 0 to 3 percent slopes	1,924	0.2
65	Wanagan loam, 0 to 3 percent slopes	1,360	0.1
66F	Wabek-cabba-shambo complex, 6 to 35 percent slopes	10,367	0.8
67B	Virgelle fine sandy loam, 0 to 6 percent slopes	2,047	0.2
68D	Telfer loamy fine sand, 6 to 15 percent slopes	3,468	0.3
68E	Telfer loamy fine sand, 15 to 25 percent slopes	1,959	0.2
70	Bowbells loam, 0 to 3 percent slopes	844	*
71	Williams-bowbells loams, 0 to 3 percent slopes	2,326	0.2
71B	Williams-bowbells loams, 3 to 6 percent slopes	12,603	1.0
73B	Williams-reeder loams, 3 to 6 percent slopes	9,767	0.8
76C	Williams-zahl loams, 6 to 9 percent slopes	13,193	1.1
76D	Zahl-williams loams, 9 to 15 percent slopes	413	*
76F	Zahl-williams loams, dissected, 15 to 45 percent slopes	7,620	0.6
77	Temvik-wilton silt loams, 0 to 3 percent slopes	1,831	0.1
77B	Temvik-williams silt loams, 3 to 6 percent slopes	2,401	0.2
80	Breien fine sandy loam, 0 to 2 percent slopes	3,294	0.3
82	Mckeen loam, 0 to 1 percent slopes	995	*
83	Mckeen loam, ponded, 0 to 1 percent slopes	722	*
85B	Banks loamy fine sand, 0 to 6 percent slopes	5,546	0.4
86	Havrelon fine sandy loam, 0 to 2 percent slopes	1,391	0.1
87	Minnewaukan fine sandy loam, 0 to 2 percent slopes	525	*
88	Havrelon silt loam, 0 to 2 percent slopes	4,853	0.4
91	Lohler silty clay, 0 to 2 percent slopes	1,416	0.1
98	Mandan-linton silt loams, 0 to 3 percent slopes	2,393	0.2
98B	Linton-mandan silt loams, 3 to 6 percent slopes	1,263	0.1
99F	Badland, outcrop-cabba complex, 9 to 70 percent slopes	4,309	0.3
100	Pits, gravel and sand	967	*
105	Dumps and pits, mine	186	*
110	Ustorthents, loamy, 0 to 6 percent slopes	19	*
115	Riverwash	1,381	0.1
154F	Arikara-shambo-cabba loams, 9 to 70 percent slopes	8,044	0.6
161F	Beisigl-flasher-arikara complex, 15 to 70 percent slopes	2,380	0.2
185B	Banks loamy fine sand, slightly wet, 0 to 6 percent slopes	1,376	0.1
186	Havrelon fine sandy loam, slightly wet, 0 to 2 percent slopes	717	*
188	Havrelon silt loam, slightly wet, 0 to 2 percent slopes	2,882	0.2
M-W	Miscellaneous water	136	*
W	Water	13,075	1.1
	Total	1,244,500	100.0

* Less than 0.1 percent.