

WATER FEATURES  
Morton County, North Dakota

The Water Features table gives estimates of various water features. The estimates are used in land use planning that involves engineering considerations. Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

The months in the table indicate the portion of the year in which the feature is most likely to be a concern.

Water table refers to a saturated zone in the soil. The Water Features table indicates, by month, depth to the top (upper limit) and base (lower limit) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table. Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The Water Features table indicates surface water depth and the duration and frequency of ponding. Duration is expressed as very brief if less than 2 days, brief if 2 to 7 days, long if 7 to 30 days, and very long if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. None means that ponding is not probable; rare that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); occasional that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and frequent that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding, the temporary inundation of an area, is caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and frequency are estimated. Duration is expressed as extremely brief if 0.1 hour to 4 hours, very brief if 4 hours to 2 days, brief if 2 to 7 days, long if 7 to 30 days, and very long if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. None means that flooding is not probable; very rare that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); rare that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); occasional that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); frequent that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and very frequent that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
1: Tonka-----	C/D	January	1.5-3.5	>6.0	---	---	None	---	None
		February	1.5-3.5	>6.0	---	---	None	---	None
		March	0.0	1.0-1.5	0.0-1.0	Long	Frequent	---	None
		April	1.5-2.0	>6.0	---	---	---	---	---
		May	0.0	1.0-1.5	0.0-1.0	Long	Frequent	---	None
		June	1.5-2.0	>6.0	---	---	---	---	---
		July	0.0-1.5	>6.0	0.0-1.0	Long	Frequent	---	None
		August	0.0-1.5	>6.0	0.0-1.0	Long	Frequent	---	None
		September	1.5-3.5	>6.0	---	---	None	---	None
		October	1.5-3.5	>6.0	---	---	None	---	None
		November	1.5-3.5	>6.0	---	---	None	---	None
		December	1.5-3.5	>6.0	---	---	None	---	None
3: Velva-----	B	March	---	---	---	---	None	Very brief	Rare
		April	---	---	---	---	None	Very brief	Rare
		May	---	---	---	---	None	Very brief	Rare
		June	---	---	---	---	None	Very brief	Rare
4: Lallie-----	D	January	0.0	>6.0	0.0-2.0	Brief	Rare	---	None
		February	0.0	>6.0	0.0-2.0	Brief	Rare	---	None
		March	0.0	>6.0	0.0-2.0	Brief	Rare	---	None
		April	0.0	>6.0	0.0-2.0	Long	Frequent	Long	Frequent
		May	0.0	>6.0	0.0-2.0	Long	Frequent	Long	Frequent
		June	0.0	>6.0	0.0-2.0	Long	Frequent	Long	Frequent
		July	0.0	>6.0	0.0-2.0	Brief	Rare	---	None
		August	0.0-1.0	>6.0	0.0-2.0	---	None	---	None
		September	0.0-1.0	>6.0	0.0-2.0	---	None	---	None
		October	0.0-1.0	>6.0	0.0-2.0	---	None	---	None
		November	0.0	>6.0	0.0-2.0	Brief	Rare	---	None
		December	0.0	>6.0	0.0-2.0	Brief	Rare	---	None
5: Dimmick-----	D	January	1.0-1.5	>6.0	---	---	None	---	None
		February	1.0-1.5	>6.0	---	---	None	---	None
		March	0.0	>6.0	0.0-1.0	Very long	Frequent	---	None
		April	0.0	>6.0	0.0-1.0	Very long	Frequent	---	None
		May	0.0	>6.0	0.0-1.0	Very long	Frequent	---	None
		June	0.0-1.0	>6.0	0.0-1.0	Long	Occasional	---	None
		July	1.0-1.5	>6.0	---	---	None	---	None
		August	1.5-3.5	>6.0	---	---	None	---	None
		September	1.5-3.5	>6.0	---	---	None	---	None
		October	1.0-1.5	>6.0	---	---	None	---	None
		November	1.0-1.5	>6.0	---	---	None	---	None
		December	1.0-1.5	>6.0	---	---	None	---	None
6: Heil-----	D	January	1.5-3.5	>6.0	---	---	None	---	None
		February	1.5-3.5	>6.0	---	---	None	---	None
		March	0.0-1.5	>6.0	0.0-1.0	Very long	Frequent	---	None
		April	0.0-1.5	>6.0	0.0-1.0	Very long	Frequent	---	None
		May	0.0-1.5	>6.0	0.0-1.0	Very long	Frequent	---	None
		June	0.0-1.5	>6.0	0.0-1.0	Very long	Frequent	---	None
		July	1.5-3.5	>6.0	---	---	None	---	None
		August	3.5-5.0	>6.0	---	---	None	---	None
		September	3.5-5.0	>6.0	---	---	None	---	None
		October	1.5-3.5	>6.0	---	---	None	---	None
		November	1.5-3.5	>6.0	---	---	None	---	None
		December	1.5-3.5	>6.0	---	---	None	---	None
7: Korell-----	B	March	---	---	---	---	---	Brief	Rare
		April	---	---	---	---	---	Brief	Rare
		May	---	---	---	---	---	Brief	Rare
		June	---	---	---	---	---	Brief	Rare

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
8: Straw-----	B	March	---	---	---	---	---	Brief	Rare
		April	---	---	---	---	---	Brief	Rare
		May	---	---	---	---	---	Brief	Rare
		June	---	---	---	---	---	Brief	Rare
9: Channel-----	---	March	---	---	---	---	---	Long	Frequent
		April	---	---	---	---	---	Very long	Very frequent
		May	---	---	---	---	---	Very long	Very frequent
		June	---	---	---	---	---	Long	Frequent
		July	---	---	---	---	---	Brief	Occasional
Straw-----	B	March	---	---	---	---	---	Brief	Frequent
		April	3.5-5.0	>6.0	---	---	---	Brief	Frequent
		May	3.5-5.0	>6.0	---	---	---	Brief	Frequent
		June	3.5-5.0	>6.0	---	---	---	Brief	Occasional
Velva-----	B	March	---	---	---	---	---	Brief	Frequent
		April	3.5-5.0	>6.0	---	---	---	Brief	Frequent
		May	3.5-5.0	>6.0	---	---	---	Brief	Frequent
		June	3.5-5.0	>6.0	---	---	---	Brief	Occasional
10: Arnegard-----	B		---	---	---	---	---	---	---
10B: Arnegard-----	B		---	---	---	---	---	---	---
11: Amor-----	B		---	---	---	---	---	---	---
Arnegard-----	B		---	---	---	---	---	---	---
11B: Amor-----	B		---	---	---	---	---	---	---
Shambo-----	B		---	---	---	---	---	---	---
12C: Amor-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
13D: Amor-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
15B: Chama-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
15C: Chama-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
Sen-----	B		---	---	---	---	---	---	---
15D: Cabba-----	D		---	---	---	---	---	---	---
Chama-----	B		---	---	---	---	---	---	---
Sen-----	B		---	---	---	---	---	---	---

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
15F: Cabba-----	D		---	---	---	---	---	---	---
Chama-----	B		---	---	---	---	---	---	---
Arnegard-----	B		---	---	---	---	---	---	---
16D: Ringling-----	A		---	---	---	---	---	---	---
Daglum-----	D		---	---	---	---	---	---	---
16F: Brandenburg-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
Savage-----	C		---	---	---	---	---	---	---
17B: Sen-----	B		---	---	---	---	---	---	---
Chama-----	B		---	---	---	---	---	---	---
18B: Reeder-----	B		---	---	---	---	---	---	---
Farnuf-----	B		---	---	---	---	---	---	---
19: Farland-----	B		---	---	---	---	---	---	---
19B: Farland-----	B		---	---	---	---	---	---	---
19C: Farland-----	B		---	---	---	---	---	---	---
19D: Farland-----	B		---	---	---	---	---	---	---
20: Shambo-----	B		---	---	---	---	---	---	---
20B: Shambo-----	B		---	---	---	---	---	---	---
21B: Morton-----	B		---	---	---	---	---	---	---
Farland-----	B		---	---	---	---	---	---	---
22F: Cabba-----	D		---	---	---	---	---	---	---
Rock Outcrop-----	D		---	---	---	---	---	---	---
Chama-----	B		---	---	---	---	---	---	---
23C: Morton-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
26: Grail-----	C	April	3.5-5.0	>6.0	---	---	---	---	None
		May	3.5-5.0	>6.0	---	---	---	---	None
		June	3.5-5.0	>6.0	---	---	---	---	None
27:									

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Belfield-----	C	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Grail-----	C	April	3.5-5.0	>6.0	---	---	---	---	None
		May	3.5-5.0	>6.0	---	---	---	---	None
		June	3.5-5.0	>6.0	---	---	---	---	None
27B: Belfield-----	C	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Grail-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
28: Belfield-----	C	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Daglum-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
28B: Belfield-----	C	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Daglum-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
29: Savage-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
29B: Savage-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
29C: Savage-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
30: Regent-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
Savage-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
30B: Regent-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
Savage-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
30C: Regent-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
Savage-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
31B: Regent-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
Janesburg-----	D	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
31C: Regent-----	C	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
Janesburg-----	D	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---
35B: Moreau-----	D	April	---	---	---	---	---	---	---
		May	---	---	---	---	---	---	---
		June	---	---	---	---	---	---	---

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
35C: Moreau-----	D		---	---	---	---	---	---	---
Wayden-----	D		---	---	---	---	---	---	---
35D: Moreau-----	D		---	---	---	---	---	---	---
Wayden-----	D		---	---	---	---	---	---	---
36: Lawther-----	D		---	---	---	---	---	---	---
38B: Searing-----	B		---	---	---	---	---	---	---
Ringling-----	A		---	---	---	---	---	---	---
40C: Rhoades-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Slickspots-----	D	March	---	---	0.0-0.3	Brief	Frequent	---	None
		April	4.0-6.0	>6.0	0.0-0.3	Brief	Frequent	---	None
		May	4.0-6.0	>6.0	0.0-0.3	Very brief	Occasional	---	None
		June	4.0-6.0	>6.0	0.0-0.3	Very brief	Occasional	---	None
		July	---	---	0.0-0.3	Very brief	Rare	---	None
Daglum-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
41B: Daglum-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Rhoades-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
41C: Daglum-----	D		---	---	---	---	---	---	---
Rhoades-----	D		---	---	---	---	---	---	---
42F: Dogtooth-----	D		---	---	---	---	---	---	---
Janesburg-----	D		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
43C: Rhoades-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
Daglum-----	D	April	4.0-6.0	>6.0	---	---	---	---	None
		May	4.0-6.0	>6.0	---	---	---	---	None
		June	4.0-6.0	>6.0	---	---	---	---	None
44B: Ekalaka-----	D		---	---	---	---	---	---	---
Lakota-----	D		---	---	---	---	---	---	---
45:			---	---	---	---	---	---	---

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Harriet-----	D	January	1.5-3.5	>6.0	---	---	---	---	None
		February	1.5-3.5	>6.0	---	---	---	---	None
		March	0.0-1.5	>6.0	---	---	---	Brief	Occasional
		April	0.0-1.5	>6.0	---	---	---	Brief	Occasional
		May	0.0-1.5	>6.0	---	---	---	Brief	Occasional
		June	0.0-1.5	>6.0	---	---	---	Very brief	Occasional
		July	1.5-3.5	>6.0	---	---	---	---	None
		August	3.5-5.0	>6.0	---	---	---	---	None
		September	3.5-5.0	>6.0	---	---	---	---	None
		October	1.5-3.5	>6.0	---	---	---	---	None
		November	1.5-3.5	>6.0	---	---	---	---	None
		December	1.5-3.5	>6.0	---	---	---	---	None
46C: Lakota-----	D		---	---	---	---	---	---	
Ekalaka-----	D		---	---	---	---	---	---	
47B: Dogtooth-----	D		---	---	---	---	---	---	
Janesburg-----	D		---	---	---	---	---	---	
48B: Desart-----	C		---	---	---	---	---	---	
Ekalaka-----	D		---	---	---	---	---	---	
Telfer-----	A		---	---	---	---	---	---	
49B: Lefor-----	C		---	---	---	---	---	---	
51D: Vebar-----	B		---	---	---	---	---	---	
Flasher-----	D		---	---	---	---	---	---	
Tally-----	B		---	---	---	---	---	---	
51F: Flasher-----	D		---	---	---	---	---	---	
Vebar-----	B		---	---	---	---	---	---	
Parshall-----	B		---	---	---	---	---	---	
52B: Vebar-----	B		---	---	---	---	---	---	
Parshall-----	B		---	---	---	---	---	---	
53B: Tally-----	B		---	---	---	---	---	---	
Parshall-----	B		---	---	---	---	---	---	
53C: Tally-----	B		---	---	---	---	---	---	
Parshall-----	B		---	---	---	---	---	---	
54C: Vebar-----	B		---	---	---	---	---	---	
Flasher-----	D		---	---	---	---	---	---	
55B: Beisigl-----	A		---	---	---	---	---	---	

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Liheh-----	A		---	---	---	---	---	---	---
56: Parshall-----	B		---	---	---	---	---	---	---
57D: Beisigl-----	A		---	---	---	---	---	---	---
Flasher-----	D		---	---	---	---	---	---	---
58B: Liheh-----	A		---	---	---	---	---	---	---
Parshall-----	B		---	---	---	---	---	---	---
59F: Flasher-----	D		---	---	---	---	---	---	---
Rock Outcrop-----	D		---	---	---	---	---	---	---
Vebar-----	B		---	---	---	---	---	---	---
60D: Wabek-----	A		---	---	---	---	---	---	---
Manning-----	B		---	---	---	---	---	---	---
62B: Manning-----	B		---	---	---	---	---	---	---
63B: Lehr-----	B		---	---	---	---	---	---	---
Stady-----	B		---	---	---	---	---	---	---
64: Stady-----	B		---	---	---	---	---	---	---
65: Wanagan-----	B		---	---	---	---	---	---	---
66F: Wabek-----	A		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
67B: Virgelle-----	C		---	---	---	---	---	---	---
68D: Telfer-----	A		---	---	---	---	---	---	---
68E: Telfer-----	A		---	---	---	---	---	---	---
70: Bowbells-----	B	April	3.5-5.0	>6.0	---	---	---	---	None
		May	3.5-5.0	>6.0	---	---	---	---	None
		June	3.5-5.0	>6.0	---	---	---	---	None
71: Williams-----	B		---	---	---	---	---	---	---
Bowbells-----	B	April	3.5-5.0	>6.0	---	---	---	---	None
		May	3.5-5.0	>6.0	---	---	---	---	None
		June	3.5-5.0	>6.0	---	---	---	---	None
71B: Williams-----	B		---	---	---	---	---	---	---

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro-logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Bowbells-----	B	April	3.5-5.0	>6.0	---	---	---	---	None
		May	3.5-5.0	>6.0	---	---	---	---	None
		June	3.5-5.0	>6.0	---	---	---	---	None
73B: Williams-----	B		---	---	---	---	---	---	---
Reeder-----	B		---	---	---	---	---	---	---
76C: Williams-----	B		---	---	---	---	---	---	---
Zahl-----	B		---	---	---	---	---	---	---
76D: Zahl-----	B		---	---	---	---	---	---	---
Williams-----	B		---	---	---	---	---	---	---
76F: Zahl-----	B		---	---	---	---	---	---	---
Williams-----	B		---	---	---	---	---	---	---
77: Temvik-----	B		---	---	---	---	---	---	---
Wilton-----	B		---	---	---	---	---	---	---
77B: Temvik-----	B		---	---	---	---	---	---	---
Williams-----	B		---	---	---	---	---	---	---
80: Breien-----	B	March	---	---	---	---	---	Brief	Rare
		April	---	---	---	---	---	Brief	Rare
		May	---	---	---	---	---	Brief	Rare
		June	---	---	---	---	---	Brief	Rare
82: Mckeen-----	D	January	0.0-1.0	>6.0	---	---	---	---	None
		February	0.0-1.0	>6.0	---	---	---	---	None
		March	0.0-0.5	>6.0	---	---	---	Long	Frequent
		April	0.0-0.5	>6.0	---	---	---	Long	Frequent
		May	0.0-0.5	>6.0	---	---	---	Long	Frequent
		June	0.0-0.5	>6.0	---	---	---	Long	Frequent
		July	0.0-0.5	>6.0	---	---	---	---	None
		August	0.0-1.0	>6.0	---	---	---	---	None
		September	0.0-1.0	>6.0	---	---	---	---	None
		October	0.0-1.0	>6.0	---	---	---	---	None
		November	0.0-1.0	>6.0	---	---	---	---	None
		December	0.0-1.0	>6.0	---	---	---	---	None
83: Mckeen-----	D	January	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		February	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		March	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		April	0.0	>6.0	1.0-3.0	Very long	Frequent	Very long	Frequent
		May	0.0	>6.0	1.0-3.0	Very long	Frequent	Very long	Frequent
		June	0.0	>6.0	1.0-3.0	Very long	Frequent	Very long	Frequent
		July	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		August	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		September	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		October	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		November	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
		December	0.0	>6.0	1.0-3.0	Very long	Frequent	---	None
85B:									

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro-logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Banks-----	A	March	---	---	---	---	---	Brief	Occasional
		April	---	---	---	---	---	Brief	Occasional
		May	---	---	---	---	---	Brief	Occasional
		June	---	---	---	---	---	Brief	Occasional
86: Havrelon-----	B	March	---	---	---	---	---	Brief	Occasional
		April	---	---	---	---	---	Brief	Occasional
		May	---	---	---	---	---	Brief	Occasional
		June	---	---	---	---	---	Brief	Occasional
87: Minnewaukan-----	D	January	0.5-1.5	>6.0	---	---	---	None	None
		February	0.5-1.5	>6.0	---	---	---	None	None
		March	0.0	>6.0	0.0-0.5	Very long	Frequent	Very long	Frequent
		April	0.0	>6.0	0.0-0.5	Very long	Frequent	Long	Frequent
		May	0.0	>6.0	0.0-0.5	Very long	Frequent	Long	Frequent
		June	0.0-1.5	>6.0	0.0-0.5	Long	Occasional	Long	Frequent
		July	1.0-1.5	>6.0	---	---	---	None	None
		August	1.5-3.5	>6.0	---	---	---	None	None
		September	1.5-3.5	>6.0	---	---	---	None	None
		October	0.5-1.5	>6.0	---	---	---	None	None
		November	0.5-1.5	>6.0	---	---	---	None	None
		December	0.5-1.5	>6.0	---	---	---	None	None
88: Havrelon-----	B	March	---	---	---	---	---	Brief	Occasional
		April	---	---	---	---	---	Brief	Occasional
		May	---	---	---	---	---	Brief	Occasional
		June	---	---	---	---	---	Brief	Occasional
91: Lohler-----	D	March	---	---	---	---	---	Brief	Occasional
		April	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		May	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		June	3.5-5.0	>6.0	---	---	---	Brief	Occasional
98: Mandan-----	B		---	---	---	---	---	---	---
Linton-----	B		---	---	---	---	---	---	---
98B: Linton-----	B		---	---	---	---	---	---	---
Mandan-----	B		---	---	---	---	---	---	---
99F: Badland, Outcrop-----	D		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
100: Pits-----	A		---	---	---	---	---	---	---
105: Dumps And Pits-----	C		---	---	---	---	---	---	---
110: Ustorthents-----	B		---	---	---	---	---	---	---
115:			---	---	---	---	---	---	---

WATER FEATURES--Continued  
Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Riverwash-----	D	January	0.0-2.0	>6.0	---	---	---	---	None
		February	0.0-2.0	>6.0	---	---	---	---	None
		March	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		April	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		May	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		June	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		July	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		August	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		September	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		October	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		November	0.0-2.0	>6.0	---	---	---	Very long	Frequent
		December	0.0-2.0	>6.0	---	---	---	---	None
154F: Arikara-----	B		---	---	---	---	---	---	---
Cabba-----	D		---	---	---	---	---	---	---
Shambo-----	B		---	---	---	---	---	---	---
161F: Beisigl-----	A		---	---	---	---	---	---	---
Flasher-----	D		---	---	---	---	---	---	---
Arikara-----	B		---	---	---	---	---	---	---
185B: Banks, slightly wet-----	A	March	---	---	---	---	---	Brief	Occasional
		April	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		May	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		June	3.5-5.0	>6.0	---	---	---	Brief	Occasional
186: Havrelon, slightly wet----	B	March	---	---	---	---	---	Brief	Occasional
		April	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		May	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		June	3.5-5.0	>6.0	---	---	---	Brief	Occasional
188: Havrelon, slightly wet----	B	March	---	---	---	---	---	Brief	Occasional
		April	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		May	3.5-5.0	>6.0	---	---	---	Brief	Occasional
		June	3.5-5.0	>6.0	---	---	---	Brief	Occasional
M-W: Miscellaneous Water-----	---	January	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		February	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		March	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		April	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		May	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		June	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		July	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		August	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		September	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		October	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		November	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		December	0.0	0.0	0.0-6.0	Very long	Frequent	---	None

W:

WATER FEATURES--Continued  
 Morton County, North Dakota

(Depths of layers are in feet. See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated.)

Map symbol and soil name	Hydro- logic group	Month	Soil Saturation		Ponding			Flooding	
			Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft	Ft				
Water-----	---	January	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		February	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		March	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		April	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		May	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		June	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		July	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		August	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		September	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		October	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		November	0.0	0.0	0.0-6.0	Very long	Frequent	---	None
		November	0.0	0.0	0.0-6.0	Very long	Frequent	---	None

