

## Windbreak Interpretations

Farmstead windbreaks protect livestock, buildings, and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low-growing and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, increase crop yields, and provide food and cover for wildlife.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters a tree or shrub may be well or poorly suited because of soil characteristics. Each tree or shrub also has definable potentials of height growth based on the soil type and climate.

Information in this subsection, which includes windbreak suitability groups and a windbreak and environmental plantings table, can be used as a guide in planning windbreaks and screens.

*This subsection includes:*

- **(a) Trees and Shrubs for Windbreak and Environmental Plantings**

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
AsA: Ashton-----	---	---	---	---	---
AsB: Ashton-----	---	---	---	---	---
AsC: Ashton-----	---	---	---	---	---
At: Atkins-----	---	---	---	---	---
BaB: Bado-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
CcC: Clarksville-----	---	---	---	---	other trees
CcD: Clarksville-----	---	---	---	---	other trees
CcF: Clarksville-----	---	---	---	---	other trees
CcG: Clarksville-----	---	---	---	---	other trees

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
CfF:					
Clarksville-----	---	---	---	---	other trees
Doniphan-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
CfG:					
Clarksville-----	---	---	---	---	other trees
Doniphan-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
CkC:					
Coulstone-----	---	---	---	---	other trees
Clarksville-----	---	---	---	---	other trees
CkD:					
Coulstone-----	---	---	---	---	other trees
Clarksville-----	---	---	---	---	other trees
CkF:					
Coulstone-----	---	---	---	---	other trees
Clarksville-----	---	---	---	---	other trees
CkG:					
Coulstone-----	---	---	---	---	other trees
Clarksville-----	---	---	---	---	other trees

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
Ek: Elkins-----	---	---	---	---	---
Et: Midco-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
Ev: Midco-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
Gd: Gladden-----	---	---	---	---	---
LbB: Lebanon-----	---	---	---	---	---
LbC: Lebanon-----	---	---	---	---	---
LcB: Lebanon-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
LhB:					
Lebanon-----	---	---	---	---	---
Hobson-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
LhB2:					
Lebanon-----	---	---	---	---	---
Hobson-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
LhC:					
Lebanon-----	---	---	---	---	---
Hobson-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
LhC2:					
Lebanon-----	---	---	---	---	---
Hobson-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
LhD: Lebanon-----	---	---	---	---	---
Hobson-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
LhD2: Lebanon-----	---	---	---	---	---
Hobson-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
M-W: Miscellaneous water-----	---	---	---	---	---
MoA: Moniteau (bado)-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
MoB: Moniteau-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
NcB:					
Nixa-----	---	---	---	---	---
Clarksville-----	---	---	---	---	other trees
NcC:					
Nixa-----	---	---	---	---	---
Clarksville-----	---	---	---	---	other trees
NcD:					
Nixa-----	---	---	---	---	---
Clarksville-----	---	---	---	---	other trees
NcE:					
Clarksville-----	---	---	---	---	other trees
Nixa-----	---	---	---	---	---
Po:					
Pope-----	---	---	---	---	---
Qu:					
Pits, quarries-----	---	---	---	---	---
RaB:					
Razort-----	---	---	---	---	---
RcB:					
Razort-----	---	---	---	---	---
Rh:					
Riverwash-----	---	---	---	---	---
Wideman-----	---	---	---	---	---
Rk:					
Rock land-----	---	---	---	---	---

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
Sa: Wideman-----	---	---	---	---	---
Riverwash-----	---	---	---	---	---
Sh: Sharon-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
VcC: Viraton-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
VcC2: Viraton-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
VcD: Viraton-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---

Dent County, Missouri  
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
VcE: Viraton-----	American plum; common lilac; fragrant sumac	Amur maple; gray dogwood; Washington hawthorn	Austrian pine; common hackberry; eastern redcedar; honeylocust; unknown; Virginia pine	---	---
VrC: Peridge-----	---	---	---	---	---
VrD: Peridge-----	---	---	---	---	---
W: Water-----	---	---	---	---	---
We: Westerville-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
Zy: Mines and dumps-----	---	---	---	---	---