

Table AWM-2.--Agricultural Waste Management
St Landry Parish, Louisiana

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ac: Acadia-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	1.00
		Too acid	0.91			Too acid	0.91
Eb: Baldwin-----	90	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.77
Bh: Baldwin-----	50	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.77	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40			Too acid	0.77
Sharkey-----	40	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
BL: Basile-----	65	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Seepage	1.00	Restricted permeability	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.96
		Too level	0.50			Too acid	0.31
		Too acid	0.31				
Wrightsville-----	30	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Restricted permeability	1.00	Flooding	1.00
		Too acid	1.00	Too acid	0.03	Restricted permeability	1.00
		Seepage	0.69			Too acid	1.00
		Too level	0.50				
Cc: Calhoun-----	90	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	1.00	Depth to saturated zone	1.00	Too acid	1.00
		Seepage	0.69	Too acid	0.14	Restricted permeability	0.96
		Too level	0.50				

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cd:							
Commerce-----	85	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Somewhat limited Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Depth to saturated zone	1.00	Restricted permeability	0.21
		Too level	0.50				
		Flooding	0.40				
CE:							
Commerce-----	45	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Seepage	0.69	Restricted permeability	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Depth to saturated zone	1.00	Restricted permeability	0.21
		Too level	0.50				
Convent-----							
	30	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Seepage	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Restricted permeability	1.00		
Cf:							
Convent-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Restricted permeability	1.00		
		Too level	0.50				
		Flooding	0.40				
Ch:							
Convent-----	85	Very limited Seepage	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.68
		Depth to saturated zone	0.68	Restricted permeability	1.00		
		Flooding	0.40				
Ck:							
Convent-----	50	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.68
		Seepage	1.00	Restricted permeability	1.00	Flooding	0.60
		Depth to saturated zone	0.68	Flooding	0.60		
Commerce-----							
	35	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Somewhat limited Depth to saturated zone	0.68
		Seepage	1.00	Depth to saturated zone	1.00	Flooding	0.60
		Depth to saturated zone	0.68	Flooding	0.60	Restricted permeability	0.21
		Too level	0.50				
Co:							
Coteau-----	90	Somewhat limited Depth to saturated zone	0.95	Very limited Restricted permeability	1.00	Somewhat limited Depth to saturated zone	0.95
		Too acid	0.77	Depth to saturated zone	1.00	Too acid	0.77
		Seepage	0.69			Restricted permeability	0.21
		Too level	0.50				

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cp: Coteau-----	90	Somewhat limited Depth to saturated zone Too acid Seepage	0.95 0.77 0.69	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Too acid Restricted permeability	0.95 0.77 0.21
Cw: Crowley-----	85	Very limited Depth to saturated zone Seepage Too level	1.00 0.69 0.50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
De: Dundee-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone Too level	1.00 1.00 0.91 0.84 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.21
Df: Dundee-----	90	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone Too level	1.00 1.00 0.91 0.84 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.21
Dr: Dundee-----	55	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	1.00 1.00 0.91 0.84	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.21
Alligator-----	40	Not Rated Not Rated; CEC or Clay Depth to saturated zone Too acid Too level Flooding	1.00 1.00 1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00
Ds: Dundee-----	50	Not Rated Not Rated; CEC or Clay Seepage Too acid Depth to saturated zone	1.00 1.00 0.91 0.84	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Too acid Depth to saturated zone Restricted permeability	0.91 0.84 0.21

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Sharkey-----	35	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
FA: Falaya-----	90	Not Rated Not Rated; CEC or Clay Flooding Seepage Depth to saturated zone Too acid	1.00 1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Flooding Too acid	1.00 1.00 1.00 1.00
FC: Fausse-----	70	Not Rated Not Rated; CEC or Clay Flooding Ponding Depth to saturated zone Too level	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Not Rated Not Rated; CEC or Clay Ponding Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00 1.00
Sharkey-----	25	Very limited Flooding Depth to saturated zone Too level	1.00 1.00 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00
Fo: Frost-----	85	Very limited Depth to saturated zone Too acid Seepage Too level	1.00 0.77 0.69 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.77
Fr: Frost-----	90	Very limited Flooding Depth to saturated zone Too acid Seepage Too level	1.00 1.00 0.77 0.69 0.50	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Restricted permeability Too acid Flooding	1.00 0.96 0.77 0.60
Fz: Frozard-----	90	Not Rated Not Rated; CEC or Clay Seepage Depth to saturated zone Too level Too acid	1.00 1.00 0.50 0.07	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Not Rated Not Rated; CEC or Clay Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.96 0.07

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ga: Gallion-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
Go: Gallion-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
		Too level	0.50				
Gp: Gallion-----	50	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Not limited	
Perry-----	45	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too acid	0.91	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50			Too acid	0.91
		Flooding	0.40				
Ia: Iberia-----	90	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Je: Jeanerette-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.21
		Too level	0.50				
Ju: Judice-----	90	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40			Too acid	0.07
		Too acid	0.07				
La: Latanier-----	90	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Too level	0.50	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	0.40				
Lb: Lebeau-----	90	Very limited Depth to saturated zone	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Too level	0.50	Depth to saturated zone	1.00	Restricted permeability	1.00
		Flooding	0.40				
Lc: Lebeau-----	90	Very limited Flooding	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	1.00
		Too level	0.50	Flooding	0.60	Flooding	0.60

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Le: Loreauville-----	90	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Restricted permeability	0.21
		Too level	0.50				
Lp: Loring-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91	Depth to saturated zone	0.14	Restricted permeability	0.96
		Depth to saturated zone	0.86			Too acid	0.91
						Depth to saturated zone	0.86
Lr: Loring-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91	Slope	0.88	Restricted permeability	0.96
		Depth to saturated zone	0.86	Depth to saturated zone	0.14	Too steep for surface application	0.92
		Too steep for surface application	0.06			Too acid	0.91
						Depth to saturated zone	0.86
Ma: Mamou-----	90	Not Rated Not Rated; CEC or Clay	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Depth to saturated zone	1.00			Depth to saturated zone	1.00
		Seepage	0.69			Restricted permeability	0.96
		Too acid	0.42			Too acid	0.42
Mc: Memphis-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91			Too acid	0.91
		Too level	0.50				
Md: Memphis-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91			Too acid	0.91
Me: Memphis-----	90	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Restricted permeability	1.00	Not Rated Not Rated; CEC or Clay	
		Too acid	0.91	Slope	0.88	Too steep for surface application	0.92
		Too steep for surface application	0.06			Too acid	0.91
						Too steep for sprinkler application	0.06

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Mf: Memphis-----	85	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	1.00
		Too steep for surface application	1.00	Restricted permeability		Too steep for surface application	1.00
		Too acid	0.91			Too acid	0.91
Mt: Mowata-----	90	Very limited Depth to saturated zone Seepage	1.00 0.69	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.07
		Too level	0.50				
		Too acid	0.07				
MU: Muskogee-----	50	Very limited Seepage	1.00	Very limited Slope	1.00	Very limited Too steep for surface application	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.95	Depth to saturated zone	0.05	Restricted permeability	0.96
		Too acid	0.91			Depth to saturated zone Too acid	0.95 0.91
Loring-----	40	Not Rated Not Rated; CEC or Clay Seepage	1.00	Very limited Slope	1.00	Not Rated Not Rated; CEC or Clay	1.00
		Too steep for surface application	1.00	Restricted permeability	1.00	Too steep for surface application	1.00
		Too acid	0.91	Depth to saturated zone	0.14	Too steep for sprinkler application	1.00
		Depth to saturated zone	0.86			Restricted permeability Too acid	0.96 0.91
Pa: Patoutville-----	90	Very limited Depth to saturated zone Seepage	1.00 0.69	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.07
		Too level	0.50				
		Too acid	0.07				
Pb: Patoutville-----	95	Very limited Depth to saturated zone Seepage	1.00 0.69	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.07
		Too acid	0.07				

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Pc: Patoutville-----	60	Very limited Depth to saturated zone Seepage Too level Too acid	1.00 0.69 0.50 0.07	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 0.96 0.07
Crowley-----	30	Very limited Depth to saturated zone Seepage Too level	1.00 0.69 0.50	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Pr: Perry-----	95	Very limited Depth to saturated zone Too acid Too level	1.00 0.91 0.50	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 0.91
Sh: Sharkey-----	85	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
So: Sharkey-----	90	Very limited Flooding Depth to saturated zone Too level	1.00 1.00 0.50	Very limited Restricted permeability Depth to saturated zone Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 1.00 0.60
Sp: Sharkey-----	90	Very limited Flooding Depth to saturated zone Too level	1.00 1.00 0.50	Very limited Flooding Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00
Ts: Tensas-----	50	Very limited Depth to saturated zone Too acid Flooding	1.00 0.91 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	1.00 1.00 0.91
Sharkey-----	40	Very limited Depth to saturated zone Too level Flooding	1.00 0.50 0.40	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
Wv: Wrightsville-----	70	Very limited Depth to saturated zone Too acid Seepage Too level	1.00 1.00 0.69 0.50	Very limited Restricted permeability Too acid	1.00 0.03	Very limited Depth to saturated zone Restricted permeability Too acid	1.00 1.00 1.00

Table AWM-2.--Agricultural Waste Management--Continued
St Landry Parish, Louisiana

Map symbol and soil name	Pct of map unit	Overland flow of wastewater		Rapid infiltration of wastewater		Slow rate treatment of wastewater	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Vidrine-----	20	Very limited Seepage	1.00	Very limited Restricted permeability	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00			Restricted permeability	0.96
		Too acid	0.91			Too acid	0.91