

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
28: Dickman-----	95	Not limited		Not limited		Somewhat limited Droughty	0.05
28B: Dickman-----	100	Not limited		Not limited		Somewhat limited Droughty	0.05
28C2: Dickman-----	100	Not limited		Not limited		Somewhat limited Droughty	0.05
34: Estherville-----	85	Not limited		Not limited		Somewhat limited Droughty	0.02
34B: Estherville-----	95	Not limited		Not limited		Somewhat limited Droughty	0.02
34C2: Estherville-----	90	Not limited		Not limited		Somewhat limited Slope Droughty	0.16 0.02
52B: Bode-----	95	Not limited		Not limited		Not limited	
54: Zook-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
55: Nicollet-----	95	Not limited		Not limited		Not limited	
62C2: Storden-----	90	Not limited		Not limited		Not limited	
62D2: Storden-----	90	Not limited		Not limited		Somewhat limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.63
62E2: Storden-----	85	Somewhat limited Slope	0.02	Not limited		Very limited Slope	1.00
62F: Storden-----	90	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
62G: Storden-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.56	Very limited Slope	1.00
73C2: Salida-----	100	Not limited		Not limited		Very limited Droughty Gravel content	1.00 0.12
73E2: Salida-----	100	Somewhat limited Slope	0.08	Not limited		Very limited Droughty Slope Gravel content	1.00 1.00 0.12
90: Okoboji-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
107: Webster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
108: Wadena-----	95	Not limited		Not limited		Not limited	
108B: Wadena-----	95	Not limited		Not limited		Not limited	
133: Colo-----	100	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone Flooding	1.00 0.60
133B: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
138B: Clarion-----	85	Not limited		Not limited		Not limited	
138C: Clarion-----	100	Not limited		Not limited		Not limited	
138C2: Clarion-----	85	Not limited		Not limited		Not limited	
138D2: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.63
150: Hanska-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
181B: Clarion-----	60	Not limited		Not limited		Not limited	
Estherville-----	35	Not limited		Not limited		Somewhat limited Droughty	0.02
181C2: Clarion-----	60	Not limited		Not limited		Not limited	
Estherville-----	30	Not limited		Not limited		Somewhat limited Droughty	0.02
203: Cylinder-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
221: Palms-----	100	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
224: Linder-----	95	Not limited		Not limited		Not limited	
236B: Lester-----	90	Not limited		Not limited		Not limited	
236C: Lester-----	90	Not limited		Not limited		Not limited	
236F: Lester-----	95	Very limited Slope	1.00	Somewhat limited Slope	0.14	Very limited Slope	1.00
259: Biscay-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
274: Rolfe-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
288: Ottosen-----	95	Not limited		Not limited		Not limited	
308: Wadena-----	100	Not limited		Not limited		Not limited	
308B: Wadena-----	90	Not limited		Not limited		Not limited	
325: Le Sueur-----	95	Not limited		Not limited		Not limited	
330: Kingston-----	95	Not limited		Not limited		Not limited	
335: Harcot-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
339B: Truman-----	90	Not limited		Not limited		Not limited	
348: Fieldon-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
349: Darfur-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
354: Aquolls-----	100	Very limited Not Rated (miscellaneous unit) Depth to saturated zone Slope	1.00	Very limited Not Rated (miscellaneous unit) Depth to saturated zone Water erosion	1.00	Very limited Slope Depth to saturated zone Not Rated (miscellaneous unit)	1.00
		Water erosion	1.00	Slope	0.22		
388: Kossuth-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
389: Waldorf-----	95	Very limited Depth to saturated zone Too clayey	1.00	Very limited Depth to saturated zone Too clayey	1.00	Very limited Depth to saturated zone Too clayey	1.00
485: Spillville-----	95	Not limited		Not limited		Somewhat limited Flooding	0.60
485B: Spillville-----	95	Not limited		Not limited		Not limited	
506: Wacousta-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
511: Blue Earth-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
559: Talcot-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
585B: Colo-----	55	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Spillville-----	40	Not limited		Not limited		Not limited	
638B: Clarion-----	55	Not limited		Not limited		Not limited	
Storden-----	40	Not limited		Not limited		Not limited	
639C2: Storden-----	50	Not limited		Not limited		Not limited	
Salida-----	35	Not limited		Not limited		Very limited Droughty Gravel content	1.00 0.12
639D2: Storden-----	50	Not limited		Not limited		Somewhat limited Slope	0.63
Salida-----	35	Not limited		Not limited		Very limited Droughty Slope Gravel content	1.00 0.63 0.12

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
654: Corwith-----	95	Not limited		Not limited		Not limited	
655: Crippin-----	95	Not limited		Not limited		Not limited	
658: Mayer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
733: Calco-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
823: Ridgeport-----	100	Not limited		Not limited		Somewhat limited Droughty	0.38
823B: Ridgeport-----	95	Not limited		Not limited		Somewhat limited Droughty	0.38
823C2: Ridgeport-----	95	Not limited		Not limited		Somewhat limited Droughty	0.38
879: Fostoria-----	95	Not limited		Not limited		Not limited	
895: Lemond-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1032: Spicer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1133: Colo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Flooding	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Kossuth County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Flooding	0.40	Flooding	0.40	Depth to saturated zone	1.00
1135: Coland-----	95	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00 1.00
1485: Spillville-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1595: Harpster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
5010: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	