Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
3A	Copake Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	1		Prime	
3B	Copake Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	1		Prime	
3C	Copake Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
3D	Copake Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
3E	Copake Gravelly Fine Sandy Loam, 25 To 60 Percent Slopes	11		NPSL	
9	Pits-Dumps Complex	11		NPSL	
10D	Glebe-Stratton-Londonderry Complex, 15 To 25 Percent Slopes, Very Rocky	11		NPSL	
10E	Glebe-Stratton-Londonderry Complex, 25 To 60 Percent Slopes, Very Rocky	11		NPSL	
11F	Taconic-Hubbardton-Rock Outcrop Complex, 25 To 70 Percent Slopes, Very Stony	11		NPSL	
18B	Windsor Loamy Fine Sand, 0 To 8 Percent Slopes	6		Statewide	
18C	Windsor Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
18E	Windsor Loamy Fine Sand, 15 To 60 Percent Slopes	11		NPSL	
21A	Limerick Silt Loam, 0 To 3 Percent Slopes	4	d	Statewide	b
23A	Adrian And Saco Soils, 0 To 2 Percent Slopes	11		NPSL	
24A	Carlisle Mucky Peat, 0 To 2 Percent Slopes	11		NPSL	
25B	Belgrade Silt Loam, 0 To 8 Percent Slopes	2		Statewide	
26A	Raynham Silt Loam, 0 To 3 Percent Slopes	3	d	Prime	b
27B	Udipsamments And Udorthents, Gently Sloping	11		NPSL	
28A	Udifluvents, Loamy-Skeletal	11		NPSL	
29A	Occum Fine Sandy Loam, 0 To 3 Percent Slopes	1		Prime	
34A	Pootatuck Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
35B	Hartland Silt Loam, 0 To 5 Percent Slopes	1		Prime	
40B	Galway-Nellis-Farmington Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
40C	Galway-Nellis-Farmington Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
40D	Galway-Nellis-Farmington Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
41C	Galway-Farmington Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
41D	Galway-Farmington Complex, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	

Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
41E	Galway-Farmington Complex, 25 To 50 Percent Slopes, Very Rocky	11		NPSL	
42C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Rocky	7		Statewide	
42D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Rocky	10		NPSL	
42E	Macomber-Taconic Complex, 25 To 60 Percent Slopes, Rocky	11		NPSL	
43C	Taconic-Macomber Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
43D	Taconic-Macomber Complex, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
43E	Taconic-Macomber Complex, 25 To 60 Percent Slopes, Very Rocky	11		NPSL	
44B	Dutchess Channery Loam, 3 To 8 Percent Slopes	3		Prime	
44C	Dutchess Channery Loam, 8 To 15 Percent Slopes	5		Statewide	
44D	Dutchess Channery Loam, 15 To 25 Percent Slopes	8		NPSL	
47C	Dutchess Channery Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
47D	Dutchess Channery Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
47E	Dutchess Channery Loam, 25 To 60 Percent Slopes, Very Stony	11		NPSL	
48B	Pittstown Loam, 3 To 8 Percent Slopes	3		Prime	
48C	Pittstown Loam, 8 To 15 Percent Slopes	7		Statewide	
48D	Pittstown Loam, 15 To 25 Percent Slopes	8		NPSL	
49C	Pittstown Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
49D	Pittstown Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
50B	Brayton Loam, 0 To 5 Percent Slopes	6	d	Statewide	b
51B	Brayton Loam, 0 To 5 Percent Slopes, Very Stony	9		NPSL	
52A	Mansfield Mucky Silt Loam, 0 To 3 Percent Slopes, Very Stony	9		NPSL	
64B	Stockbridge Loam, 2 To 8 Percent Slopes	1		Prime	
64C	Stockbridge Loam, 8 To 15 Percent Slopes	5		Statewide	
64D	Stockbridge Loam, 15 To 25 Percent Slopes	8		NPSL	
65C	Stockbridge Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	

Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
65D	Stockbridge Loam, 15 To 25 Percent Slopes, Very Stony	9		NPSL	
66A	Georgia Loam, 0 To 3 Percent Slopes	3		Prime	
66B	Georgia Loam, 3 To 8 Percent Slopes	3		Prime	
66C	Georgia Loam, 8 To 15 Percent Slopes	7		Statewide	
66D	Georgia Loam, 15 To 25 Percent Slopes	8		NPSL	
67B	Georgia Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
67C	Georgia Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
68A	Massena Silt Loam, 0 To 3 Percent Slopes	3	d	Prime	b
68B	Massena Silt Loam, 3 To 8 Percent Slopes	3	d	Prime	b
69A	Massena Silt Loam, 0 To 3 Percent Slopes, Very Stony	9		NPSL	
69B	Massena Silt Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
70A	Groton Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	4		Statewide	
70B	Groton Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	4		Statewide	
70C	Groton Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	8		NPSL	
70D	Groton Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
70E	Groton Gravelly Fine Sandy Loam, 25 To 60 Percent Slopes	11		NPSL	
71A	Hero Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
71B	Hero Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
72A	Fredon Fine Sandy Loam, 0 To 3 Percent Slopes	3	d	Prime	b
84B	Nellis Silt Loam, 3 To 8 Percent Slopes	1		Prime	
84C	Nellis Silt Loam, 8 To 15 Percent Slopes	5		Statewide	
84D	Nellis Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
85B	Nellis Silt Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
85C	Nellis Silt Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
85D	Nellis Silt Loam, 15 To 25 Percent Slopes, Very Stony	9		NPSL	
85E	Nellis Silt Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
86A	Amenia Silt Loam, 0 To 3 Percent Slopes	3		Prime	
86B	Amenia Silt Loam, 3 To 8 Percent Slopes	3		Prime	

Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
86C	Amenia Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
87B	Amenia Silt Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
87C	Amenia Silt Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
90C	Berkshire Fine Sandy Loam, 3 To 15 Percent Slopes, Extremely Stony	11		NPSL	
90E	Berkshire Fine Sandy Loam, 15 To 50 Percent Slopes, Extremely Stony	11		NPSL	
93B	Pittsfield Fine Sandy Loam, 3 To 8 Percent Slopes	1		Prime	
93C	Pittsfield Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
93D	Pittsfield Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
94B	Pittsfield Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
94C	Pittsfield Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
94D	Pittsfield Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	9		NPSL	
94E	Pittsfield Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
95C	Houghtonville Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
95D	Houghtonville Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
95E	Houghtonville Fine Sandy Loam, 25 To 60 Percent Slopes, Very Stony	11		NPSL	
96D	Hogback-Rawsonville-Rock Outcrop Complex, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
96F	Hogback-Rawsonville-Rock Outcrop Complex, 25 To 70 Percent Slopes, Very Stony	11		NPSL	
100B	Wilmington Fine Sandy Loam, 0 To 8 Percent Slopes, Very Stony	10		NPSL	
102B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes	6		Statewide	
102C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
104B	Colton Gravelly Loamy Sand, 3 To 8 Percent Slopes, Extremely Stony	11		NPSL	
104C	Colton Gravelly Loamy Sand, 8 To 15 Percent Slopes, Extremely Stony	11		NPSL	

Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
104E	Colton Gravelly Loamy Sand, 15 To 50 Percent Slopes, Extremely Stony	11		NPSL	
105B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
105C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
105D	Monadnock Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
105E	Monadnock Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
106B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
106C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
106D	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
106E	Berkshire Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
108B	Peru Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
108C	Peru Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
108D	Peru Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
109C	Tunbridge-Berkshire Complex, 8 To 15 Percent Slopes, Rocky	9		NPSL	
109D	Tunbridge-Berkshire Complex, 15 To 25 Percent Slopes, Rocky	10		NPSL	
109E	Tunbridge-Berkshire Complex, 25 To 50 Percent Slopes, Rocky	11		NPSL	
111C	Rawsonville-Houghtonville Complex, 8 To 15 Percent Slopes, Rocky	10		NPSL	
111D	Rawsonville-Houghtonville Complex, 15 To 25 Percent Slopes, Rocky	10		NPSL	
111E	Rawsonville-Houghtonville Complex, 25 To 60 Percent Slopes, Rocky	11		NPSL	
112C	Rawsonville-Hogback Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
112D	Rawsonville-Hogback Complex, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
112E	Rawsonville-Hogback Complex, 25 To 60 Percent Slopes, Very Rocky	11		NPSL	
113B	Cabot Silt Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	

Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
114B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
114C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
114D	Mundal Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
115B	Peru Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
115C	Peru Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
115D	Peru Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
116D	Lyman-Tunbridge-Rock Outcrop Complex, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
116F	Lyman-Tunbridge-Rock Outcrop Complex, 25 To 70 Percent Slopes, Very Stony	11		NPSL	
117B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
117C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
117D	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
118C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	9		NPSL	
118D	Tunbridge-Lyman Complex, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
118E	Tunbridge-Lyman Complex, 25 To 60 Percent Slopes, Very Rocky	11		NPSL	
221F	Tunbridge-Berkshire Association, Very Steep, Rocky	11		NPSL	
403B	Cabot-Carlisle Association, Undulating, Very Stony	10		NPSL	
405D	Berkshire-Tunbridge Association, Hilly, Very Stony	10		NPSL	
413D	Peru-Berkshire-Cabot Association, Hilly, Very Stony	10		NPSL	
702E	Rawsonville-Hogback Association, Very Hilly, Very Rocky	11		NPSL	
703C	Mundal-Houghtonville Association, Rolling, Very Stony	10		NPSL	
705D	Rawsonville-Houghtonville-Mundal Association, Hilly, Rocky	10		NPSL	
715D	Houghtonville-Rawsonville Association, Hilly, Rocky	10		NPSL	
902F	Hogback-Rawsonville-Rock Outcrop Association, Very Steep, Very Stony	11		NPSL	

Bennington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
903C	Mundal-Wilmington Association, Rolling, Very Stony	10		NPSL	
905D	Houghtonville-Monadnock Association, Hilly, Very Stony	10		NPSL	
913E	Glebe-Stratton Association, Very Hilly, Very Rocky	11		NPSL	
923B	Wilmington-Mundal Association, Undulating, Very Stony	10		NPSL	
W	Water	11		NPSL	