

Franklin County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

| M.U. Sym. | Map Unit Name | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|---|------------------|---------------|--------------------|---------------|
| AuA | Au Gres Loamy Fine Sand, 0 To 6 Percent Slopes | 6 | d | Statewide | b |
| BeB | Belgrade Silt Loam, 2 To 8 Percent Slopes | 2 | | Statewide | |
| BeC | Belgrade Silt Loam, 8 To 15 Percent Slopes | 7 | | Statewide | |
| Bg | Binghamville Silt Loam | 3 | d | Prime | b |
| Br | Birdsall Silt Loam | 10 | | NPSL | |
| BxC | Buxton Silt Loam, 8 To 15 Percent Slopes | 7 | | Statewide | |
| BxD | Buxton Silt Loam, 15 To 25 Percent Slopes | 8 | | NPSL | |
| BxE | Buxton Silt Loam, 25 To 45 Percent Slopes | 11 | | NPSL | |
| CaA | Cabot Stony Fine Sandy Loam, 0 To 3 Percent Slopes | 6 | d | Statewide | b |
| CaB | Cabot Stony Fine Sandy Loam, 3 To 8 Percent Slopes | 6 | d | Statewide | b |
| CbA | Cabot Extremely Stony Fine Sandy Loam, 0 To 3 Percent Slopes | 11 | | NPSL | |
| CbB | Cabot Extremely Stony Fine Sandy Loam, 3 To 15 Percent Slopes | 11 | | NPSL | |
| Ce | Carlisle Muck | 11 | | NPSL | |
| CoB | Colton Gravelly Loamy Sand, 2 To 8 Percent Slopes | 6 | | Statewide | |
| CoC | Colton Gravelly Loamy Sand, 8 To 15 Percent Slopes | 8 | | NPSL | |
| CoD | Colton Gravelly Loamy Sand, 15 To 25 Percent Slopes | 10 | | NPSL | |
| CoE | Colton Gravelly Loamy Sand, 25 To 60 Percent Slopes | 11 | | NPSL | |
| CpB | Copake Fine Sandy Loam, 2 To 8 Percent Slopes | 1 | | Prime | |
| Cv | Covington Clay | 6 | d | Statewide | b |
| DeB | Deerfield Loamy Fine Sand, 0 To 8 Percent Slopes | 6 | | Statewide | |
| DeC | Deerfield Loamy Fine Sand, 8 To 15 Percent Slopes | 7 | | Statewide | |
| EdA | Eldridge Loamy Fine Sand, 0 To 3 Percent Slopes | 3 | | Prime | |
| EdB | Eldridge Loamy Fine Sand, 3 To 8 Percent Slopes | 3 | | Prime | |
| EdC | Eldridge Loamy Fine Sand, 8 To 15 Percent Slopes | 7 | | Statewide | |
| EnA | Enosburg Loamy Fine Sand, 0 To 3 Percent Slopes | 3 | d | Prime | b |
| EnB | Enosburg Loamy Fine Sand, 3 To 8 Percent Slopes | 3 | d | Prime | b |
| FaB | Farmington Loam, Very Rocky, 3 To 8 Percent Slopes | 6 | e | Statewide | c |

Franklin County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

| M.U. Sym. | Map Unit Name | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|--|------------------|---------------|--------------------|---------------|
| FaC | Farmington Loam, Very Rocky, 8 To 15 Percent Slopes | 8 | e | NPSL | |
| FmC | Farmington-Rock Outcrop Complex, 6 To 15 Percent Slopes | 8 | e | NPSL | |
| FmD | Farmington-Rock Outcrop Complex, 15 To 60 Percent Slopes | 11 | | NPSL | |
| GeA | Georgia Stony Loam, 0 To 3 Percent Slopes | 3 | | Prime | |
| GeB | Georgia Stony Loam, 3 To 8 Percent Slopes | 3 | | Prime | |
| GeC | Georgia Stony Loam, 8 To 15 Percent Slopes | 7 | | Statewide | |
| GrB | Georgia Extremely Stony Loam, 0 To 8 Percent Slopes | 11 | | NPSL | |
| GrC | Georgia Extremely Stony Loam, 8 To 15 Percent Slopes | 11 | | NPSL | |
| Ha | Hadley Silt Loam | 1 | | Prime | |
| HbA | Hinesburg Loamy Fine Sand, 0 To 3 Percent Slopes | 3 | | Prime | |
| HbB | Hinesburg Loamy Fine Sand, 3 To 8 Percent Slopes | 3 | | Prime | |
| HbC | Hinesburg Loamy Fine Sand, 8 To 15 Percent Slopes | 7 | | Statewide | |
| HbD | Hinesburg Loamy Fine Sand, 15 To 25 Percent Slopes | 8 | | NPSL | |
| HbE | Hinesburg Loamy Fine Sand, 25 To 60 Percent Slopes | 11 | | NPSL | |
| KbA | Kingsbury Clay, 0 To 3 Percent Slopes | 6 | d | Statewide | b |
| KbB | Kingsbury Clay, 3 To 8 Percent Slopes | 6 | d | Statewide | b |
| Le | Limerick Silt Loam | 4 | d | Statewide | b |
| LoB | Lordstown Loam, Rocky, 3 To 8 Percent Slopes | 3 | e | Prime | |
| LoC | Lordstown Loam, Rocky, 8 To 15 Percent Slopes | 5 | e | Statewide | |
| LoD | Lordstown Loam, Rocky, 15 To 25 Percent Slopes | 8 | e | NPSL | |
| LrC | Lordstown-Rock Outcrop Complex, 5 To 15 Percent Slopes | 10 | | NPSL | |
| LrD | Lordstown-Rock Outcrop Complex, 15 To 25 Percent Slopes | 10 | | NPSL | |
| LrE | Lordstown-Rock Outcrop Complex, 25 To 60 Percent Slopes | 11 | | NPSL | |
| Ly | Lyons Stony Loam | 9 | | NPSL | |
| Ma | Marsh | 11 | | NPSL | |
| MeA | Massena Stony Loam, 0 To 3 Percent Slopes | 3 | d | Prime | b |
| MeB | Massena Stony Loam, 3 To 8 Percent Slopes | 3 | d | Prime | b |
| MnA | Massena Extremely Stony Loam, 0 To 6 Percent Slopes | 11 | | NPSL | |

Franklin County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

| M.U. Sym. | Map Unit Name | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|---|------------------|---------------|--------------------|---------------|
| MsA | Missisquoi Loamy Sand, 0 To 3 Percent Slopes | 6 | | Statewide | |
| MsB | Missisquoi Loamy Sand, 3 To 8 Percent Slopes | 6 | | Statewide | |
| MsC | Missisquoi Loamy Sand, 8 To 15 Percent Slopes | 8 | | Local | |
| MsD | Missisquoi Loamy Sand, 15 To 25 Percent Slopes | 8 | | NPSL | |
| MsE | Missisquoi Loamy Sand, 25 To 60 Percent Slopes | 11 | | NPSL | |
| MuB | Munson Silt Loam, 3 To 8 Percent Slopes | 4 | d | Statewide | b |
| MuC | Munson Silt Loam, 8 To 15 Percent Slopes | 7 | d | Statewide | b |
| Od | Ondawa Variant Silt Loam | 1 | | Prime | |
| Pa | Peacham Stony Soils | 10 | | NPSL | |
| PeB | Peru Stony Fine Sandy Loam, 3 To 8 Percent Slopes | 3 | | Prime | |
| PeC | Peru Stony Fine Sandy Loam, 8 To 15 Percent Slopes | 7 | | Statewide | |
| PeD | Peru Stony Fine Sandy Loam, 15 To 25 Percent Slopes | 8 | | NPSL | |
| PrC | Peru Extremely Stony Fine Sandy Loam, 3 To 15 Percent Slopes | 11 | | NPSL | |
| PrD | Peru Extremely Stony Fine Sandy Loam, 15 To 25 Percent Slopes | 11 | | NPSL | |
| Pu | Podunk Variant Silt Loam | 3 | | Prime | |
| RaB | Raynham Silt Loam, 3 To 8 Percent Slopes | 3 | d | Prime | b |
| RoE | Rock Outcrop-Woodstock Complex, 20 To 60 Percent Slopes | 11 | | NPSL | |
| Ru | Rumney Variant Silt Loam | 4 | d | Statewide | b |
| SaA | St. Albans Slaty Loam, 0 To 3 Percent Slopes | 1 | | Prime | |
| SaB | St. Albans Slaty Loam, 3 To 8 Percent Slopes | 1 | | Prime | |
| SaC | St. Albans Slaty Loam, 8 To 15 Percent Slopes | 5 | | Statewide | |
| SbB | St. Albans Very Stony Loam, 2 To 8 Percent Slopes | 9 | | NPSL | |
| SbC | St. Albans Very Stony Loam, 8 To 15 Percent Slopes | 9 | | NPSL | |
| SbD | St. Albans Very Stony Loam, 15 To 25 Percent Slopes | 9 | | NPSL | |
| SbE | St. Albans Very Stony Loam, 25 To 60 Percent Slopes | 11 | | NPSL | |
| ScA | Scantic Silt Loam, 0 To 3 Percent Slopes | 6 | d | Statewide | b |
| ScB | Scantic Silt Loam, 3 To 8 Percent Slopes | 6 | d | Statewide | b |
| StB | Stowe Stony Fine Sandy Loam, 3 To 8 Percent Slopes | 3 | | Prime | |
| StC | Stowe Stony Fine Sandy Loam, 8 To 15 | 7 | | Statewide | |

Franklin County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

| M.U. Sym. | Map Unit Name | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|--|------------------|---------------|--------------------|---------------|
| | Percent Slopes | | | | |
| StD | Stowe Stony Fine Sandy Loam, 15 To 25 Percent Slopes | 8 | | NPSL | |
| | Percent Slopes | | | | |
| SwC | Stowe Extremely Stony Fine Sandy Loam, 5 To 15 Percent Slopes | 11 | | NPSL | |
| SwD | Stowe Extremely Stony Fine Sandy Loam, 15 To 25 Percent Slopes | 11 | | NPSL | |
| SyE | Stowe Stony Soils, 25 To 60 Percent Slopes | 11 | | NPSL | |
| Tm | Terric Medisaprists | 11 | | NPSL | |
| TwB | Tunbridge-Woodstock Fine Sandy Loams, Very Rocky, 3 To 8 Percent Slopes | 5 | e | Statewide | c |
| TwC | Tunbridge-Woodstock Fine Sandy Loams, Very Rocky, 8 To 15 Percent Slopes | 9 | | NPSL | |
| TwD | Tunbridge-Woodstock Fine Sandy Loams, Very Rocky, 15 To 25 Slopes | 9 | | NPSL | |
| W | Water | 11 | | NPSL | |
| Wa | Wallkill Silt Loam | 11 | | NPSL | |
| Wh | Wareham Loamy Fine Sand | 3 | d | Prime | |
| WrA | Westbury Stony Fine Sandy Loam, 0 To 3 Percent Slopes | 6 | d | Statewide | b |
| WrB | Westbury Stony Fine Sandy Loam, 3 To 8 Percent Slopes | 6 | d | Statewide | b |
| WrC | Westbury Stony Fine Sandy Loam, 8 To 15 Percent Slopes | 8 | d | NPSL | |
| WsA | Windsor Loamy Fine Sand, 0 To 3 Percent Slopes | 6 | | Statewide | |
| WsB | Windsor Loamy Fine Sand, 3 To 8 Percent Slopes | 6 | | Statewide | |
| WsC | Windsor Loamy Fine Sand, 8 To 15 Percent Slopes | 8 | | NPSL | |
| WsD | Windsor Loamy Fine Sand, 15 To 25 Percent Slopes | 8 | | NPSL | |
| WsE | Windsor Loamy Fine Sand, 25 To 60 Percent Slopes | 11 | | NPSL | |
| Wt | Winooski Silt Loam | 1 | | Prime | |
| WxC | Woodstock-Rock Outcrop Complex, 8 To 15 Percent Slopes | 8 | e | NPSL | |
| WxD | Woodstock-Rock Outcrop Complex, 15 To 25 Percent Slopes | 10 | | NPSL | |
| WxE | Woodstock-Rock Outcrop Complex, 25 To 60 Percent Slopes | 11 | | NPSL | |