

**Lamoille County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
AdB	Adams Loamy Fine Sand, 2 To 8 Percent Slopes	6		Statewide	
AdC	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
AdD	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
AdE	Adams Loamy Fine Sand, 25 To 50 Percent Slopes	11		NPSL	
AeC	Adams-Adams Variant Loamy Fine Sands, Rocky, 8 To 15 Percent Slopes	8	e	NPSL	
AeD	Adams-Adams Variant Loamy Fine Sands, Rocky, 15 To 25 Percent Slopes	8	e	NPSL	
AeE	Adams-Adams Variant Loamy Fine Sands, Rocky, 25 To 50 Percent Slopes	11		NPSL	
AgB	Allagash Very Fine Sandy Loam, 2 To 8 Percent Slopes	3		Prime	
BeB	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
BeC	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
BeD	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
BkB	Berkshire Very Stony Fine Sandy Loam, 3 To 8 Percent Slopes	9		NPSL	
BkC	Berkshire Very Stony Fine Sandy Loam, 8 To 15 Percent Slopes	10		NPSL	
BkD	Berkshire Very Stony Fine Sandy Loam, 15 To 25 Percent Slopes	10		NPSL	
BrB	Berkshire-Tunbridge Fine Sandy Loams, Rocky, 3 To 8 Percent Slopes	3		Prime	
BrC	Berkshire-Tunbridge Fine Sandy Loams, Rocky, 8 To 15 Percent Slopes	7		Statewide	
BrD	Berkshire-Tunbridge Fine Sandy Loams, Rocky, 15 To 25 Percent Slopes	8		NPSL	
BtE	Berkshire And Marlow Soils, 25 To 50 Percent Slopes	11		NPSL	
BuB	Boothbay Silt Loam, 3 To 8 Percent Slopes	3		Prime	
BuC	Boothbay Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
BuD	Boothbay Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
Bx	Borohemists, Deep	11		NPSL	
By	Borohemists, Moderately Deep Over Loamy Substratum	11		NPSL	
CoB	Colton-Duxbury Complex, 2 To 8 Percent Slopes	6		Statewide	

**Lamoille County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
CoC	Colton-Duxbury Complex, 8 To 15 Percent Slopes	8		NPSL	
CoD	Colton-Duxbury Complex, 15 To 25 Percent Slopes	10		NPSL	
CoE	Colton-Duxbury Complex, 25 To 50 Percent Slopes	11		NPSL	
CrB	Croghan Loamy Fine Sand, 2 To 8 Percent Slopes	6		Statewide	
FrB	Fragiaquepts And Haplaquepts, 0 To 8 Percent Slopes	11		NPSL	
Ha	Hamlin Silt Loam	1		Prime	
Hs	Histic Fluvaquents, Frequently Flooded	11		NPSL	
Le	Limerick Variant Silt Loam	6	d	Statewide	b
LoE	Londonderry-Stratton Complex, 25 To 60 Percent Slopes	11		NPSL	
LyB	Lyman-Tunbridge Fine Sandy Loams, Very Rocky, 3 To 8 Percent Slopes	10		NPSL	
LyC	Lyman-Tunbridge Fine Sandy Loams, Very Rocky, 8 To 15 Percent Slopes	10		NPSL	
LyD	Lyman-Tunbridge Fine Sandy Loams, Very Rocky, 15 To 25 Percent Slopes	10		NPSL	
LyE	Lyman-Tunbridge Fine Sandy Loams, Very Rocky, 25 To 60 Percent Slopes	11		NPSL	
MaB	Marlow Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
MaC	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
MaD	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
MrB	Marlow Very Stony Fine Sandy Loam, 3 To 8 Percent Slopes	9		NPSL	
MrC	Marlow Very Stony Fine Sandy Loam, 8 To 15 Percent Slopes	9		NPSL	
MrD	Marlow Very Stony Fine Sandy Loam, 15 To 25 Percent Slopes	10		NPSL	
On	Ondawa Fine Sandy Loam	1		Prime	
PaA	Peacham Stony Muck, 0 To 5 Percent Slopes	10		NPSL	
PeB	Peru Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
PeC	Peru Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
PeD	Peru Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
PfB	Peru Very Stony Fine Sandy Loam, 3 To 8 Percent Slopes	9		NPSL	

**Lamoille County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
PfC	Peru Very Stony Fine Sandy Loam, 8 To 15 Percent Slopes	9		NPSL	
PfD	Peru Very Stony Fine Sandy Loam, 15 To 25 Percent Slopes	10		NPSL	
Po	Podunk Fine Sandy Loam	3		Prime	
PtB	Potsdam Silt Loam, 3 To 8 Percent Slopes	4		Statewide	
PtC	Potsdam Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
PtD	Potsdam Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
RkE	Ricker Peat, Very Rocky, 15 To 80 Percent Slopes	11		NPSL	
Ru	Rumney Fine Sandy Loam	4	d	Statewide	b
SaB	Salmon Very Fine Sandy Loam, 3 To 8 Percent Slopes	4		Statewide	
SaC	Salmon Very Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
SaD	Salmon Very Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
SaB2	Salmon Very Fine Sandy Loam, 3 To 8 Percent Slopes, Eroded	4		Statewide	
SaC2	Salmon Very Fine Sandy Loam, 8 To 15 Percent Slopes, Eroded	7		Statewide	
SaD2	Salmon Very Fine Sandy Loam, 15 To 25 Percent Slopes, Eroded	8		NPSL	
SaE2	Salmon Very Fine Sandy Loam, 25 To 50 Percent Slopes, Eroded	11		NPSL	
SdC	Salmon Variant-Salmon Very Fine Sandy Loams, Rocky, 8 To 15 Percent Slopes	7		Statewide	
SdD	Salmon Variant-Salmon Very Fine Sandy Loams, Rocky, 15 To 25 Percent Slopes	8		NPSL	
SdE	Salmon Variant-Salmon Very Fine Sandy Loams, Rocky, 25 To 50 Percent Slopes	11		NPSL	
SeD	Scantic Variant Bouldery Silt Loam, 8 To 25 Percent Slopes	8	d	NPSL	
SeE	Scantic Variant Bouldery Silt Loam, 25 To 50 Percent Slopes	11		NPSL	
Sr	Searsport Muck	10		NPSL	
StC	Stratton-Londonderry Complex, 8 To 25 Percent Slopes	11		NPSL	
SwA	Swanville Silt Loam, 0 To 6 Percent Slopes	3	d	Prime	b
Te	Teel Silt Loam	1		Prime	
TuB	Tunbridge-Lyman Fine Sandy Loams, Rocky, 3 To 8 Percent Slopes	3		Prime	
TuC	Tunbridge-Lyman Fine Sandy Loams, Rocky, 8 To 15 Percent Slopes	5		Statewide	
TuD	Tunbridge-Lyman Fine Sandy Loams, Rocky, 15 To 25 Percent Slopes	8		NPSL	

**Lamoille County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
TuE	Tunbridge-Lyman Fine Sandy Loams, Rocky, 25 To 60 Percent Slopes	11		NPSL	
Ud	Udifluvents, Frequently Flooded	11		NPSL	
W	Water	11		NPSL	
WaA	Walpole Fine Sandy Loam, 0 To 6 Percent Slopes	3	d	Prime	b