

**Orange County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

| M.U. Sym. | Map Unit Name  | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|--|------------------|---------------|--------------------|---------------|
| AgA       | Agawam Fine Sandy Loam, 0 To 3 Percent Slopes                    | 1                |               | Prime              |               |
| AgB       | Agawam Fine Sandy Loam, 3 To 8 Percent Slopes                    | 1                |               | Prime              |               |
| AgC       | Agawam Fine Sandy Loam, 8 To 15 Percent Slopes                   | 5                |               | Statewide          |               |
| AgD       | Agawam Fine Sandy Loam, 15 To 25 Percent Slopes                  | 8                |               | NPSL               |               |
| AgE       | Agawam Fine Sandy Loam, 25 To 50 Percent Slopes                  | 11               |               | NPSL               |               |
| BeB       | Belgrade Silt Loam, 0 To 8 Percent Slopes                        | 2                |               | Statewide          |               |
| BeC       | Belgrade Silt Loam, 8 To 15 Percent Slopes                       | 7                |               | Statewide          |               |
| BeD       | Belgrade Silt Loam, 15 To 25 Percent Slopes                      | 8                |               | NPSL               |               |
| Bp        | Borrow Pits  | 11               |               | NPSL               |               |
| BuB       | Buckland Stony Loam, 3 To 8 Percent Slopes                       | 3                |               | Prime              |               |
| BuC       | Buckland Stony Loam, 8 To 15 Percent Slopes                      | 7                |               | Statewide          |               |
| BuD       | Buckland Stony Loam, 15 To 25 Percent Slopes                     | 8                |               | NPSL               |               |
| BvC       | Buckland Very Stony Loam, 8 To 25 Percent Slopes                 | 10               |               | NPSL               |               |
| BwE       | Buckland Soils, 25 To 50 Percent Slopes                          | 11               |               | NPSL               |               |
| CaB       | Cabot Stony Silt Loam, 0 To 8 Percent Slopes                     | 6                | d             | Statewide          | b             |
| CaC       | Cabot Stony Silt Loam, 8 To 15 Percent Slopes                    | 7                | d             | Statewide          | b             |
| CaD       | Cabot Stony Silt Loam, 15 To 25 Percent Slopes                   | 8                | d             | NPSL               |               |
| CbB       | Cabot Very Stony Silt Loam, 3 To 15 Percent Slopes               | 10               |               | NPSL               |               |
| CbD       | Cabot Very Stony Silt Loam, 15 To 25 Percent Slopes              | 10               |               | NPSL               |               |
| Cm        | Pits, Copper Mine-Dumps, Mine complex                            | 11               |               | NPSL               |               |
| CoB       | Colrain Stony Fine Sandy Loam, 3 To 8 Percent Slopes             | 3                |               | Prime              |               |
| CoC       | Colrain Stony Fine Sandy Loam, 8 To 15 Percent Slopes            | 5                |               | Statewide          |               |
| CoD       | Colrain Stony Fine Sandy Loam, 15 To 25 Percent Slopes           | 8                |               | NPSL               |               |
| CsD       | Colrain Very Stony Fine Sandy Loam, 8 To 25 Percent Slopes       | 10               |               | NPSL               |               |
| CsE       | Colrain Very Stony Fine Sandy Loam, 25 To 50 Percent Slopes      | 11               |               | NPSL               |               |
| CxD       | Colrain Extremely Stony Fine Sandy Loam, 8 To 25 Percent Slopes  | 11               |               | NPSL               |               |
| CxE       | Colrain Extremely Stony Fine Sandy Loam, 25 To 50 Percent Slopes | 11               |               | NPSL               |               |

**Orange County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

| M.U. Sym. | Map Unit Name  | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|--|------------------|---------------|--------------------|---------------|
| Gp        | Gravel Pits  | 11               |               | NPSL               |               |
| Ha        | Hadley Very Fine Sandy Loam                                | 1                |               | Prime              |               |
| HdB       | Hartland Silt Loam, 0 To 8 Percent Slopes                  | 2                |               | Statewide          |               |
| HdC       | Hartland Silt Loam, 8 To 15 Percent Slopes                 | 5                |               | Statewide          |               |
| HdD       | Hartland Silt Loam, 15 To 25 Percent Slopes                | 8                |               | NPSL               |               |
| HdE       | Hartland Silt Loam, 25 To 50 Percent Slopes                | 11               |               | NPSL               |               |
| Le        | Limerick Very Fine Sandy Loam                              | 4                | d             | Statewide          | b             |
| MeA       | Merrimac Fine Sandy Loam, 0 To 3 Percent Slopes            | 3                |               | Prime              |               |
| MeB       | Merrimac Fine Sandy Loam, 3 To 8 Percent Slopes            | 3                |               | Prime              |               |
| MeC       | Merrimac Fine Sandy Loam, 8 To 15 Percent Slopes           | 7                |               | Statewide          |               |
| MeD       | Merrimac Fine Sandy Loam, 15 To 25 Percent Slopes          | 8                |               | NPSL               |               |
| MeE       | Merrimac Fine Sandy Loam, 25 To 50 Percent Slopes          | 11               |               | NPSL               |               |
| Ml        | Udorthents   | 11               |               | NPSL               |               |
| Mu        | Muck   | 11               |               | NPSL               |               |
| NnB       | Ninigret Fine Sandy Loam, 0 To 8 Percent Slopes            | 3                |               | Prime              |               |
| NnC       | Ninigret Fine Sandy Loam, 8 To 15 Percent Slopes           | 7                |               | Statewide          |               |
| Pc        | Peacham Soils  | 10               |               | NPSL               |               |
| PoC       | Pomfret Stony Loamy Fine Sand, 8 To 15 Percent Slopes      | 5                |               | Statewide          |               |
| PoD       | Pomfret Stony Loamy Fine Sand, 15 To 25 Percent Slopes     | 8                |               | NPSL               |               |
| PsD       | Pomfret Very Stony Loamy Fine Sand, 8 To 25 Percent Slopes | 9                |               | NPSL               |               |
| PtE       | Pomfret Soils, 25 To 50 Percent Slopes                     | 11               |               | NPSL               |               |
| Qu        | Pits, Quarry-Dumps, Mine Complex                           | 11               |               | NPSL               |               |
| Ra        | Raynham Variant Silt Loam                                  | 3                | d             | Prime              | b             |
| Ro        | Rock Outcrop   | 11               |               | NPSL               |               |
| Sa        | Saco Mucky Silt Loam                                       | 8                | d             | NPSL               |               |
| SLF       | Dumps, Sanitary Landfill                                   | 11               |               | NPSL               |               |
| SoB       | Stowe Stony Fine Sandy Loam, 3 To 8 Percent Slopes         | 3                |               | Prime              |               |
| SoC       | Stowe Stony Fine Sandy Loam, 8 To 15 Percent Slopes        | 7                |               | Statewide          |               |
| SoD       | Stowe Stony Fine Sandy Loam, 15 To 25 Percent Slopes       | 8                |               | NPSL               |               |
| StD       | Stowe Very Stony Fine Sandy Loam, 8 To 25 Percent Slopes   | 10               |               | NPSL               |               |
| SwE       | Stowe Soils, 25 To 50 Percent Slopes                       | 11               |               | NPSL               |               |

**Orange County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

| M.U. Sym. | Map Unit Name   | Agr. Value Group | Agr. Footnote | Important Farmland | I.F. Footnote |
|-----------|---|------------------|---------------|--------------------|---------------|
| TbB       | Tunbridge-Woodstock Rocky Fine Sandy Loams, 3 To 8 Percent Slopes       | 3                | e             | Prime              | c             |
| TbC       | Tunbridge-Woodstock Rocky Fine Sandy Loams, 8 To 15 Percent Slopes      | 5                | e             | Statewide          | c             |
| TbD       | Tunbridge-Woodstock Rocky Fine Sandy Loams, 15 To 25 Percent Slopes     | 8                | e             | NPSL               |               |
| TrD       | Tunbridge-Woodstock Very Rocky Fine Sandy Loams, 8 To 25 Percent Slopes | 10               |               | NPSL               |               |
| TwE       | Tunbridge-Woodstock Complex, 25 To 50 Percent Slopes                    | 11               |               | NPSL               |               |
| VeB       | Vershire-Glover Rocky Loams, 3 To 8 Percent Slopes                      | 3                | e             | Prime              | c             |
| VeC       | Vershire-Glover Rocky Loams, 8 To 15 Percent Slopes                     | 7                | e             | Statewide          | c             |
| VeD       | Vershire-Glover Rocky Loams, 15 To 25 Percent Slopes                    | 8                | e             | NPSL               |               |
| VgD       | Vershire-Glover-Rock Outcrop Complex, 8 To 25 Percent Slopes            | 10               |               | NPSL               |               |
| VhE       | Vershire-Glover Complex, 25 To 50 Percent Slopes                        | 11               |               | NPSL               |               |
| W         | Water   | 11               |               | NPSL               |               |
| Wa        | Walpole Fine Sandy Loam   | 3                | d             | Prime              | b             |
| WnB       | Windsor Loamy Fine Sand, 0 To 8 Percent Slopes                          | 6                |               | Statewide          |               |
| WnD       | Windsor Loamy Fine Sand, 8 To 25 Percent Slopes                         | 8                |               | NPSL               |               |
| WnE       | Windsor Loamy Fine Sand, 25 To 50 Percent Slopes                        | 11               |               | NPSL               |               |
| Wo        | Winooski Very Fine Sandy Loam   | 1                |               | Prime              |               |