

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
1B	Marlow Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
1C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
1D	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
2C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
2D	Marlow Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
2E	Marlow Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
3B	Peru Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
3C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
4B	Peru Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
4C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
4D	Peru Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
6A	Cabot Gravelly Fine Sandy Loam, 0 To 8 Percent Slopes, Very Stony	10		NPSL	
7C	Brayton Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
9	Pits-Dumps Complex	11		NPSL	
11C	Taconic-Hubbardton Complex, 8 To 25 Percent Slopes, Very Rocky	10		NPSL	
12F	Taconic-Hubbardton-Macomber Complex, 25 To 80 Percent Slopes, Very Rocky	11		NPSL	
13B	Hinckley Gravelly Loamy Fine Sand, 0 To 8 Percent Slopes	6		Statewide	
13C	Hinckley Gravelly Loamy Fine Sand, 8 To 15 Percent Slopes	8		Local	
13D	Hinckley Gravelly Loamy Fine Sand, 15 To 25 Percent Slopes	10		NPSL	
13E	Hinckley Gravelly Loamy Fine Sand, 25 To 40 Percent Slopes	11		NPSL	
14A	Sudbury Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
14B	Sudbury Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
15A	Walpole Fine Sandy Loam, 0 To 5 Percent Slopes	3	d	Prime	b

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
18B	Windsor Loamy Sand, 3 To 8 Percent Slopes	6		Statewide	
18C	Windsor Loamy Sand, 8 To 15 Percent Slopes	8		Local	
18D	Windsor Loamy Sand, 15 To 25 Percent Slopes	8		NPSL	
18E	Windsor Loamy Sand, 25 To 60 Percent Slopes	11		NPSL	
21	Rippowam Fine Sandy Loam	4	d	Statewide	b
22	Saco Mucky Silt Loam	8	d	NPSL	
23	Adrian Muck	11		NPSL	
24	Pinnebog Muck	11		NPSL	
25A	Belgrade Silt Loam, 0 To 3 Percent Slopes	1		Prime	
25B	Belgrade Silt Loam, 3 To 8 Percent Slopes	2		Statewide	
25C	Belgrade Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
26A	Raynham Silt Loam, 0 To 4 Percent Slopes	3	d	Prime	b
28	Udifluvents And Fluvaquents, Nearly Level	11		NPSL	
29	Histosols And Aquents, Poned	11		NPSL	
30B	Paxton Fine Sandy Loam, 2 To 8 Percent Slopes	1		Prime	
30C	Paxton Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
30D	Paxton Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
31B	Paxton Fine Sandy Loam, 2 To 8 Percent Slopes, Very Stony	9		NPSL	
31C	Paxton Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
31D	Paxton Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	9		NPSL	
31E	Paxton Fine Sandy Loam, 25 To 35 Percent Slopes, Very Stony	11		NPSL	
38A	Tisbury Silt Loam, 0 To 3 Percent Slopes	3		Prime	
39B	Galway-Nellis-Farmington Complex, 3 To 8 Percent Slopes	3		Prime	
40C	Galway-Nellis-Farmington Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
40D	Galway-Nellis-Farmington Complex, 15 To 25 Percent Slopes, Rocky	10		NPSL	
41C	Farmington-Galway-Galoo Complex, 5 To 25 Percent Slopes, Very Rocky	9		NPSL	
41E	Farmington-Galway-Galoo Complex, 25 To 50 Percent Slopes, Very Rocky	11		NPSL	
42C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Rocky	10		NPSL	
42D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Rocky	10		NPSL	

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
42F	Macomber-Taconic Complex, 25 To 80 Percent Slopes, Rocky	11		NPSL	
43C	Taconic-Macomber Complex, 8 To 25 Percent Slopes, Very Rocky	10		NPSL	
44B	Dutchess Silt Loam, 3 To 8 Percent Slopes	3		Prime	
44C	Dutchess Silt Loam, 8 To 15 Percent Slopes	5		Statewide	
44D	Dutchess Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
47B	Dutchess Silt Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
47C	Dutchess Silt Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
47D	Dutchess Silt Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
47E	Dutchess Silt Loam, 25 To 60 Percent Slopes, Very Stony	11		NPSL	
50A	Massena Silt Loam, 0 To 8 Percent Slopes	3	d	Prime	b
52B	Macomber-Dutchess Complex, 3 To 8 Percent Slopes	3		Prime	
53	Elvers Silt Loam	10		NPSL	
54A	Ninigret Fine Sandy Loam, 0 To 4 Percent Slopes	3		Prime	
56B	Colton-Duxbury Complex, 2 To 8 Percent Slopes, Very Stony	10		NPSL	
56C	Colton-Duxbury Complex, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
56D	Colton-Duxbury Complex, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
56E	Colton-Duxbury Complex, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
57B	Duxbury-Colton Complex, 2 To 8 Percent Slopes	3		Prime	
58C	Colton-Duxbury Complex, 8 To 15 Percent Slopes	7		Statewide	
58D	Colton-Duxbury Complex, 15 To 25 Percent Slopes	10		NPSL	
59A	Deerfield Loamy Sand, 0 To 4 Percent Slopes	6		Statewide	
61A	Eldridge Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
61B	Eldridge Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
62	Enosburg Loamy Fine Sand	3	d	Prime	b
64B	Stockbridge Gravelly Silt Loam, 3 To 8 Percent Slopes	1		Prime	
64C	Stockbridge Gravelly Silt Loam, 8 To 15 Percent Slopes	5		Statewide	

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
64D	Stockbridge Gravelly Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
65B	Stockbridge Gravelly Silt Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
65C	Stockbridge Gravelly Silt Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
65D	Stockbridge Gravelly Silt Loam, 15 To 25 Percent Slopes, Very Stony	9		NPSL	
65E	Stockbridge Gravelly Silt Loam, 25 To 45 Percent Slopes, Very Stony	11		NPSL	
66B	Georgia And Amenia Soils, 3 To 8 Percent Slopes	3		Prime	
66C	Georgia And Amenia Soils, 8 To 15 Percent Slopes	7		Statewide	
67B	Georgia And Amenia Soils, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
67C	Georgia And Amenia Soils, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
67D	Georgia And Amenia Soils, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
68A	Massena Silt Loam, 0 To 8 Percent Slopes, Very Stony	9		NPSL	
71A	Castile Gravelly Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
72A	Fredon Gravelly Loam, 0 To 3 Percent Slopes	3	d	Prime	b
73	Scarboro Muck	10		NPSL	
80A	Kingsbury Silty Clay Loam, 0 To 3 Percent Slopes	6	d	Statewide	b
80B	Kingsbury Silty Clay Loam, 3 To 8 Percent Slopes	6	d	Statewide	b
81	Livingston Silty Clay Loam	10		NPSL	
82B	Vergennes Clay, 3 To 8 Percent Slopes	6		Statewide	
82C	Vergennes Clay, 8 To 15 Percent Slopes	7		Statewide	
82D	Vergennes Clay, 15 To 25 Percent Slopes	8		NPSL	
82E	Vergennes Clay, 25 To 50 Percent Slopes	11		NPSL	
86	Linwood Muck	11		NPSL	
88	Birdsall Muck	10		NPSL	
90B	Hartland Silt Loam, 3 To 8 Percent Slopes	2		Statewide	
90C	Hartland Silt Loam, 8 To 15 Percent Slopes	5		Statewide	
90D	Hartland Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
95	Udorthents Loamy	11		NPSL	
96	Udipsamments, Nearly Level	11		NPSL	
97A	Warwick-Quonset Complex, 0 To 3 Percent Slopes	3		Prime	

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
97B	Warwick-Quonset Complex, 3 To 8 Percent Slopes	3		Prime	
97C	Warwick-Quonset Complex, 8 To 15 Percent Slopes	7		Statewide	
97D	Warwick-Quonset Complex, 15 To 25 Percent Slopes	8		NPSL	
98E	Quonset-Warwick Complex, 25 To 45 Percent Slopes	11		NPSL	
99B	Copake Gravelly Fine Sandy Loam, 2 To 8 Percent Slopes	1		Prime	
104B	Groton Gravelly Loam, 2 To 8 Percent Slopes	4		Statewide	
105	Tioga Fine Sandy Loam	1		Prime	
106	Middlebury Loam	1		Prime	
108	Hamlin Silt Loam	1		Prime	
109	Teel Silt Loam, Sandy Substratum	1		Prime	
110	Limerick Silt Loam	4	d	Statewide	b
111	Livingston Silty Clay Loam, Frequently Flooded	10		NPSL	
118C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	8		Local	
122B	Lyme Fine Sandy Loam, 2 To 8 Percent Slopes, Very Stony	10		NPSL	
122C	Lyme Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
123B	Sheepscot Fine Sandy Loam, 2 To 8 Percent Slopes	6		Statewide	
123C	Sheepscot Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
124B	Sunapee Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
124C	Sunapee Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
124D	Sunapee Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
124E	Sunapee Fine Sandy Loam, 35 To 50 Percent Slopes, Very Stony	11		NPSL	
125B	Berkshire Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
125C	Berkshire Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
125D	Berkshire Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
125E	Berkshire Gravelly Fine Sandy Loam, 35 To 50 Percent Slopes, Very Stony	11		NPSL	
127C	Houghtonville Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
127D	Houghtonville Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
127E	Houghtonville Gravelly Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
128C	Rawsonville-Houghtonville Complex, 8 To 15 Percent Slopes, Rocky	10		NPSL	
128D	Rawsonville-Houghtonville Complex, 15 To 35 Percent Slopes, Rocky	10		NPSL	
128E	Rawsonville-Houghtonville Complex, 35 To 60 Percent Slopes, Rocky	11		NPSL	
129D	Killington-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
129F	Killington-Rawsonville Complex, 35 To 70 Percent Slopes, Very Rocky	11		NPSL	
130B	Tunbridge-Berkshire Complex, 3 To 8 Percent Slopes, Rocky	9		NPSL	
130C	Tunbridge-Berkshire Complex, 8 To 15 Percent Slopes, Rocky	9		NPSL	
130D	Tunbridge-Berkshire Complex, 15 To 35 Percent Slopes, Rocky	10		NPSL	
130E	Tunbridge-Berkshire Complex, 35 To 60 Percent Slopes, Rocky	11		NPSL	
131D	Lyman-Tunbridge-Rock Outcrop Complex, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
131E	Lyman-Tunbridge-Rock Outcrop Complex, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
132C	Glebe-Stratton Complex, 8 To 25 Percent Slopes, Very Stony	11		NPSL	
132E	Glebe-Stratton Complex, 25 To 60 Percent Slopes, Very Stony	11		NPSL	
134F	Stratton-Londonderry-Ricker Complex, 15 To 80 Percent Slopes, Very Rocky	11		NPSL	
135D	Mundal Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
135E	Mundal Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
138C	Berkshire Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
139B	Sunapee Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
139C	Sunapee Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
140C	Benson Very Channery Loam, 3 To 15 Percent Slopes	8		NPSL	
140D	Benson Very Channery Loam, 15 To 25 Percent Slopes	10		NPSL	

Rutland County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
140E	Benson Very Channery Loam, 25 To 50 Percent Slopes	11		NPSL	
148B	Bomoseen And Pittstown Soils, 2 To 8 Percent Slopes	3		Prime	
148C	Bomoseen And Pittstown Soils, 8 To 15 Percent Slopes	7		Statewide	
148D	Bomoseen And Pittstown Soils, 15 To 25 Percent Slopes	8		NPSL	
149B	Bomoseen And Pittstown Soils, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
149C	Bomoseen And Pittstown Soils, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
149D	Bomoseen And Pittstown Soils, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
149E	Bomoseen And Pittstown Soils, 25 To 40 Percent Slopes, Very Stony	11		NPSL	
150A	Peacham Muck, 0 To 8 Percent Slopes	10		NPSL	
152	Lyons Silt Loam	9		NPSL	
161A	Elmridge Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
161B	Elmridge Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
163	Canandaigua Silt Loam	3	d	Prime	b
175	Wappinger Silt Loam	1		Prime	
177	Pawling Silt Loam	3		Prime	
202E	Rawsonville-Killington Association, Very Hilly, Very Rocky	11		NPSL	
203D	Peru-Marlow Association, Hilly, Very Stony	10		NPSL	
205D	Tunbridge-Berkshire-Marlow Association, Hilly, Rocky	11		NPSL	
213E	Glebe-Stratton Association, Very Hilly, Very Rocky	11		NPSL	
221F	Tunbridge-Berkshire Association, Very Steep, Very Stony	11		NPSL	
402D	Tunbridge-Lyman Association, Hilly, Rocky	10		NPSL	
403C	Brayton-Cabot-Pinnebog Association, Rolling, Very Stony	10		NPSL	
405D	Tunbridge-Berkshire Association, Hilly, Very Rocky	10		NPSL	
505D	Berkshire-Colton Association, Hilly, Stony	10		NPSL	
702F	Killington-Ricker-Rock Outcrop Association, Very Steep, Very Stony	11		NPSL	
703D	Mundal-Cabot Association, Hilly, Very Stony	10		NPSL	
705D	Rawsonville-Houghtonville Association, Hilly, Rocky	10		NPSL	
W	Water	11		NPSL	