

Washington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
2A	Ondawa Fine Sandy Loam, 0 To 3 Percent Slopes	1		Prime	
3A	Rumney Fine Sandy Loam, 0 To 2 Percent Slopes	4	d	Statewide	b
4A	Sunny Silt Loam, 0 To 2 Percent Slopes	4	d	Statewide	b
9A	Rifle Muck, 0 To 2 Percent Slopes	11		NPSL	
14B	Colonel Fine Sandy Loam, 3 To 8 Percent Slopes	6	d	Statewide	
14C	Colonel Fine Sandy Loam, 8 To 15 Percent Slopes	7	d	Statewide	
14D	Colonel Fine Sandy Loam, 15 To 25 Percent Slopes	8	d	NPSL	
17A	Cabot Silt Loam, 0 To 3 Percent Slopes	6	d	Statewide	b
17B	Cabot Silt Loam, 3 To 8 Percent Slopes	6	d	Statewide	b
17C	Cabot Silt Loam, 8 To 15 Percent Slopes	7	d	Statewide	b
18B	Cabot Silt Loam, 0 To 8 Percent Slopes, Very Stony	10		NPSL	
18C	Cabot Silt Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
19B	Colonel Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
19C	Colonel Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
19D	Colonel Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
20A	Peacham Muck, 0 To 5 Percent Slopes	10		NPSL	
21A	Sunday Fine Sand, 0 To 3 Percent Slopes	6		Statewide	
26A	Adams Loamy Fine Sand, 0 To 3 Percent Slopes	6		Statewide	
26B	Adams Loamy Fine Sand, 3 To 8 Percent Slopes	6		Statewide	
26C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
26D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
26E	Adams Loamy Fine Sand, 25 To 60 Percent Slopes	11		NPSL	
33A	Machias Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
33B	Machias Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
33C	Machias Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
37B	Stetson Loam, 3 To 8 Percent Slopes	3		Prime	
37C	Stetson Loam, 8 To 15 Percent Slopes	7		Statewide	
37D	Stetson Loam, 15 To 25 Percent Slopes	8		NPSL	

Washington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
37E	Stetson Loam, 25 To 60 Percent Slopes	11		NPSL	
39A	Colton Gravelly Loamy Sand, 0 To 3 Percent Slopes	6		Statewide	
39B	Colton Gravelly Loamy Sand, 3 To 8 Percent Slopes	6		Statewide	
39C	Colton Gravelly Loamy Sand, 8 To 15 Percent Slopes	8		NPSL	
39D	Colton Gravelly Loamy Sand, 15 To 25 Percent Slopes	10		NPSL	
39E	Colton Gravelly Loamy Sand, 25 To 60 Percent Slopes	11		NPSL	
41D	Buxton Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
41E	Buxton Silt Loam, 25 To 45 Percent Slopes	11		NPSL	
43B	Salmon Very Fine Sandy Loam, 3 To 8 Percent Slopes	4		Statewide	
43C	Salmon Very Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
43D	Salmon Very Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
43E	Salmon Very Fine Sandy Loam, 25 To 50 Percent Slopes	11		NPSL	
44B	Lamoine Silt Loam, 3 To 8 Percent Slopes	4	d	Statewide	b
44C	Lamoine Silt Loam, 8 To 15 Percent Slopes	7	d	Statewide	b
45A	Scantic Silt Loam, 0 To 3 Percent Slopes	6	d	Statewide	b
55B	Nicholville Silt Loam, 3 To 8 Percent Slopes	4		Statewide	
58A	Grange Silt Loam, 0 To 3 Percent Slopes	3	d	Prime	b
59A	Waitsfield Silt Loam, 0 To 3 Percent Slopes	1		Prime	
60A	Weider Very Fine Sandy Loam, 0 To 3 Percent Slopes	3		Prime	
62B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
62C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
62D	Berkshire Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
63B	Berkshire Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
63C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
63D	Berkshire Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
63E	Berkshire Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	

Washington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
64C	Salmon-Adamant Complex, 8 To 15 Percent Slopes, Very Rocky	8	e	NPSL	
64D	Salmon-Adamant Complex, 15 To 25 Percent Slopes, Very Rocky	8	e	NPSL	
64E	Salmon-Adamant Complex, 25 To 50 Percent Slopes, Very Rocky	11		NPSL	
66B	Vershire-Dummerston Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
66C	Vershire-Dummerston Complex, 8 To 15 Percent Slopes, Rocky	7		Statewide	
66D	Vershire-Dummerston Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
66E	Vershire-Dummerston Complex, 25 To 60 Percent Slopes, Rocky	11		NPSL	
67C	Glover-Vershire Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
67D	Glover-Vershire Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
67E	Glover-Vershire Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
68D	Stratton-Glebe Complex, 15 To 35 Percent Slopes, Very Rocky	11		NPSL	
68E	Stratton-Glebe Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
69D	Sisk-Glebe Complex, 15 To 35 Percent Slopes, Very Bouldery	11		NPSL	
69E	Sisk-Glebe Complex, 35 To 60 Percent Slopes, Very Bouldery	11		NPSL	
71C	Tunbridge-Lyman Complex, 3 To 15 Percent Slopes, Rocky	5		Statewide	
72B	Tunbridge-Lyman Complex, 3 To 8 Percent Slopes, Very Rocky	9		NPSL	
72C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	9		NPSL	
72D	Tunbridge-Lyman Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
72E	Tunbridge-Lyman Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
76C	Berkshire Fine Sandy Loam, 8 To 15 Percent Slopes, Very Bouldery	11		NPSL	
76D	Berkshire Fine Sandy Loam, 15 To 35 Percent Slopes, Very Bouldery	11		NPSL	
76E	Berkshire Fine Sandy Loam, 35 To 60 Percent Slopes, Very Bouldery	11		NPSL	
77B	Peru Gravelly Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	

Washington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
77C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
77D	Peru Gravelly Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
78C	Peru Gravelly Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
78D	Peru Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
78E	Peru Gravelly Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
79A	Markey And Wonsqueak Mucks, 0 To 2 Percent Slopes	11		NPSL	
82A	Peacham Muck, 0 To 5 Percent Slopes, Extremely Bouldery	11		NPSL	
85E	Ricker-Londonderry-Stratton Complex, 35 To 70 Percent Slopes, Very Rocky	11		NPSL	
86F	Ricker-Londonderry-Rock Outcrop Complex, 35 To 70 Percent Slopes	11		NPSL	
88D	Houghtonville Fine Sandy Loam, 15 To 35 Percent Slopes, Very Bouldery	11		NPSL	
89E	Houghtonville Fine Sandy Loam, 15 To 60 Percent Slopes, Rubbly	11		NPSL	
90B	Dummerston Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
90C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
90D	Dummerston Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
91C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
91D	Dummerston Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
92B	Buckland Silt Loam, 3 To 8 Percent Slopes	3		Prime	
92C	Buckland Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
92D	Buckland Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
93B	Buckland Silt Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
93C	Buckland Silt Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
93D	Buckland Silt Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
96D	Peru Gravelly Fine Sandy Loam, 15 To 35 Percent Slopes, Extremely Bouldery	11		NPSL	
98B	Cabot Silt Loam, 3 To 8 Percent Slopes, Extremely Bouldery	11		NPSL	

Washington County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
98C	Cabot Silt Loam, 8 To 15 Percent Slopes, Extremely Bouldery	11		NPSL	
99C	Colonel Fine Sandy Loam, 3 To 15 Percent Slopes, Extremely Bouldery	11		NPSL	
99D	Colonel Fine Sandy Loam, 15 To 35 Percent Slopes, Extremely Bouldery	11		NPSL	
100	Pits, Sand And Pits, Gravel	11		NPSL	
102	Pits, Quarry-Dumps, Mine Complex	11		NPSL	
103	Udorthents, Loamy	11		NPSL	
104	Urban Land-Udipsamments Complex, Occasionally Flooded	11		NPSL	
116B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
116C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
116D	Mundal Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
151F	Hogback-Rock Outcrop-Rawsonville Complex, 35 To 70 Percent Slopes, Very Stony	11		NPSL	
162D	Houghtonville-Rawsonville Complex, 15 To 35 Percent Slopes, Very Bouldery	11		NPSL	
162E	Houghtonville-Rawsonville Complex, 35 To 60 Percent Slopes, Very Bouldery	11		NPSL	
163C	Houghtonville Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
163D	Houghtonville Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
163E	Houghtonville Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
168C	Hogback-Rawsonville Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
168D	Hogback-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	11		NPSL	
168E	Hogback-Rawsonville Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
172F	Taconic-Hubbardton-Rock Outcrop Complex, 60 To 80 Percent Slopes	11		NPSL	
W	Water	11		NPSL	