

Windham County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
1A	Unadilla Silt Loam, 0 To 3 Percent Slopes	1		Prime	
1B	Unadilla Silt Loam, 3 To 8 Percent Slopes	2		Statewide	
1C	Unadilla Silt Loam, 8 To 15 Percent Slopes	5		Statewide	
1D	Unadilla Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
1E	Udorthents, Steep	11		NPSL	
2A	Belgrade Silt Loam, 0 To 3 Percent Slopes	1		Prime	
3B	Quonset And Warwick Soils, 2 To 8 Percent Slopes	6		Statewide	
3C	Quonset And Warwick Soils, 8 To 15 Percent Slopes	7		Statewide	
3D	Quonset And Warwick Soils, 15 To 25 Percent Slopes	10		NPSL	
3E	Quonset And Warwick Soils, 25 To 70 Percent Slopes	11		NPSL	
5B	Windsor Loamy Fine Sand, 2 To 8 Percent Slopes	6		Statewide	
5C	Windsor Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
5D	Windsor Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
5E	Windsor Loamy Fine Sand, 25 To 60 Percent Slopes	11		NPSL	
9B	Deerfield Fine Sandy Loam, 2 To 8 Percent Slopes	6		Statewide	
10A	Agawam Very Fine Sandy Loam, 0 To 3 Percent Slopes	1		Prime	
10B	Agawam Very Fine Sandy Loam, 3 To 8 Percent Slopes	1		Prime	
11B	Berkshire And Monadnock Fine Sandy Loams, 3 To 8 Percent Slopes	3		Prime	
11C	Berkshire And Monadnock Fine Sandy Loams, 8 To 15 Percent Slopes	7		Statewide	
11D	Berkshire And Monadnock Fine Sandy Loams, 15 To 25 Percent Slopes	8		NPSL	
12C	Stratton-Glebe Complex, 8 To 15 Percent Slopes, Very Rocky	11		NPSL	
12D	Stratton-Glebe Complex, 15 To 25 Percent Slopes, Very Rocky	11		NPSL	
12E	Stratton-Glebe Complex, 25 To 50 Percent Slopes, Very Rocky	11		NPSL	
16B	Adams Loamy Fine Sand, 2 To 8 Percent Slopes	6		Statewide	
16C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	

Windham County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
16D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
16E	Adams Loamy Fine Sand, 25 To 50 Percent Slopes	11		NPSL	
17B	Worden Loam, 3 To 8 Percent Slopes	6	d	Statewide	b
17C	Worden Loam, 8 To 15 Percent Slopes	7	d	Statewide	b
18B	Worden Loam, 3 To 8 Percent Slopes, Very Bouldery	11		NPSL	
18C	Worden Loam, 8 To 15 Percent Slopes, Very Bouldery	11		NPSL	
18D	Worden Loam, 15 To 25 Percent Slopes, Very Bouldery	11		NPSL	
20B	Tunbridge-Lyman Fine Sandy Loams, 3 To 8 Percent Slopes, Very Rocky	9		NPSL	
20C	Tunbridge-Lyman Fine Sandy Loams, 8 To 15 Percent Slopes, Very Rocky	9		NPSL	
20D	Tunbridge-Lyman Fine Sandy Loams, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
20E	Tunbridge-Lyman Fine Sandy Loams, 25 To 50 Percent Slopes, Very Rocky	11		NPSL	
21B	Marlow Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
21C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
21D	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
22B	Marlow Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
22C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
22D	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
22E	Marlow Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
23	Ondawa Fine Sandy Loam	1		Prime	
24	Podunk Fine Sandy Loam	3		Prime	
25B	Westbury Fine Sandy Loam, 3 To 8 Percent Slopes	6	d	Statewide	b
25C	Westbury Fine Sandy Loam, 8 To 15 Percent Slopes	8	d	NPSL	
26B	Westbury Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
26C	Westbury Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
26D	Westbury Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	

Windham County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
29	Walpole Fine Sandy Loam	9		NPSL	
31B	Wilmington Very Fine Sandy Loam, 2 To 8 Percent Slopes, Very Stony	10		NPSL	
33	Rumney Fine Sandy Loam	4	d	Statewide	b
34C	Lyman-Rock Outcrop Complex, 8 To 15 Percent Slopes	10		NPSL	
34D	Lyman-Rock Outcrop Complex, 15 To 25 Percent Slopes	10		NPSL	
34E	Lyman-Rock Outcrop Complex, 25 To 50 Percent Slopes	11		NPSL	
37	Hadley Silt Loam	1		Prime	
39	Winooski Silt Loam	1		Prime	
40	Limerick Silt Loam	10		NPSL	
41D	Londonderry-Stratton Silt Loams, 8 To 25 Percent Slopes, Very Rocky	11		NPSL	
41E	Londonderry-Stratton Silt Loams, 25 To 70 Percent Slopes, Very Rocky	11		NPSL	
43B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes	6		Statewide	
43C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
43D	Mundal Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
44B	Mundal Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
44C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
44D	Mundal Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
44E	Mundal Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
46B	Berkshire And Monadnock Fine Sandy Loams, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
46C	Berkshire And Monadnock Fine Sandy Loams, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
46D	Berkshire And Monadnock Fine Sandy Loams, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
46E	Berkshire And Monadnock Fine Sandy Loams, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
47	Lupton Mucky Peat	11		NPSL	
48B	Rawsonville-Hogback Fine Sandy Loams, 3 To 8 Percent Slopes Rocky	9		NPSL	
48C	Rawsonville-Hogback Fine Sandy Loams, 8 To 15 Percent Slopes, Rocky	10		NPSL	
48D	Rawsonville-Hogback Fine Sandy Loams, 15 To 25 Percent Slopes, Rocky	10		NPSL	

Windham County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
48E	Rawsonville-Hogback Fine Sandy Loams, 25 To 50 Percent Slopes, Rocky	11		NPSL	
49B	Houghtonville-Rawsonville Fine Sandy Loams, 3 To 8 Percent Slopes, Very Bouldery	11		NPSL	
49C	Houghtonville-Rawsonville Fine Sandy Loams, 8 To 15 Percent Slopes, Very Bouldery	11		NPSL	
49D	Houghtonville-Rawsonville Fine Sandy Loams, 15 To 25 Percent Slopes, Very Bouldery	11		NPSL	
49E	Houghtonville-Rawsonville Fine Sandy Loams, 25 To 50 Percent Slopes, Very Bouldery	11		NPSL	
50B	Colton Loamy Fine Sand, 2 To 8 Percent Slopes	6		Statewide	
50C	Colton Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
50D	Colton Loamy Fine Sand, 15 To 25 Percent Slopes	10		NPSL	
50E	Colton Loamy Fine Sand, 25 To 60 Percent Slopes	11		NPSL	
52A	Sheepscot Fine Sandy Loam, 0 To 3 Percent Slopes	6		Statewide	
52B	Sheepscot Fine Sandy Loam, 3 To 8 Percent Slopes	6		Statewide	
56B	Monadnock Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
56C	Monadnock Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
56D	Monadnock Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
56E	Monadnock Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
60B	Houghtonville Fine Sandy Loam, 3 To 8 Percent Slopes	4		Statewide	
60C	Houghtonville Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
60D	Houghtonville Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
61B	Houghtonville Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
61C	Houghtonville Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
61D	Houghtonville Fine Sandy Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	

Windham County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
61E	Houghtonville Fine Sandy Loam, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
62	Markey Muck	11		NPSL	
63C	Berkshire-Tunbridge Fine Sandy Loams, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
63D	Berkshire-Tunbridge Fine Sandy Loams, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
63E	Berkshire-Tunbridge Fine Sandy Loams, 25 To 50 Percent Slopes, Very Stony	11		NPSL	
64	Udifluvents, Loamy	11		NPSL	
65C	Hogback-Rawsonville Fine Sandy Loams, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
65D	Hogback-Rawsonville Fine Sandy Loams, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
65E	Hogback-Rawsonville Fine Sandy Loams, 25 To 50 Percent Slopes, Very Rocky	11		NPSL	
66B	Houghtonville-Rawsonville Fine Sandy Loams, 3 To 8 Percent Slopes, Rocky	4		Statewide	
66C	Houghtonville-Rawsonville Fine Sandy Loams, 8 To 15 Percent Slopes, Rocky	7		Statewide	
67B	Berkshire-Tunbridge Fine Sandy Loams, 3 To 8 Percent Slopes, Rocky	3		Prime	
67C	Berkshire-Tunbridge Fine Sandy Loams, 8 To 15 Percent Slopes, Rocky	7		Statewide	
68D	Taconic-Hubbardton-Rock Outcrop Complex, 8 To 25 Percent Slopes	10		NPSL	
68E	Taconic-Hubbardton-Rock Outcrop Complex, 25 To 70 Percent Slopes	11		NPSL	
69C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
69D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
69E	Macomber-Taconic Complex, 25 To 70 Percent Slopes, Very Rocky	11		NPSL	
70C	Dummerston-Macomber Complex, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
70D	Dummerston-Macomber Complex, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
70E	Dummerston-Macomber Complex, 25 To 70 Percent Slopes Very Stony	11		NPSL	
71B	Dummerston Silt Loam, 3 To 8 Percent Slopes	3		Prime	
71C	Dummerston Silt Loam, 8 To 15 Percent Slopes	5		Statewide	
71D	Dummerston Silt Loam, 15 To 25 Percent Slopes	8		NPSL	

Windham County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
72C	Dummerston Silt Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
72D	Dummerston Silt Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
72E	Dummerston Silt Loam, 25 To 70 Percent Slopes, Very Stony	11		NPSL	
73B	Fullam Silt Loam, 3 To 8 Percent Slopes	3		Prime	
73C	Fullam Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
73D	Fullam Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
74B	Fullam Silt Loam, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
74C	Fullam Silt Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
74D	Fullam Silt Loam, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
74E	Fullam Silt Loam, 25 To 35 Percent Slopes, Very Stony	11		NPSL	
75B	Brayton Silt Loam, 2 To 8 Percent Slopes, Very Stony	9		NPSL	
76B	Dummerston-Macomber Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
76C	Dummerston-Macomber Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
W	Water	11		NPSL	