

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
1B	Hitchcock Silt Loam, 3 To 8 Percent Slopes	2		Statewide	
1C	Hitchcock Silt Loam, 8 To 15 Percent Slopes	5		Statewide	
1D	Hitchcock Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
1E	Hitchcock Silt Loam, 25 To 50 Percent Slopes, Eroded	11		NPSL	
2A	Belgrade Silt Loam, 0 To 3 Percent Slopes	1		Prime	
2B	Belgrade Silt Loam, 3 To 8 Percent Slopes	2		Statewide	
3	Pits, Quarry-Dumps, Mine Complex	11		NPSL	
4A	Raynham Silt Loam, 0 To 3 Percent Slopes	3	d	Prime	b
5B	Windsor Loamy Fine Sand, 0 To 8 Percent Slopes	6		Statewide	
5C	Windsor Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
5D	Windsor Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	
5E	Windsor Loamy Fine Sand, 25 To 60 Percent Slopes	11		NPSL	
8A	Agawam Fine Sandy Loam, 0 To 3 Percent Slopes	1		Prime	
8B	Agawam Fine Sandy Loam, 3 To 8 Percent Slopes	1		Prime	
9B	Ninigret Fine Sandy Loam, 0 To 8 Percent Slopes	3		Prime	
10C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
10D	Marlow Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
11C	Marlow Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
11D	Marlow Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
11E	Marlow Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
12C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Very Rocky	9		NPSL	
12D	Tunbridge-Lyman Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
12E	Tunbridge-Lyman Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
14B	Hinckley Loamy Fine Sand, 0 To 8 Percent Slopes	6		Statewide	
14C	Hinckley Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
14D	Hinckley Loamy Fine Sand, 15 To 25 Percent Slopes	10		NPSL	
14E	Hinckley Loamy Fine Sand, 25 To 50 Percent Slopes	11		NPSL	
15B	Dummerston Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
15C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
15D	Dummerston Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
16C	Dummerston Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
16D	Dummerston Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
16E	Dummerston Fine Sandy Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
17B	Peru, Skerry and Colonel Soils, 3 To 8 Percent Slopes	3	d	Prime	b
17C	Peru, Skerry and Colonel Soils, 8 To 15 Percent Slopes	7	d	Statewide	b
17D	Peru, Skerry and Colonel Soils, 15 To 25 Percent Slopes	8	d	NPSL	
18B	Peru, Skerry and Colonel Soils, 3 To 8 Percent Slopes, Very Stony	9		NPSL	
18C	Peru, Skerry and Colonel Soils, 8 To 15 Percent Slopes, Very Stony	9		NPSL	
18D	Peru, Skerry and Colonel Soils, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
19B	Vershire-Dummerston Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
19C	Vershire-Dummerston Complex, 8 To 15 Percent Slopes, Rocky	7		Statewide	
19D	Vershire-Dummerston Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
19E	Vershire-Dummerston Complex, 25 To 60 Percent Slopes, Rocky	11		NPSL	
20C	Glover-Vershire Complex, 3 To 15 Percent Slopes, Very Rocky	8	e	NPSL	
20D	Glover-Vershire Complex, 15 To 35 Percent Slopes, Very Rocky	10		NPSL	
20E	Glover-Vershire Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
21B	Shelburne Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
21C	Shelburne Fine Sandy Loam, 8 To 15 Percent Slopes	5		Statewide	
21D	Shelburne Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
22B	Shelburne Fine Sandy Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
22C	Shelburne Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
22D	Shelburne Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
23	Ondawa Fine Sandy Loam, 0 To 3 Percent Slopes, Occasionally Flooded	1		Prime	
24	Podunk Fine Sandy Loam, 0 To 3 Percent Slopes, Occasionally Flooded	3		Prime	
25B	Buckland Loam, 3 To 8 Percent Slopes	3		Prime	
25C	Buckland Loam, 8 To 15 Percent Slopes	7		Statewide	
25D	Buckland Loam, 15 To 25 Percent Slopes	8		NPSL	
26B	Buckland Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
26C	Buckland Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
26D	Buckland Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
26E	Buckland Loam, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
28	Udorthents And Udipsammments	11		NPSL	
29A	Grange Very Fine Sandy Loam, 0 To 3 Percent Slopes	3	d	Prime	b
30B	Cabot Loam, 0 To 8 Percent Slopes	6	d	Statewide	b
30C	Cabot Loam, 8 To 15 Percent Slopes	7	d	Statewide	b
31B	Cabot Loam, 3 To 8 Percent Slopes, Very Stony	10		NPSL	
31C	Cabot Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
32B	Urban Land-Windsor-Agawam Complex, 0 To 8 Percent Slopes	11		NPSL	
33	Rumney Fine Sandy Loam, 0 To 2 Percent Slopes, Frequently Flooded	4	d	Statewide	b
36C	Teago-Pomfret Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
36D	Teago-Pomfret Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
36E	Teago-Pomfret Complex, 25 To 50 Percent Slopes, Rocky	11		NPSL	
38	Hadley Very Fine Sandy Loam, 0 To 3 Percent Slopes, Occasionally Flooded	1		Prime	

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
39	Winooski Silt Loam, 0 To 3 Percent Slopes, Occasionally Flooded	1		Prime	
40	Limerick Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	4	d	Statewide	b
41	Saco Silt Loam, 0 To 2 Percent Slopes, Frequently Flooded	8	d	NPSL	
42D	Lyman-Rock Outcrop Complex, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
42F	Lyman-Rock Outcrop Complex, 35 To 70 Percent Slopes, Very Stony	11		NPSL	
43D	Hogback-Rock Outcrop-Rawsonville Complex, 15 To 35 Percent Slopes, Very Bouldery	11		NPSL	
43F	Hogback-Rock Outcrop-Rawsonville Complex, 35 To 70 Percent Slopes, Very Bouldery	11		NPSL	
45B	Eldridge Fine Sandy Loam, 3 To 8 Percent Slopes	3		Prime	
45C	Eldridge Fine Sandy Loam, 8 To 15 Percent Slopes	7		Statewide	
45D	Eldridge Fine Sandy Loam, 15 To 25 Percent Slopes	8		NPSL	
45E	Eldridge Fine Sandy Loam, 25 To 50 Percent Slopes	11		NPSL	
47	Pondicherry And Wonsqueak Mucks, Poned	11		NPSL	
48	Pits, Sand And Pits, Gravel	11		NPSL	
49B	Vershire-Buckland Complex, 3 To 8 Percent Slopes	3		Prime	
49C	Vershire-Buckland Complex, 8 To 15 Percent Slopes	7		Statewide	
49D	Vershire-Buckland Complex, 15 To 25 Percent Slopes	8		NPSL	
54B	Tunbridge-Lyman Complex, 3 To 8 Percent Slopes, Rocky	3		Prime	
54C	Tunbridge-Lyman Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
54D	Tunbridge-Lyman Complex, 15 To 25 Percent Slopes, Rocky	8		NPSL	
56	Bucksport Muck, Poned	11		NPSL	
58C	Berkshire-Tunbridge Complex, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
58D	Berkshire-Tunbridge Complex, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
58E	Berkshire-Tunbridge Complex, 35 To 50 Percent Slopes, Very Stony	11		NPSL	

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
59C	Rawsonville-Houghtonville Complex, 8 To 15 Percent Slopes, Rocky	10		NPSL	
59D	Rawsonville-Houghtonville Complex, 15 To 35 Percent Slopes, Rocky	10		NPSL	
59E	Rawsonville-Houghtonville Complex, 35 To 60 Percent Slopes, Rocky	11		NPSL	
60D	Glebe-Stratton Complex, 15 To 35 Percent Slopes, Very Stony	11		NPSL	
60F	Glebe-Stratton Complex, 35 To 70 Percent Slopes, Very Stony	11		NPSL	
61D	Ricker-Londonderry-Stratton Complex, 15 To 35 Percent Slopes, Very Rocky	11		NPSL	
61F	Ricker-Londonderry-Stratton Complex, 35 To 70 Percent Slopes, Very Rocky	11		NPSL	
62C	Hogback-Rawsonville Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
62D	Hogback-Rawsonville Complex, 15 To 35 Percent Slopes, Very Rocky	11		NPSL	
62E	Hogback-Rawsonville Complex, 35 To 60 Percent Slopes, Very Rocky	11		NPSL	
63C	Berkshire And Monadnock Fine Sandy Loams, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
63D	Berkshire And Monadnock Fine Sandy Loams, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
63E	Berkshire And Monadnock Fine Sandy Loams, 35 To 60 Percent Slopes, Very Stony	11		NPSL	
64B	Colton Fine Sandy Loam, 3 To 8 Percent Slopes	6		Statewide	
64C	Colton Fine Sandy Loam, 8 To 15 Percent Slopes	8		NPSL	
64D	Colton Fine Sandy Loam, 15 To 25 Percent Slopes	10		NPSL	
64E	Colton Fine Sandy Loam, 25 To 60 Percent Slopes	11		NPSL	
68B	Berkshire And Monadnock Fine Sandy Loams, 3 To 8 Percent Slopes	3		Prime	
68C	Berkshire And Monadnock Fine Sandy Loams, 8 To 15 Percent Slopes	7		Statewide	
68D	Berkshire And Monadnock Fine Sandy Loams, 15 To 25 Percent Slopes	8		NPSL	
70B	Adams Loamy Fine Sand, 3 To 8 Percent Slopes	6		Statewide	
70C	Adams Loamy Fine Sand, 8 To 15 Percent Slopes	8		NPSL	
70D	Adams Loamy Fine Sand, 15 To 25 Percent Slopes	8		NPSL	

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
70E	Adams Loamy Fine Sand, 25 To 60 Percent Slopes	11		NPSL	
71B	Croghan And Sheepscot Fine Sandy Loams, 0 To 8 Percent Slopes	6		Statewide	
71C	Croghan And Sheepscot Fine Sandy Loams, 8 To 15 Percent Slopes	7		Statewide	
74C	Mundal Fine Sandy Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
74D	Mundal Fine Sandy Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
75B	Urban Land-Colton-Croghan Complex, 0 To 8 Percent Slopes	11		NPSL	
79D	Dummerston-Macomber Complex, 15 To 25 Percent Slopes, Very Stony	10		NPSL	
80C	Macomber-Taconic Complex, 8 To 15 Percent Slopes, Very Rocky	10		NPSL	
80D	Macomber-Taconic Complex, 15 To 25 Percent Slopes, Very Rocky	10		NPSL	
80F	Macomber-Taconic Complex, 25 To 70 Percent Slopes, Very Rocky	11		NPSL	
81D	Taconic-Hubbardton-Rock Outcrop Complex, 8 To 25 Percent Slopes	10		NPSL	
81F	Taconic-Hubbardton-Rock Outcrop Complex, 25 To 70 Percent Slopes	11		NPSL	
82	Udifluvents, Cobbly, Frequently Flooded	11		NPSL	
85B	Fullam Silt Loam, 3 To 8 Percent Slopes	3		Prime	
85C	Fullam Silt Loam, 8 To 15 Percent Slopes	7		Statewide	
85D	Fullam Silt Loam, 15 To 25 Percent Slopes	8		NPSL	
86C	Fullam Silt Loam, 8 To 15 Percent Slopes, Very Stony	10		NPSL	
86D	Fullam Silt Loam, 15 To 35 Percent Slopes, Very Stony	10		NPSL	
89C	Dummerston-Macomber Complex, 8 To 15 Percent Slopes, Rocky	5		Statewide	
95B	Nicholville-Adams Complex, 3 To 8 Percent Slopes	4		Statewide	
95D	Nicholville-Adams Complex, 15 To 25 Percent Slopes	8		NPSL	
95E	Nicholville-Adams Complex, 25 To 60 Percent Slopes	11		NPSL	
202E	Rawsonville-Hogback-Houghtonville Complex, 8 To 60 Percent Slopes, Very Rocky	11		NPSL	
203D	Peru-Colonel-Marlow Association, 3 To 35 Percent Slopes, Very Stony	10		NPSL	
213F	Stratton-Ricker-Glebe Complex, 15 To 70 Percent Slopes, Very Rocky	11		NPSL	

**Windsor County Soil Survey Agricultural Value Groups & Important Farmland Classification Legend-2003**

M.U. Sym.	Map Unit Name	Agr. Value Group	Agr. Footnote	Important Farmland	I.F. Footnote
403B	Cabot-Pondicherry-Wonsqueak Association, 0 To 8 Percent Slopes, Very Stony	10		NPSL	
415D	Tunbridge-Berkshire-Lyman Complex, 8 To 50 Percent Slopes, Rocky	11		NPSL	
425D	Peru-Tunbridge-Berkshire Complex, 8 To 35 Percent Slopes, Rocky	10		NPSL	
505D	Peru-Berkshire-Colton Association, 3 To 35 Percent Slopes, Very Stony	10		NPSL	
702F	Hogback-Ricker-Rock Outcrop Complex, 15 To 70 Percent Slopes, Very Stony	11		NPSL	
705D	Rawsonville-Houghtonville-Mundal Complex, 8 To 50 Percent Slopes, Rocky	11		NPSL	
W	Water	11		NPSL	